# **CITY OF MOBILE**

#### **BID SHEET**

Mailing Address: P. O. Box 1948 Mobile, Alabama 36633 (251) 208-7434 Purchasing Department and Package Delivery: Government Plaza 4th Floor, Room S-408 205 Government St Mobile, Alabama 36644

	This is Not an Order																						
•	٠	٠	*	*	٠	Œ		•	**	٠	٠	•	٠	×	×	•)	٠	÷	60	•		(4)	

READ TERMS AND CONDITIONS ON REVERSE SIDE OF THIS PAGE BEFORE BIDDING

Typed by:	en		Buyer: 002					
	Pl€	ease quote the lo	west price at which you w	ill furnish the a	rticles listed	below	Harana II	
DATE		BID NO.	DEPARTMENT	Comn	nodities to be o	lelivered F.O.B. M	lobile to:	
04/07/2020 5408		5408	Garage		То	Be Specified		
This bid	d must be rece	ived and stampe	d by the Purchasing offic	e not later than	n: 11:00 AM	, Friday, May 1	, 2020	
	ARTICLES		form ONLY. Make no changes on			UNIT PRICE	EXTENS	
QUANTITY	ANTICLE	any addition	al information required to this for	m.	UNIT	Dollars Cent	s Dollars	Cents
	7	FANDEM AXLI	E 16 CUBIC YARD DUN	AP TRUCK				
QTY								
2 to 4	Tandem Axle specifications		imp Truck as per the following	ng and attached				
	Make	1	Model					
	Literature and	I specifications on	product to be provided.					
	Delivery may be a consideration in the award in addition to price.  On attached sheet state delivery of unit(s) bid.							
	Vendor shall state time to deliver after receipt of purchase order for vehicle.							
		ner vehicle at no ch	e time frame stated vendor sharge until which time the pro					
	Vehicles to be	e provided with 5-y	ear Service Plan.					
			tended warranties on all com n of extended warranty.	ponents for				
	enrollment in	the E-Verify progr	rovide verification of am. Additional information tion.alabama.gov/					
		Page 1 of 4	4					
					<u> </u>	TOTAL		
	ONE SIGNED CO SED ENVELOPE	OPY OF THIS BID	State (	delivery time v		-		.0.
We will allow	a discount	% 20 days fro	m date of receipt of goods	yped Signature _	è			
and correct ir	nvoice of completed	d order.	В	V				

- 1. All quotations must be signed with the firm name and by an authorized officer or employee,
- 2. Verify your bid before submission as it cannot be withdrawn or corrected after being opened. In case of error in extension of prices, the unit price will govern.
- 3. If you do not bid, return this sheet and state reason. Otherwise, your name may be removed from our mailing list.
- 4. The right is reserved to reject any, or all quotations, or any portions thereof, and to waive technicalities if deemed to be in the interest of the City of Mobile.
- 5. This bid shall not be reassignable except by written approval of the Purchasing Agent of the City of Mobile.
- 6. State brand and model number of each item. All items bid must be new and latest model unless otherwise specified.
- 7. If bid results are desired, enclose a self-addressed and stamped envelope with your bid, (All or None bids only)
- 8. Do not include Federal Excise Tax as exemption certificate will be issued in lieu of same. The City is exempt from the Alabama and City sales taxes.
- 9. PRICES ARE TO BE FIRM AND F.O.B. DESTINATION UNLESS OTHERWISE REQUESTED.
- 10. BID WILL BE AWARDED ON ALL OR NONE BASIS UNLESS OTHERWISE STATED.
- 11. Bids received after specified time will be returned un-opened.
- 12. Failure to observe stated instructions and conditions will constitute grounds for rejection of your bid.
- 13. Furnish literature, specifications, drawings, photographs, etc., as applicable with the items bid.
- 14. Vendor May be required to obtain City of Mobile Business License as applicable to City of Mobile Municipal Code Section 34-50. For Business License inquiry contact the Revenue Department at (251) 208-7461 or cityofmobile.org/taxes.php.
- 15. If a bid bond is required in the published specifications, see below: Each Bid Shall be Accompanied By A Cashier's Check, Certified Check, Bank Draft Or Bid Bond For the Sum Of Five (5) Percent Of The Amount Bid, Made Payable To The City Of Mobile And Certified By A Reputable Banking Institution. All Checks Shall Be Returned Promptly, Except The Check Of The Successful Bidder, Which Shall Be Returned After Fulfilling The Bid.
- 16. Contracts in excess of \$50,000 require that the successful bidder make every possible effort to have at least fifteen (15) percent of the total value of the contract performed by socially and economically disadvantaged individuals.
- 17. All bids/bid envelopes must have the bid number noted on the front. Bids that arrive unmarked and are opened in error shall be returned to vendor as an unacceptable bid.
- 18. If successful vendor's principal place of business is out-of-state, vendor may be required to have a Certificate of Authority to do business in the State of Alabama from the Alabama Secretary of State prior to issuance of a Purchase Order. Vendors are solely responsible for consulting with the Secretary of State to determine whether a Certificate is required. See <a href="https://www.sos.alabama.gov/BusinessServices/ForeignCorps.aspx">www.sos.alabama.gov/BusinessServices/ForeignCorps.aspx</a>. Please note that the time between application for and issuance of a Certificate of Authority may be several weeks.
- 19. Vendors do not need a City of Mobile Business License or Certificate of Authority from the Alabama Secretary of State to submit a bid, but will need to obtain the Business License and Certificate of Authority, if applicable, prior to issuance of a Purchase Order.

### **BID CONTINUATION SHEET**

Page\_\_\_\_\_ of\_\_\_\_

QUANTITY	ARTICLES  Bid on this form ONLY. Make no changes on this form. Additional information to be submitted on separate sheet and attrached basets.	T.,,,,	UNIT PR	CE	EXTENS	ION
	ARTICLES formation to be submitted on separate sheet and attached hereto.	UNIT	Dollars	Cents	Dollars	Cents
	Page 2 of 4					
	If the successful vendor's principal place of business is out-of-state,					
	vendor may be required to have a Certificate of Authority to do					
	business in the State of Alabama from the Secretary of State prior					
	to issuance of a Purchase Order.					
	Vendors are solely responsible for consulting with the Secretary of					
	State to determine whether a Certificate is required.					
	See: www.sos.alabama.gov/BusinessServices/ForeignCorps.aspx.					
	Please note that the time between application for the issuance of a					
	Certificate of Authority may be several weeks.					
	Upon notification, vendor will have 10 business days to provide the					
	Certificate of Authority and the E-Verify numbers to the					
	Purchasing Department before award can be completed.					
	(Vendors will possibly need to pay the expedite fee to meet this					1
	requirement because application is not sufficient. We must have a					
	copy of the certificate with your Company ID number).					
	Vendors do not need a City of Mobile Business License or Certificate					
	of Authority from the Alabama Secretary of State, nor the E-Verify for	1				
	certification to submit a bid, but will need to obtain the Business License			1		
	and Certificate of Authority verification and/or provide the E-Verify					1
	Certification, if applicable, prior to issuance of a Purchase Order.					
	State of Alabama Local Vendor Preference Law 41-16-50 (a)					ŀ
	and (d) will apply to this purchase.					
	and (a) will apply to this purchase.					
	Questions pertaining to this bid may be emailed to:	1				
	purchasing@cityofmobile.org .					
	Pricing to be firm for one (1) year period following the award of the bid.					
	TO BE AWARDED ON A PER ITEM BASIS					
		L				
			ТОТ	AL		

RETURN ONE SIGNED COPY OF THIS QUOTATION IN ENCLOSED ENVELOPE

READ ABOVE INSTRUCTIONS BEFORE QUOTING

Firm Name	
By	

We will allow a discount \_\_\_\_\_\_ % 20 days from date of receipt of goods and correct invoice of completed order.

## **BID CONTINUATION SHEET**

Page \_\_\_\_\_ of \_\_\_\_

QUANTITY	ARTICLES	Bid on this form ONLY. Make no changes on this	s form. Additional in-	UNIT	UNIT PR	ICE	EXTENS	SION
	744110220	formation to be submitted on separate sheet an	d attached hereto.	ONT	Dollars	Cents	Dollars	Cents
		Page 3 of 4						
	Delivery and avail	ability for trucks in stock or due shortly.						
	1.) Truck MFR	Model						
	Engine _	Transmission						
	Dump Body N	IFRSize						
	Single Frame	Rail						
	Wit	Nertical Exhaust Stack						
	With	underbody Turned Down Exhaust						
	Available afte	issuance of purchase order						
	2.) Truck MFR	Model						
	Engine	Transmission						
	Dump Body M	FRSize						
	Single Frame	Rail						
	With	Vertical Exhaust Stack						
	With	underbody Turned Down Exhaust						
	Available after	issuance of purchase order						
	3.) Truck MFR _	Model						
	Engine _	Transmission						
	Dump Body M	FR Size						
	Single Frame I	ail						
	With	Vertical Exhaust Stack						
					ТОТ	AL		
RETURN	ONE SIGNED COP	Y OF THIS QUOTATION RE	AD ABOVE INSTRU	JCTION			OTING	
IN ENCL	OSED ENVELOPE							

Firm Name\_\_\_\_\_

We will allow a discount \_\_\_\_\_\_ % 20 days from date of receipt of goods and correct invoice of completed order.

### **BID CONTINUATION SHEET**

Page\_\_\_\_\_ of\_\_\_\_

UANTITY	ARTICLES  Bid on this form ONLY. Make no changes on this form, Additional in-		UNITPE	ICE	EXTENS	SION
	formation to be submitted on separate sheet and attached hereto.	UNII	Dollars	Cents	Dollars	Cents
UANTITY	ARTICLES    Bid on this form ONLY, Make no changes on this form. Additional information to be submitted on separate sheet and attached hereto.    Page 4 of 4	UNIT		_		1
			тот	TAL		

IN ENCLOSED ENVELOPE

READ ABOVE INSTRUCTIONS BEFORE QUOTING

Firm Name	
D	

We will allow a discount \_\_\_\_\_\_ % 20 days from date of receipt of goods and correct invoice of completed order.

### **CHASSIS SPECIFICATIONS**

**AXLE CONFIG:** 

6X4

Yes or No

MISSION:

GVWR 56000. Calc. GVWR: 56000

Yes or No

**DIMENSION:** 

201.00, CA: 133.90, Axle to Frame: 63.00

Yes or No

**ENGINE, DIESEL:** 

{Cummins L9 350} EPA 2017, 350 HP @ 2000 RPM, 1150 lb.-ft

Torque @ 1400 RPM, 2200 RPM Governed speed, 350 Peak HP (Max)

Yes or No

There shall be an engine exhaust brake installed with variable vane turbo charger or equal feature.

Yes or No

Hand throttle shall be installed.

Yes or No

FRAME RAILS

Chassis shall have single frame rails.

Yes or No

TRANSMISSION/AUTOMATIC:

{Allision 3000 RDS} 5<sup>th</sup> Generation with 80,000-lb GVW and

GCW Max On/Off Highway

Yes or No

**AXLE, FRONT NON-DRIVING:** 

16,000-lb Capacity

Yes or No

**AXLE, REAR TANDEM:** 

{Meritor MT-40-14X-4DCR} 40,000-lb Capacity

Yes or No

Truck shall have driver controlled locking differential for both rear axles.

Control(s) shall be dash mounted.

Yes or No

Rear wheel ratio of 4.88 or appropriate for rear end

Yes or No

CAB:

Conventional, Day Cab

Yes or No

TIRE, FRONT:

(2) 385/65R22.5 Load Range L, 68 MPH, All-Position Yes or No

TIRE, REAR:

(8) 11R22.5 Load Range G, 75 MPH, Drive

Yes or No

SUSPENSION, REAR, TANDEM:

{Hendrickson HMX-400-54} Walking Beam, 40,000-lb Capacity,

Rubber Springs

Yes or No

TOW, HOOK FRONT:

Yes or No

**BUMPER, FRONT:** 

Swept Back, Steel, Heavy Duty

Yes or No

**BRAKE SYSTEM, AIR:** 

Dual System for Straight Truck Applications

Yes or No

TRAILER CONNECTIONS: Four-Wheel, with Hand Control Valve and Tractor Protection

Yes or No

DRAIN VALVE:

{Bendix DV-2} Automatic

Valve, for Straight Truck

Yes or No

AIR BRAKE ABS		Yes or No							
AIR COMPRESSOR	Minimum CFM of 18.0 CFM.	Yes or No							
AIR SYSTEM	shall have air dryer.	Yes or No							
AIR DRYER	{Bendix AD-9} with Heater	Yes or No							
EXHAUST HEIGHT	10' if Vertical	Yes or No							
MUFFLER/TAIL PIPE GUA	ARD (1) Aluminum	Yes or No							
ELECTRICAL SYSTEM	12 Volt	Yes or No							
BACK-UP ALARM	Electric, 102 dBA	Yes or No							
TRAILER CONNECTION S Combined with Stop, Compatil	<b>TRAILER CONNECTION SOCKET</b> 7-Way, Mounted at Rear of Frame, Wired for Turn Signals Combined with Stop, Compatible with Trailers That Use Combined Stop, Tail, Turn Lamps  Yes or No								
RUNNING LIGHT	(2) Daytime	Yes or No							
TRANSMISSION, AUTOMATIC {Allison 3000 RDS} Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway Yes or No									
TRANSMISSION SHIFT CO	ONTROL for Column Mounted Stalk Shifter	Yes or No							
TRANSMISSION OIL	Synthetic	Yes or No							
TRANSMISSION OIL PTO LOCATION	Synthetic  Dual, Customer intends to Install PTO at Left and/or Rig of Transmission								
	Dual, Customer intends to Install PTO at Left and/or Rig	ght Side							
PTO LOCATION	Dual, Customer intends to Install PTO at Left and/or Rig of Transmission	ght Side Yes or No							
PTO LOCATION  CAB  AIR CONDITIONER  SEAT, DRIVER: {National 20	Dual, Customer intends to Install PTO at Left and/or Rig of Transmission Conventional, Day Cab	ght Side Yes or No Yes or No Yes or No Cloth, Isolator,							
PTO LOCATION  CAB  AIR CONDITIONER  SEAT, DRIVER: {National 20	Dual, Customer intends to Install PTO at Left and/or Rig of Transmission  Conventional, Day Cab  with Integral Heater and Defroster  000} Air Suspension, High Back with Integral Headrest, Corporate Cushion Adjust, -3 to +14 Degree Back Angle Adjust	ght Side Yes or No Yes or No Yes or No Cloth, Isolator,							
PTO LOCATION  CAB  AIR CONDITIONER  SEAT, DRIVER: {National 20 1 Chamber Lumbar, 2 Position	Dual, Customer intends to Install PTO at Left and/or Rig of Transmission  Conventional, Day Cab  with Integral Heater and Defroster  000} Air Suspension, High Back with Integral Headrest, Corporate Cushion Adjust, -3 to +14 Degree Back Angle Adjust	ght Side Yes or No Yes or No Yes or No Cloth, Isolator, ust Yes or No							
PTO LOCATION  CAB  AIR CONDITIONER  SEAT, DRIVER: {National 20 1 Chamber Lumbar, 2 Position  MIRROR, CONVEX, HOOD	Dual, Customer intends to Install PTO at Left and/or Rig of Transmission  Conventional, Day Cab  with Integral Heater and Defroster  000} Air Suspension, High Back with Integral Headrest, Convention Adjust, -3 to +14 Degree Back Angle Adjust	ght Side Yes or No Yes or No Yes or No Cloth, Isolator, ist Yes or No Yes or No Yes or No							

SUN VISOR (2) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side

with Toll Ticket Strap

Yes or No

ARM REST, RIGHT, DRIVER SEAT

Yes or No

CAB SOUND INSULATION Yes or No

WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down

Feature Yes or No

STEERING COLUMN Shall have tilt feature Yes or No

HAND THROTTLE shall be installed Yes or No

FUEL TANK No less than 65 Gallons Yes or No

**DEF TANK** No less than 6.7 gallons Yes or No

# **DUMP BODY SPECIFICATIONS**

## WARREN F-16 FRAME TYPE DUMP BODY OR EQUAL

DUMP BODY – FRAME	<b>TYPE</b> – 16'	Yes or No
CUBIC YARDAGE	16	Yes or No
TAILGATE HEIGHT	50"	Yes or No
HIGH LIFT TAILGATE		Yes or No
TARP TIE RAIL	Both Sides	Yes or No
DUMP BODY	Access Steps Both Sides	Yes or No
TAILGATE	Air operated	Yes or No
DUMP BODY	Cab Shield: Full Width – ½ (24")	Yes or No
	Asphalt Apron: 8" push type	Yes or No
	Bolt On Center Board Pockets	Yes or No
	Lights: LED Standard	Yes or No
	Oval S/T/T	Yes or No
CONSOLE:	Clutch Shift Air	Yes or No
CONSPICUITY TAPE:	Side & Tailgate	Yes or No
MUDFLAPS AND BRACK	XETS:	Yes or No
PTO:	for Allison Automatic Transmission	Yes or No
	PTO Muncie CS Series (Auto)	Yes or No
TARP SYSTEM:	TARP System – Installed	Yes or No
	Installation: Installed	Yes or No
	Brand: Donovan	Yes or No
	Manual/Electric: Electric	Yes or No
	Type: Arm	Yes or No
	Aluminum/Steel: Aluminum	Yes or No
	Tarp Size: 90"x20"	Yes or No
	Tarp Type: Asphalt	Yes or No

## Dump Body Specifications Page 2 of 2

**TOW PACKAGE:** 

Pintle Plate: ¾" Yes or No

Pintle Hitch: 30 Ton Yes or No

Glad Hands Yes or No

D Rings Yes or No

Tow Hooks Yes or No

Electric Plug: 7 Way Yes or No

## **CHASSIS SERVICE PLAN**

Chassis Service Plan 4 Times per year for 5 years. 20 total PM Service with oil, oil filter, fuel filters, check all fluid levels, grease chassis. 10,000 Miles or 3 Months, whichever is first.

### **Annual Services:**

Transmission Service.

Transmission fluid.

Transmission filter.

Crankcase Service.

Crankcase filter.

Valve Adjustment.

Air Filter.

DPF Remove and Reinstall.

DPF cleaning.

DPF Gasket replacement.

Update/Reset ECM.



# PROCUREMENT DEPARTMENT

Potential bidders are responsible to check this site for any ADDENDUMS that are issued. It is the responsibility of the BIDDER to check for, download, and include with their BID RESPONSE any and all ADDENDUMS that are issued for a specific BID published by the City of Mobile. Failure to download and include ADDENDUMS in your BID RESPONSE may cause your bid to be rejected.

This is a sealed bid. Any responses faxed or e-mailed will be rejected.

This is a sealed bid. Any response must be submitted in a sealed envelope with the bid number and bid opening date on the outside of the envelope.

Any response that arrives improperly marked or with no bid number and opening date on the outside of the delivery or express package and opened in error will be rejected and not considered.

It is the responsibility of the bidder to insure that their bid response is delivered to and received in the Purchasing Department <u>before</u> the date and time of the bid opening.

Be sure to read the Terms and Conditions. All bids are F.O.B. Destination unless otherwise stated.

Be sure to sign your bid!

Package/Bid Delivery Address: Purchasing Department 205 Government St. Room S408 Mobile, AL 36644

(Request First Delivery)