

ADDENDUM #4

July 8, 2020

RE: City of Mobile Bid #5441 for Tandem Axle 16 Cubic Yard Dump Truck

Please consider the following to be Addendum #4 to City of Mobile Bid #5441 for Tandem Axle 16 Cubic Yard Dump Truck.

DELETE:

WET LINE HYDRAULIC KIT

Thank you for your consideration in this matter.

Sincerely,

Purchasing Agent

City of Mobile



ADDENDUM #3

July 6, 2020

RE: City of Mobile Bid #5441 for Tandem Axle 16 Cubic Yard Dump Truck

Please consider the following to be Addendum #3 to City of Mobile Bid #5441 for Tandem Axle 16 Cubic Yard Dump Truck.

DELETE:

ADDENDUM #2

CHANGE BID OPENING:

FROM: 11:15 AM, Friday, July 10, 2020

TO: 11:15, Friday, July 17, 2020

Thank you for your consideration in this matter.

Sincerely,

John Paine

Purchasing Agent

City of Mobile



ADDENDUM #2

July 2, 2020

RE: City of Mobile Bid #5441 for Tandem Axle 16 Cubic Yard Dump Truck

Please consider the following to be Addendum #2 to City of Mobile Bid #5441 for Tandem Axle 16 Cubic Yard Dump Truck.

ADD/INCLUDE THE FOLLOWING:

Tow package shall include hydraulic plumbing and connections for a wetline kit to allow the dumping of City of Mobile trash trailers.

Thank you for your consideration in this matter.

Sincerely,

John Paine

Purchasing Agent City of Mobile

Dump Body Specifications Page 2 of 2

TOW PACKAGE:

Pintle Plate: 3/4" YES or NO

Pintle Hitch: 45 ton YES or NO

2 inch Receiver Hitch YES or NO

Air Brake Glad Hands YES or NO

Safety Chains D Rings YES or NO

Tow Hooks YES or NO

Electric plug: 7 way YES or NO

Electric plug: 6 way YES or NO



ADDENDUM

July 1, 2020

RE: City of Mobile Bid #5441 for Tandem Axle 16 Cubic Yard Dump Truck

Please consider the following to be Addendum to City of Mobile Bid #5441 for Tandem Axle 16 Cubic Yard Dump Truck.

ADD/INCLUDE THE FOLLOWING:

TOW PACKAGE:

Pintle Plate: 34"

Pintle Hitch: 45 ton 2 inch Receiver Hitch Air Brake Glad Hands Safety Chains D Rings

Tow Hooks

Electric plug: 7 way Electric plug: 6 way

Thank you for your consideration in this matter.

Sincerely,

ohn Paine

Purchasing Agent

City of Mobile

CITY OF MOBILE

BID SHEET

Mailing Address:

and correct invoice of completed order.

P. O. Box 1948 Mobile, Alabama 36633 (251) 208-7434 Purchasing Department and Package Delivery:
Government Plaza

Government Plaza 4th Floor, Room S-408 205 Government St Mobile, Alabama 36644 This is Not an Order

READ TERMS AND CONDITIONS ON REVERSE SIDE OF THIS PAGE BEFORE BIDDING

	Ple	ease quote the lo	west price at which you wil	I furnish the articl	es liste	below			
DATE		BID NO.	DEPARTMENT	Commodit	ies to be delivered F.O.B. Mobile to:				
06/22/2020 5441		Garage		To Be Specified					
This bid	must be rece	ived and stampe	d by the Purchasing office	not later than:	11:15 AN	I, Friday,	July 10	, 2020	
	ADTIOLE	Bid on this f	orm ONLY. Make no changes on t	his form. Attach		UNIT P	RICE	EXTENS	SION
QUANTITY	ARTICLE		al information required to this forn		UNIT	Dollars	Cents	Dollars	Cents
		TANDEM AXI	LE 16 CUBIC YARD DUI	MP TRUCK					
QTY	TD 1 4 1	16011 11 10		1 44 1 1					
2 to 4	specification		ump Truck as per the followi	ng and attached					
	1								
	Make		Model						
	Literature ar	nd specifications or	product to be provided.						
	City of Mobile desires delivery within 120 days of issuance of Purchase Order.								
	Vendor shall vehicle.	l state time to deliv	er after receipt of Purchase O	rder for					
	Vehicles to l	pe provided with 5-	year Service Plan.						
			ktended warranties on all com on of extended warranty.	ponents for					
	enrollment ir	the E-Verify prog	provide verification of ram. Additional information ation.alabama.gov/.						
	vendor may l business in th	be required to have	pal place of business is out-of a Certificate of Authority to a from the Secretary of State	do					
1		Page 1 of	4						
						TOTA	AL		
		OPY OF THIS BID	State d	elivery time with	in	days	of rece	ipt of P	2.O.
IN ENCLOS	ED ENVELOPE			m Name		-			

Ву_

BID CONTINUATION SHEET Page_ Bid on this form ONLY, Make no changes on this form. Additional in-UNIT PRICE **EXTENSION** QUANTITY **ARTICLES** UNIT formation to be submitted on separate sheet and attached hereto. Dollars Dollars Cents Page 2 of 4 Vendors are solely responsible for consulting with the Secretary of State to determine whether a Certificate is required. See: www.sos.alabama.gov/BusinessServices/ForeignCorps.aspx. Please note that the time between application for the issuance of a Certificate of Authority may be several weeks. Upon notification, vendor will have 10 business days to provide the Certificate of Authority and the E-Verify numbers to the Purchasing Department before award can be completed. (Vendors will possibly need to pay the expedite fee to meet this requirement because application is not sufficient. We must have a copy of the certificate with your Company ID number). Vendors do not need a City of Mobile Business License or Certificate of Authority from the Alabama Secretary of State, nor the E-Verify for certification to submit a bid, but will need to obtain the Business License and Certificate of Authority verification and/or provide the E-Verify Certification, if applicable, prior to issuance of a Purchase Order. State of Alabama Local Vendor Preference Law 41-16-50 (a) and (d) will apply to this purchase. Questions pertaining to this bid may be emailed to: purchasing@cityofmobile.org . Pricing to be firm for one (1) year period following the award of the bid. TO BE AWARDED ON A PER ITEM BASIS

RETURN ONE SIGNED COPY OF THIS QUOTATION IN ENCLOSED ENVELOPE

READ ABOVE INSTRUCTIONS BEFORE QUOTING

Firm Name					
			- 41		
By.					

TOTAL

We will allow a discount ______ % 20 days from date of receipt of goods and correct invoice of completed order.

BID CONTINUATION SHEET

Page_	of	
, ugo	 VI _	

JANTITY	ARTICLES Bid on this form ONLY. Make no changes on this form. Addit	ional in-	UNIT PRI	CE	EXTENS	SION
	ARTICLES formation to be submitted on separate sheet and attached his	ereto. UNIT	Dollars	Cents	Dollars	Cents
	Page 3 of 4					
	Delivery and availability for trucks in stock or due shortly,			1		
	1.) Truck MFR Model		1			
	EngineTransmission					
	Dump Body MFR Size	_				
	Single Frame Rail					
	With Vertical Exhaust Stack					
	With underbody Turned Down Exhaust					
	Available after issuance of purchase order	_				
	2.) Truck MFR Model					
	EngineTransmission	_				
	Dump Body MFRSize	_				
	Single Frame Rail					
	With Vertical Exhaust Stack	_				
	With underbody Turned Down Exhaust	_				
	Available after issuance of purchase order	_				
	3.) Truck MFR Model	_				
	EngineTransmission	_				
	Dump Body MFRSize					
1	Single Frame Rail					
	With Vertical Exhaust Stack					
		_				
			тот,	Δ1		-
ETUDA	ONE SIGNED CORV OF THIS CHOTATION		1017	\		

RETURN ONE SIGNED COPY OF THIS QUOTATION IN ENCLOSED ENVELOPE

READ ABOVE INSTRUCTIONS BEFORE QUOTING

Firm Name	
Bv	

We will allow a discount ______ % 20 days from date of receipt of goods and correct invoice of completed order.

BID CONTINUATION SHEET

Page _____ of ____

UANTITY	ARTICLES	and the dead		UNIT	UNITPR	EXTENSION		
	ATTIOLES			ONT	Dollars Cents		Dollars Cen	
		P	age 4 of 4					
	With und	erbody Turned D	Oown Exhaust					
	Available a	fter issuance of p	ourchase order					
	4.) Truck MFR		Model					
	Engine		Transmission					
	Dump Body	y MFR	Size					
	Double Fran	me Rail						
	W	Vith Vertical Exh	aust Stack					
	W	Vith underbody T	`urned Down Exhaust					
Į.	Single Fram	ne Rail						
	W	Vith Vertical Exh	aust Stack	1				ķ.
	W	Vith underbody T	Curned Down Exhaust					
			ourchase order					
		•						
10								
1								
1				1 1				
1								
ļ						1		
					TOT			
RETURNIC	ONE SIGNED CO	DV OF THE OL	IOTATION			- 12		-

RETURN ONE SIGNED COPY OF THIS QUOTATION IN ENCLOSED ENVELOPE

READ ABOVE INSTRUCTIONS BEFORE QUOTING

Firm Name.	 		
Rv			

We will allow a discount ______ % 20 days from date of receipt of goods and correct invoice of completed order.

DUMP BODY SPECIFICATIONS

WARREN F-16 FRAME TYPE DUMP BODY OR EQUAL

Dump body – frame type – 16'					
Cubic yardage - 16					
Tailgate height 50"					
High Lift tailgate		Yes or No			
Tarp tie rail both sides		Yes or No			
Dump body access steps both	n sides	Yes or No			
Tailgate	Air operated	Yes or No			
Dump body	Cab Shield: Full Width – ½ (24")	Yes or No			
	Asphalt Apron, 8" push type	Yes or No			
	Bolt On Center Board Pockets	Yes or No			
	Lights: LED Standard	Yes or No			
	Oval S/T/T	Yes or No			
Console:	Clutch Shift Air	Yes or No			
Conspicuity tape:	Side & Tailgate	Yes or No			
Mudflaps and brackets:	\$	Yes or No			
Pto:	for Allison Automatic Transmission	Yes or No			
	PTO Muncie CS Series (Auto)	Yes or No			
Tarp system:	TARP System – Installed	Yes or No			
	Installation: Installed	Yes or No			
	Brand: Donovan	Yes or No			
	Manual/Electric: Electric	Yes or No			
	Type: Arm	Yes or No			
	Aluminum/Steel: Aluminum	Yes or No			
	Tarp Size: 90"x20"	Yes or No			
	Tarp Type: Asphalt	Yes or No			

CHASSIS SPECIFICATIONS

AXLE CONFIG:

6X4

Yes or No

MISSION:

GVWR 56000. Calc. GVWR: 56000

Yes or No

DIMENSION:

201.00, CA: 133.90, Axle to Frame: 63.00

Yes or No

ENGINE, DIESEL:

{Cummins L9 350} EPA 2017, 350 HP @ 2000 RPM, 1150 lb.-ft

Torque @ 1400 RPM, 2200 RPM Governed speed, 350 Peak HP (Max)

Yes or No

There shall be an engine exhaust brake installed with variable vane turbo charger or equal feature.

Yes or No

Hand throttle shall be installed.

Yes or No

FRAME RAILS

Chassis shall have single frame rails.

Yes or No

TRANSMISSION/AUTOMATIC:

{Allision 3000 RDS} 5th Generation with 80,000-lb GVW and

GCW Max On/Off Highway

Yes or No

AXLE, FRONT NON-DRIVING:

16,000-lb Capacity

Yes or No

AXLE, REAR TANDEM:

{Meritor MT-40-14X-4DCR} 40,000-lb Capacity

Yes or No

Truck shall have driver controlled locking differential for both rear axles.

Control(s) shall be dash mounted.

Yes or No

Rear wheel ratio of 4.88 or appropriate for rear end

Yes or No

CAB:

Conventional, Day Cab

Yes or No

TIRE, FRONT:

(2) 385/65R22.5 Load Range L, 68 MPH, All-Position

Yes or No

TIRE, REAR:

(8) 11R22.5 Load Range G, 75 MPH, Drive

Yes or No

SUSPENSION, REAR, TANDEM:

{Hendrickson HMX-400-54} Walking Beam, 40,000-lb Capacity,

Rubber Springs

Yes or No

TOW, HOOK FRONT:

Yes or No

BUMPER, FRONT:

Swept Back, Steel, Heavy Duty

Yes or No

BRAKE SYSTEM, AIR:

Dual System for Straight Truck Applications

Yes or No

TRAILER CONNECTIONS: Four-Wheel, with Hand Control Valve and Tractor Protection

Valve, for Straight Truck

Yes or No

DRAIN VALVE:

{Bendix DV-2} Automatic

Yes or No

AIR BRAKE ABS Yes or No AIR COMPRESSOR Minimum CFM of 18.0 CFM. Yes or No AIR SYSTEM shall have air dryer. Yes or No AIR DRYER {Bendix AD-9} with Heater Yes or No **EXHAUST HEIGHT** 10' if Vertical Yes or No **MUFFLER/TAIL PIPE GUARD** (1) Aluminum Yes or No **ELECTRICAL SYSTEM** 12 Volt Yes or No **BACK-UP ALARM** Electric, 102 dBA Yes or No TRAILER CONNECTION SOCKET 7-Way, Mounted at Rear of Frame, Wired for Turn Signals Combined with Stop, Compatible with Trailers That Use Combined Stop, Tail, Turn Lamps Yes or No **RUNNING LIGHT** (2) Daytime Yes or No TRANSMISSION, AUTOMATIC {Allison 3000 RDS} Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway Yes or No TRANSMISSION SHIFT CONTROL for Column Mounted Stalk Shifter Yes or No TRANSMISSION OIL Synthetic Yes or No PTO LOCATION Dual, Customer intends to Install PTO at Left and/or Right Side of Transmission Yes or No CAB Yes or No Conventional, Day Cab AIR CONDITIONER with Integral Heater and Defroster Yes or No SEAT, DRIVER: {National 2000} Air Suspension, High Back with Integral Headrest, Cloth, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, -3 to +14 Degree Back Angle Adjust Yes or No MIRROR, CONVEX, HOOD MOUNTED Yes or No Yes or No **GRAB HANDLE** Chrome SEAT, PASSENGER {National} Non-Suspension, High Back, Fixed Back, Integral Headrest, Yes or No Cloth Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio CONSOLE, OVERHEAD Yes or No Pocket; Located Above Driver and Passenger

SUN VISOR (2) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side

with Toll Ticket Strap

Yes or No

ARM REST, RIGHT, DRIVER SEAT

Yes or No

CAB SOUND INSULATION Yes or No

WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down

Feature Yes or No

STEERING COLUMN Shall have tilt feature Yes or No

HAND THROTTLE shall be installed Yes or No

FUEL TANK No less than 65 Gallons Yes or No

DEF TANK No less than 6.7 gallons Yes or No

CHASSIS SERVICE PLAN

Chassis Service Plan 4 Times per year for 5 years. 20 total PM Service.

Quarterly Services:

18 10 1 10 W

Oil change

Oil filter

Fuel filters

Check all fluid levels

Grease chassis

10,000 miles or 3 months, whichever is first.

Annual Services:

crankcase service

Crankcase filter

Valve adjustment

Air filter

DPF remove and reinstall

DPF cleaning

DPF gasket replacement

Update/reset ECM

Transmission to be serviced as per manufacturer's recommendations for service.