

# CITY OF MOBILE

## BID SHEET

This is Not an Order

**Mailing Address:**  
 P. O. Box 1948  
 Mobile, Alabama 36633  
 (251) 208-7434

**Purchasing Department  
 and Package Delivery:**  
 Government Plaza  
 4<sup>th</sup> Floor, Room S-408  
 205 Government St  
 Mobile, Alabama 36644

**READ TERMS AND CONDITIONS  
 ON REVERSE SIDE OF THIS PAGE  
 BEFORE BIDDING**

Typed by: en Buyer: 004

**Please quote the lowest price at which you will furnish the articles listed below**

DATE <b>09/09/2020</b>	BID NO. <b>5474</b>	DEPARTMENT <b>Electrical</b>	Commodities to be delivered F.O.B. Mobile to: <b>To Be Specified</b>
---------------------------	------------------------	---------------------------------	---

**This bid must be received and stamped by the Purchasing office not later than: 10:30 A.M., Friday, September 25, 2020**

QUANTITY	ARTICLES	UNIT	UNIT PRICE		EXTENSION	
			Dollars	Cents	Dollars	Cents
Bid on this form ONLY. Make no changes on this form. Attach any additional information required to this form.						
Qty 6	<b>STREET LIGHTING POLES</b>  Pole, steel, round tapered shaft, 24 feet with 35 feet mast arm that will ensure a minimum 16 feet clearance from bottom of signal(s) to roadway, powder-coated gloss black and meet the following attached minimum specification.  Make: _____ Model: _____					
2	Pole, steel, round tapered shaft, 37 feet, with 24 feet mast arm that will ensure a minimum 16 feet clearance from bottom of signal(s) to roadway, with 12 feet luminaire arm, curved, smooth upswept, round shaft, 2 inch dia., oriented same as mast arm, luminaire arm to mount above mast arm near top of pole, powder-coated gloss black, pole to meet the attached minimum specification  Make: _____ Model: _____					
2	Pole, steel, round tapered shaft, 28 feet, with 24 feet mast arm that will ensure 16 feet clearance from bottom of signal(s) to roadway, powder-coated gloss black and meet the attached minimum specification  Make: _____ Model: _____					
1	Pole, steel, traffic signal, round tapered shaft, 28 feet, with 55 feet mast arm that will ensure a minimum 16 feet clearance between the bottom of signal(s) and road way, powder-coated gloss black and meet the following attached minimum specification  Make: _____ Model: _____					
Page 1 of 3			<b>TOTAL</b>			

**RETURN ONE SIGNED COPY OF THIS BID  
 IN ENCLOSED ENVELOPE**

State delivery time within \_\_\_\_\_ days of receipt of P.O.

Firm Name \_\_\_\_\_

Typed Signature \_\_\_\_\_

By \_\_\_\_\_

We will allow a discount \_\_\_\_\_% 20 days from date of receipt of goods and correct invoice of completed order.

1. All quotations must be signed with the firm name and by an authorized officer or employee.
2. Verify your bid before submission as it cannot be withdrawn or corrected after being opened. In case of error in extension of prices, the unit price will govern.
3. If you do not bid, return this sheet and state reason. Otherwise, your name may be removed from our mailing list.
4. The right is reserved to reject any, or all quotations, or any portions thereof, and to waive technicalities if deemed to be in the interest of the City of Mobile.
5. This bid shall not be reassignable except by written approval of the Purchasing Agent of the City of Mobile.
6. State brand and model number of each item. All items bid must be new and latest model unless otherwise specified.
7. If bid results are desired, enclose a self-addressed and stamped envelope with your bid. (All or None bids only)
8. Do not include Federal Excise Tax as exemption certificate will be issued in lieu of same. The City is exempt from the Alabama and City sales taxes.
9. PRICES ARE TO BE FIRM AND F.O.B. DESTINATION UNLESS OTHERWISE REQUESTED.
10. BID WILL BE AWARDED ON ALL OR NONE BASIS UNLESS OTHERWISE STATED.
11. Bids received after specified time will be returned un-opened.
12. Failure to observe stated instructions and conditions will constitute grounds for rejection of your bid.
13. Furnish literature, specifications, drawings, photographs, etc., as applicable with the items bid.
14. Vendor May be required to obtain City of Mobile Business License as applicable to City of Mobile Municipal Code Section 34-50. For Business License inquiry contact the Revenue Department at (251) 208-7461 or [cityofmobile.org/taxes.php](http://cityofmobile.org/taxes.php).
15. If a bid bond is required in the published specifications, see below:  
Each Bid Shall be Accompanied By A **Cashier's Check, Certified Check, Bank Draft Or Bid Bond** For the Sum Of Five (5) Percent Of The Amount Bid, Made Payable To The City Of Mobile And Certified By A Reputable Banking Institution. All Checks Shall Be Returned Promptly, Except The Check Of The Successful Bidder, Which Shall Be Returned After Fulfilling The Bid.
16. Contracts in excess of \$50,000 require that the successful bidder make every possible effort to have at least fifteen (15) percent of the total value of the contract performed by socially and economically disadvantaged individuals.
17. All bids/bid envelopes must have the bid number noted on the front. Bids that arrive unmarked and are opened in error shall be returned to vendor as an unacceptable bid.
18. If successful vendor's principal place of business is out-of-state, vendor may be required to have a Certificate of Authority to do business in the State of Alabama from the Alabama Secretary of State prior to issuance of a Purchase Order. Vendors are solely responsible for consulting with the Secretary of State to determine whether a Certificate is required. See [www.sos.alabama.gov/BusinessServices/ForeignCorps.aspx](http://www.sos.alabama.gov/BusinessServices/ForeignCorps.aspx). Please note that the time between application for and issuance of a Certificate of Authority may be several weeks.
19. Vendors do not need a City of Mobile Business License or Certificate of Authority from the Alabama Secretary of State to submit a bid, but will need to obtain the Business License and Certificate of Authority, if applicable, prior to issuance of a Purchase Order.

## BID CONTINUATION SHEET

QUANTITY	ARTICLES	UNIT	UNIT PRICE		EXTENSION	
			Dollars	Cents	Dollars	Cents
Page 2 of 3						
2	<p>Pole, steel, traffic signal, round tapered shaft, 37 feet, with 55 feet mast arm, that will ensure a minimum 16 feet clearance between the bottom of signal(s) and the road way, with 12 feet luminaire arm attached above the mast arm and near top of pole, clamp-on luminaire arm so it can be oriented north, south, east or west on the pole, luminaire arm pipe 2 inch schd. 40, 40 feet luminaire mounting height, rise height max. 3.5 feet, powder-coated gloss black and meet the attached minimum specification</p> <p>Make: _____ Model: _____</p>					
1	<p>steel, pole, traffic signal, round tapered shaft, 37 feet, with 50 feet mast arm that will ensure a minimum 16 feet clearance between the bottom of signal(s) and the road way, with a 12 feet luminaire arm attached above the mast arm and near the top of pole, clamp on luminaire arm so it can be oriented north, south, east or west on the pole, luminaire arm pipe 2 inch schd. 40, luminaire mounting height 40 feet, rise height 3.5 feet, powder-coated gloss black and meet the attached minimum specification</p> <p>Make: _____ Model: _____</p> <p>Luminaire not included.</p> <p>Provide Literature and Specifications on item bid.</p> <p>Prior to Award, the City may request detailed drawing of the Pole bid.</p> <p>Quote delivered pricing FOB Mobile.</p> <p>Prices to remain firm for sixty (60) days from bid opening,</p> <p>System / Products Bid are to be compatible with existing equipment in use by the City of Mobile.</p> <p>City will assist with the unloading. Vendor/truck line must call at least 24 hours prior to delivery attempt. Truck can be met/unloaded between 7:30 a.m. and 1:00 p.m. only. Notification required to ensure equipment in place for unloading.</p> <p>All vendors will be required to provide verification of enrollment in the E-Verify program. Additional information may be found at <a href="http://immigration.alabama.gov/">http://immigration.alabama.gov/</a></p> <p>If the successful vendor's principal place of business is out-of-state, vendor may be required to have a Certificate of Authority to do</p>					
			<b>TOTAL</b>			

**RETURN ONE SIGNED COPY OF THIS QUOTATION IN ENCLOSED ENVELOPE**

**READ ABOVE INSTRUCTIONS BEFORE QUOTING**

Firm Name \_\_\_\_\_

By \_\_\_\_\_

We will allow a discount \_\_\_\_\_ % 20 days from date of receipt of goods and correct invoice of completed order.

# BID CONTINUATION SHEET

QUANTITY	ARTICLES	UNIT	UNIT PRICE		EXTENSION	
			Dollars	Cents	Dollars	Cents
	<p>Page 3 of 3</p> <p>business in the State of Alabama from the Secretary of State prior to issuance of a Purchase Order.</p> <p>Vendors are solely responsible for consulting with the Secretary of State to determine whether a Certificate is required. See: <a href="http://www.sos.alabama.gov/BusinessServices/ForeignCorps.aspx">www.sos.alabama.gov/BusinessServices/ForeignCorps.aspx</a>. Please note that the time between application for the issuance of a Certificate of Authority may be several weeks.</p> <p>Upon notification, vendor will have 10 business days to provide the Certificate of Authority and the E-Verify numbers to the Purchasing Department before award can be completed. (Vendors will possibly need to pay the expedite fee to meet this requirement because application is not sufficient. We must have a copy of the certificate with your Company ID number).</p> <p>Vendors do not need a City of Mobile Business License or Certificate of Authority from the Alabama Secretary of State, nor the E-Verify for certification to submit a bid, but will need to obtain the Business License and Certificate of Authority verification and/or provide the E-Verify Certification, if applicable, prior to issuance of a Purchase Order.</p> <p>State of Alabama Local Vendor Preference Law 41-16-50 (a) and (d) will apply to this purchase.</p> <p>If you have any questions, please feel free to contact the Purchasing Department at <a href="mailto:purchasing@cityofmobile.org">purchasing@cityofmobile.org</a>.</p> <p><b>TO BE AWARDED ALL OR NONE.</b></p>					
			<b>TOTAL</b>			

**RETURN ONE SIGNED COPY OF THIS QUOTATION IN ENCLOSED ENVELOPE**

**READ ABOVE INSTRUCTIONS BEFORE QUOTING**

Firm Name \_\_\_\_\_

By \_\_\_\_\_

We will allow a discount \_\_\_\_\_ % 20 days from date of receipt of goods and correct invoice of completed order.

## TRAFFIC POLE SPECIFICATIONS

### **DESIGN:**

1. Traffic control structures shall be designed in accordance with 1994 AASHTO or greater "Standard Specifications for Structural Supports for Highway Signs, Luminaires and Traffic Signals" for 100 MPH wind zone to support fixed signals and signs as indicated by design.

### **MATERIALS:**

1. The steel shaft shall conform to ASTM-A595 or greater and shall have a continuous taper of .14 inches per foot.
2. The base plate shall be fabricated from ASTM-A36 or greater. It shall telescope the shaft and be attached by means of two continuous welds, one on the inside of the base at the end of the shaft, and the other on the outside at the top of the base.
3. A Flange plate for accepting the arm assembly shall be welded to the pole complete with side plates tangent to the pole and gusset plates both top and bottom and sides. Plates shall conform to ASTM-A36. The flange plate shall have a 2 ½" diameter wiring hole centered over a 3" diameter hole in the pole and have holes matching the arm flange to accept the ASTM-A325 attachment bolts.
4. Poles shall be furnished complete with a 4" x 8" reinforcing hand hole frame, with ½" -13NC2 grounding provision, hand hole cover and attaching stainless steel hardware is required opposite the mast arm.
5. A J-Hook wire support shall be welded near the top inside of the pole.
6. A removable pole top with attaching stainless steel hardware shall be furnished with each pole.
7. The steel arm shall conform to ASTM-A595 or greater and shall have a continuous taper of .14 inches per foot.
8. Arms up thru 40'-0" in length shall be furnished as on continuous, un-spliced tapered section. Arms over 40'-0" shall be furnished in two sections, which shall assemble by telescoping the outboard section over the inboard section over with a firm tapered fit. The joint shall be secured with a thru bolt or stud complete with locknuts.
9. The arm flange plate shall be fabricated from ASTM-A36 or greater and be drilled to match the pole plates.
10. A removable arm end cap shall be provided complete with stainless steel attaching hardware.
11. Signal hanger clamps and grommets are available as separate accessories.
12. Anchor bolts shall conform to ASTM-A36 M55 having minimum yield strength of 55,000 PSI, with threaded end and hex nuts (2 per bolt) each galvanized to ASTM-A153 or greater.
13. The appearance of the pole surface and arm shall be a smooth, uniform finish. Poles made by the break press "bump" method will not be acceptable. In addition, multi-sided poles and sectional, (stacked and bolted) poles will not be acceptable.

### **FINISH:**

TO BE STRONG, LONG-LASTING, CORROSION RESISTANT, POWDER COATED GLOSS BLACK.



## PROCUREMENT DEPARTMENT

Potential bidders are responsible to check this site for any **ADDENDUMS** that are issued. It is the responsibility of the **BIDDER** to check for, download, and include with their **BID RESPONSE** any and all **ADDENDUMS** that are issued for a specific **BID** published by the City of Mobile. Failure to download and include **ADDENDUMS** in your **BID RESPONSE** may cause your bid to be rejected.

This is a sealed bid. Any responses faxed or e-mailed will be rejected.

This is a sealed bid. Any response must be submitted in a sealed envelope with the bid number and bid opening date on the outside of the envelope.

Any response that arrives improperly marked or with no bid number and opening date on the outside of the delivery or express package and opened in error will be rejected and not considered.

It is the responsibility of the bidder to insure that their bid response is delivered to and received in the Purchasing Department before the date and time of the bid opening.

Be sure to read the Terms and Conditions. All bids are F.O.B. Destination unless otherwise stated.

Be sure to sign your bid!

Package/Bid Delivery Address:  
Purchasing Department  
205 Government St. Room S408  
Mobile, AL 36644

(Request First Delivery)