SEALED BID

CITY OF MOBILE

BID SHEET

This is Not an Order

Do Not Return Via Email or Fax

Mailing Address: P. O. Box 1948 Mobile, Alabama 36633 (251) 208-7434 Purchasing Department and Package Delivery: Government Plaza 4th Floor, Room S-408 205 Government St Mobile, Alabama 36644

READ TERMS AND CONDITIONS ON REVERSE SIDE OF THIS PAGE

BEFORE BIDDING

Typed by:	tajb		Buyer: 002							
	Р	lease quote the lov	west price at which y	ou will furnish	the artic	les liste	d below			
DATE		BID NO.	DEPARTMENT		Commod	ities to be o	delivered F.O	.B. Mob	ile to:	
(08/18/2021	5608	Moto	r Pool		TO	D BE SPEC	IFIED		
This bid	d must be rece	eived and stampe	d by the Purchasing	office not late	r than:	11:00 am,	Friday, Sep	tember	03, 2021	
QUANTITY	ARTICLE	Bid on this f	orm ONLY. Make no changal information required to		Attach	UNIT	UNIT PR		EXTENS	
40/11/11					, DD OD	Oldit	Dollars	Cents	Dollars	Cents
	l	,	CREW CAB 4 X 2 TO BODY OR LANDS							
Appx.										
1-10	l .		rew Cab 4 x 2 Truck whe following and ATT	-	MIIM					-
	Specificatio		ne following and ATT	ACHED MINI	1110111					
	Chassis:	Make:	Model:							
	Body:	Make:	Model:	и						
	Provide Lite	erature and Specifica	ations on product bid.							
			ase a minimum of one Contractor Dump Boo		W Crew		-			
	City desires from the roa	_	e body loaded not to b	e more than 38 i	inches					
	Height of tru	ick bed fully loaded	above road surface:							
	Height of tru	ick bed empty:	7							
Appx.	Height of be	d may be considerate	tion in the award of the	is bid.						
1-10		,	ew Cab 4 x 2 Truck w TTACHED MINIM	•	•					
	Chassis:	Make:	Model							
	Body:	Make:	Model:	He						
	Provide Lite	rature and Specifica	ations on product bid.							
		Pag	e 1 of 3				TOTA	L		
RETURN ONE SIGNED COPY OF THIS I IN ENCLOSED ENVELOPE			S	tate delivery t	time with	nin	_ days o	f rece	ipt of P.	О.
				Firm Name _						
				Typed Signat	ture					
we will allow and correct ir	a discount voice of complete	% 20 days fror d order.	n date of receipt of goods	Ву						

- 1. All quotations must be signed with the firm name and by an authorized officer or employee.
- 2. Verify your bid before submission as it cannot be withdrawn or corrected after being opened. In case of error in extension of prices, the unit price will govern.
- 3. If you do not bid, return this sheet and state reason. Otherwise, your name may be removed from our mailing list.
- 4. The right is reserved to reject any, or all quotations, or any portions thereof, and to waive technicalities if deemed to be in the interest of the City of Mobile.
- 5. This bid shall not be reassignable except by written approval of the Purchasing Agent of the City of Mobile.
- 6. State brand and model number of each item. All items bid must be new and latest model unless otherwise specified.
- 7. If bid results are desired, enclose a self-addressed and stamped envelope with your bid. (All or None bids only)
- 8. Do not include Federal Excise Tax as exemption certificate will be issued in lieu of same. The City is exempt from the Alabama and City sales taxes.
- 9. PRICES ARE TO BE FIRM AND F.O.B. DESTINATION UNLESS OTHERWISE REQUESTED.
- 10. BID WILL BE AWARDED ON ALL OR NONE BASIS UNLESS OTHERWISE STATED.
- 11. Bids received after specified time will be returned un-opened.
- 12. Failure to observe stated instructions and conditions will constitute grounds for rejection of your bid.
- 13. Furnish literature, specifications, drawings, photographs, etc., as applicable with the items bid.
- 14. Vendor May be required to obtain City of Mobile Business License as applicable to City of Mobile Municipal Code Section 34-50. For Business License inquiry contact the Revenue Department at (251) 208-7461 or cityofmobile.org/taxes.php.
- 15. If a bid bond is required in the published specifications, see below: Each Bid Shall be Accompanied By A Cashier's Check, Certified Check, Bank Draft Or Bid Bond For the Sum Of Five (5) Percent Of The Amount Bid, Made Payable To The City Of Mobile And Certified By A Reputable Banking Institution. All Checks Shall Be Returned Promptly, Except The Check Of The Successful Bidder, Which Shall Be Returned After Fulfilling The Bid.
- 16. Contracts in excess of \$50,000 require that the successful bidder make every possible effort to have at least fifteen (15) percent of the total value of the contract performed by socially and economically disadvantaged individuals.
- 17. All bids/bid envelopes must have the bid number noted on the front. Bids that arrive unmarked and are opened in error shall be returned to vendor as an unacceptable bid.
- 18. If successful vendor's principal place of business is out-of-state, vendor may be required to have a Certificate of Authority to do business in the State of Alabama from the Alabama Secretary of State prior to issuance of a Purchase Order. Vendors are solely responsible for consulting with the Secretary of State to determine whether a Certificate is required. See www.sos.alabama.gov/BusinessServices/ForeignCorps.aspx. Please note that the time between application for and issuance of a Certificate of Authority may be several weeks.
- 19. Vendors do not need a City of Mobile Business License or Certificate of Authority from the Alabama Secretary of State to submit a bid, but will need to obtain the Business License and Certificate of Authority, if applicable, prior to issuance of a Purchase Order.

BID CONTINUATION SHEET

Page_____ of ____

QUANTITY	APTICIES Bid on this form ONLY. Make no changes on this form. Additional	Ī	UNIT PRI	CE	EXTENS	ION
QUANTITI	ARTICLES and this form UNLY. Make no changes on this form. Additional information to be submitted on separate sheet and attached hereto.	UNIT	Dollars	Cents	Dollars	Cents
	Page 2 of 3					
	Upon award the City will purchase a minimum of one (1) 16,000 GVW Crew Cab 4 x 2 Truck with Landscape Dump Body.					
	Height of truck bed fully loaded above road surface:					
	Height of truck bed empty:					
	Furnish Factory Literature and Specifications.					
	Colors ordered may be standard colors. Initial purchase will be white.					
	Different prices for different colors not acceptable.					
	NOTE: Front four (4) Corner Warning Lights shall NOT be installed in headlight/turn signal/parking light fixtures. Any vehicle delivered with the fron four corner warning lights installed in the headlight/turn signal/parking light fixtures will be refused and only accepted once vendor replaces the light fixture with the new ones. Rear corner lights shall be separate mounts from rear lights.					
	Vehicle(s) are to be delivered with four (4) sets of fully functional keys that include the electronics and are coded to start the vehicles.					
	Include the price of Application for Certificate of Title in your bid price. All standard items as stated in your model Literature must remain on vehicle, not removed except as noted.					
	City of Mobile Business License Required – See Item 14 (on reverse side)					
	All vendors will be required to provide verification of enrollment in the E-Verify program. Additional information may be found at http://immigration.alabama.gov/					
	If the successful vendor's principal place of business is out-of-state, vendor may be required to have a Certificate of Authority to do business in the State of Alabama from the Secretary of State prior to issuance of a Purchase Order.					
	Vendors are solely responsible for consulting with the Secretary of State to determine whether a Certificate is required. See: www.sos.alabama.gov/BusinessServices/ForeignCorps.aspx . Please note that the time between application for the issuance of a Certificate of Authority may be several weeks.					
	Upon notification, vendor will have 10 business days to provide the Certificate of Authority and the E-Verify numbers to the				ļ	
	Purchasing Department before award can be completed.		ТОТ	AL		

RETURN ONE SIGNED COPY OF THIS QUOTATION IN ENCLOSED ENVELOPE

READ ABOVE INSTRUCTIONS BEFORE QUOTING

Firm Name	_
Dv	

We will allow a discount _______% 20 days from date of receipt of goods and correct invoice of completed order.

BID CONTINUATION SHEET

Page_____ of ___

QUANTITY	ARTICLES Bid on this form ONLY. Make no changes on this form. Additional information to be submitted an account of the deliberation.		UNIT PR	ICE	EXTENS	SION
ROANTITI	information to be submitted on separate sheet and attached hereto.	UNIT	Dollars	Cents	Dollars	Cents
	Page 3 of 3					
	(Vendors will possibly need to pay the expedite fee to meet this requirement because application is not sufficient. We must have a copy of the certificate with your Company ID number).					
	Vendors do not need a City of Mobile Business License or Certificate of Authority from the Alabama Secretary of State, nor the E-Verify for certification to submit a bid, but will need to obtain the Business License and Certificate of Authority verification and/or provide the E-Verify Certification, if applicable, prior to issuance of a Purchase Order.					
	State of Alabama Local Vendor Preference Law 41-16-50 (a) and (d) will apply to this purchase.					
	Vendor shall provide ALL Service and Parts Manuals for these vehicles for use by the City of Mobile.					
	Pricing shall be good for the model year bid. At the option of the City of Mobile and the Successful Vendor, the award of this bid may be extended for two (2) additional model years.					
	Be sure to sign and return this page including the terms and conditions on the reverse of Page 1.					
	THE CITY OF MOBILE DOES NOT ACCEPT VENDOR'S TERMS AND CONDITIONS.					
	If you have any questions, please feel free to contact the Purchasing Department at 251-208-7434 or purchasing@cityofmobile.org .					
	TO BE AWARDED ON A PER ITEM BASIS.					
			TOT	AL		

RETURN ONE SIGNED COPY OF THIS QUOTATION IN ENCLOSED ENVELOPE

READ ABOVE INSTRUCTIONS BEFORE QUOTING

Firm Name	
Ву	

We will allow a discount ______ % 20 days from date of receipt of goods and correct invoice of completed order.

SPECIFICATIONS

 $1-10\ 202$ or newer Ford F450 or equal 4 door crew cab 16,000 lb GVW chassis dump body truck with drop side contractors dump body with the following minimum specifications

	YES	NO
General		
Contractor dump body for use on single axle 84"CA 16,000 GVW or		
larger truck		
Drop side construction		
Bulkhead 10 ga., tailgate double paneled 10 and 12 gauge, and sides		
double paneled 12 gauge. All steel High Tensile	}	
Built to accept scissors style hoist		
Pockets on top of sides to accept extension (cheater) boards	2	
Double Acting tailgate with spreader chains and quick release top pins		
Tailgate release must be positive locking with dump handle at left		
front corner of body		
LED clearance, marker, and RID lights to meet FMVSS 108		
Body to be E-coat primed and fully undercoated		
Headboard		
One piece 10 ga high tensile, 2 bend top rail, 2 1/4" wide with 1 1/2"		
return flange.		
Fully boxed corner post and full width reinforcement rib for added		
rigidity		
Integrated Cab Protector Mounting pockets		
Straight Quarter cab protector installed		
Punched window opening for visibility		
Floor		
Two piece 7ga. high tensile, full seam welded		-
Sloped floor to side interface to reduce material adhesion to sides	-	
Length 11ft x Width 7 ft inside dimensions		
Sides		
Sides are slam style with center mounted release handle		
Reinforced with a 4-1/2" x 9-1/2" formed rear corner post from top of		
ailgate to bottom of cross member.	1	7/
Pockets provided front and rear for 2X6		
Drop sides to be removable for easy service and replacement without		
cutting required	1	
Side height 16"		
Failgate and Hardware		
Top hinge member to be 1 ¼" diameter quick release mechanism for		
ropping gate from top		
Lower latch hardware is overhead hook type latch with 1 1/8"		
iameter pin, ¾" thick latch		
/16" spreader chains included with sufficient length to support		
ailgate in horizontal position		
ormed two piece construction seamless outer 12 ga panel and single		
0ga inner wall. Tailgate height 22"		

Tailgate Release system	1
Mechanical positive locking operating handle at left front by driver's	
door	
3/4" diameter cross shafts (front and rear) and 1/2" diameter operating	1
rod running longitudinally down the street side	
Safety restraining ring provided at the handle	
Multiple grease points throughout the system (grease zerks provided)	
Understructure	
Western style (cross memberless construction)	
Long sills are 7" trapezoidal style, full length of body, with internal	
anti –corrosion coating	
Hoist	
Scissors style hoist of ¾" high tensile steel construction	
Double acting cylinder with threaded cylinder gland cap to prevent	
cylinder damage in "load over center" conditions	
Electric/hydraulic pump with in cab pendant controls	
3 year warranty	
8.6 ton capacity	
Automatic Body bracing positioning.	
OH .	
Other	
Includes mud flaps	
Rear hitch set up for Pintle eye and ball hitch combo with 2" ball	
Trailer plug wiring installed	
Safety D-rings for trailer	
Four Corner strobe System (surface mount)	
Local service center for complete unit including hoist	
Truck Chassis	
Crew Cab 84" CA- cab chassis	
Diesel Engine	
External oil and transmission cooler	
Front frame mounted tow hooks	
4 wheel disc anti-lock brakes	
6 speed automatic transmission	
40/20/40 Vinyl front split seat	
Auto locking rear differential	
Extendable outside mirrors	
Air and AM/FM Radio	
Factory Upfitter switches	
Factory Electric Brake Controller	

(4) (4)

SPECIFICATIONS FOR FORD F450 CREW CAB TRUCK WITH LANDSCAPE BODY

Chassis:

- 4 door crew cab
- 16,000 lb GVW chassis dump body
- Crew Cab 84" CA- cab chassis
- Diesel engine
- External oil and transmission cooler
- Front frame mounted tow hooks
- 4 wheel disc anti-lock brakes
- 6 speed automatic transmission
- 40/20/40 Vinyl front split seat
- Auto locking rear differential
- Extendable outside mirrors
- Air and AM/FM Radio
- Factory upfitter switches
- Factory electric brake controller
- Front four (4) Corner Warning Lights shall NOT be installed in headlight/turn signal/parking light fixtures. Any vehicle delivered with the front four corner warning lights installed in the headlight/turn signal/parking light fixtures will be refused and only accepted once vendor replaces the light fixture with the new ones.
- Rear corner lights shall be separate mounts from rear lights.
- Vehicle(s) are to be delivered with four (4) sets of fully functional keys that include the electronics and are coded to stmt the vehicles.
- Include the price of application for Certificate of Title in your bid price.
- All standard items as stated in your model literature must remain on vehicle, not removed except as noted
- Mud flaps
- Rear hitch set up for pintle eye and ball hitch combo with 2" ball
- Trailer plug wiring installed
- Safety D-rings for trailer
- Four Corner strobe system (surface mount)
- Vendor shall provide ALL service and parts manuals for these vehicles for use by the City of Mobile.

Body:

- Reading SL-LS-12 54BH/12CG Landscape Body
- A60 coating-weight steel protected by E-Coat acrylic primer and high-gloss polyester finish

- Scissors hoist
- 50 degree dumping angle
- Double-acting electric hydraulic system with an all-weather pump and motor cover, 12 ton capacity
- Hoist assembly includes lubricating grease fittings and hinge assembly
- Safety body prop
- Grease zerks
- In-cab tethered hand-held control
- Black powder coat finish
- 9 ft. length
- 54 inch height
- 12 inch cab guard
- 52 inch side door opening
- 90.5 inch width
- Wired
- 2 inch tie-down bar on each side
- Tarp tie down tension cleats on the top of the body for easy door opening
- Fully welded cab guard, includes integral wind deflector and lashing rings
- Rear swing out barn doors, clear opening doors swing 270 degrees, include cam latch assembly
- Rear door latch, holdbacks mounted on the side of the body to hold the rear door open to access the bed area
- Side swing door, 52 inch wide door, 180 degree door swing, with two-point cam lock
- Fold away access step located under the side door opening
- Local service center for complete unit including hoist
- 3 year warranty



PROCUREMENT DEPARTMENT

Potential bidders are responsible to check this site for any ADDENDUMS that are issued. It is the responsibility of the BIDDER to check for, download, and include with their BID RESPONSE any and all ADDENDUMS that are issued for a specific BID published by the City of Mobile. Failure to download and include ADDENDUMS in your BID RESPONSE may cause your bid to be rejected.

This is a sealed bid. Any responses faxed or e-mailed will be rejected.

This is a sealed bid. Any response must be submitted in a sealed envelope with the bid number and bid opening date on the outside of the envelope.

Any response that arrives improperly marked or with no bid number and opening date on the outside of the delivery or express package and opened in error will be rejected and not considered.

It is the responsibility of the bidder to insure that their bid response is delivered to and received in the Purchasing Department <u>before</u> the date and time of the bid opening.

Be sure to read the Terms and Conditions. All bids are F.O.B. Destination unless otherwise stated.

Be sure to sign your bid!

Package/Bid Delivery Address: Purchasing Department 205 Government St. Room S408 Mobile, AL 36644

(Request First Delivery)