#### **SEALED BID**

## **CITY OF MOBILE**

#### **BID SHEET**

#### Do Not Return Via Email or Fax

Mailing Address:

We will allow a discount \_\_\_\_

and correct invoice of completed order.

P. O. Box 1948 Mobile, Alabama 36633 (251) 208-7434 Purchasing Department and Package Delivery:

Government Plaza 4th Floor, Room S-408 205 Government St Mobile, Alabama 36644 This is Not an Order

READ TERMS AND CONDITIONS ON REVERSE SIDE OF THIS PAGE BEFORE BIDDING

Typed by:	en		Buyer: 002							
	Ple	ease quote the lo	west price at which you	u will furnish th	ne article	s listed	below			
DATE		BID NO.	DEPARTMENT	C	Commoditie		elivered F.O		ile to:	
10/11	/2021	5623	Motor Pool			Т	To Be Spe	cified		
This bid	l must be rece	ived and stampe	d by the Purchasing o	ffice not later t	than: 11	:00 AM	, Friday, C	October	29, 2021	
QUANTITY	ARTICLE		form ONLY. Make no changes all information required to this		ach	UNIT	UNIT PR Dollars	ICE Cents	EXTENS Dollars	ON
			BIC YARD DUMP T				Donars	Conto	Donard	Como
QTY	IANDE	WI AALE 10 CU.	DIC TARD DOME TO	RUCK						
2 to 4	Tandem Axle		ump Truck as per the foll	owing and attac	hed					
	Make		Model							
	Literature and specifications on product to be provided.									
	Pricing wil be the main consideration in the award of this bid									
	Delivery might be considered in the award of this bid, but pricing will be the main consideration.									
	City of Mobile desires delivery within 120 days of issuance of Purchase Order.									
Vendor shall state time to deliver after receipt of Purchase Order for vehicle.										
	Vehicles to be provided with 5-year Service Plan.									
	Vehicles to be provided with extended warranties on all components for 5 Years. Provide documentation of extended warranty.  Due to CDL limitations, these trucks are to have no tow/trailer packages or hitches.									
	enrollment	t in the E-Verify pr	to provide verification of ogram. Additional inforgration.alabama.gov/.							
		Page 1 of 4					TOTA	L		
	ONE SIGNED CO SED ENVELOPE	OPY OF THIS BID	Sta	te delivery tin	ne withir	n	_ days c	of rece	ipt of P	.O.
LITOLO	CLD LITTLEON	_		Firm Name						

Ву\_

\_\_% 20 days from date of receipt of goods

Typed Signature \_\_\_\_\_

- 1. All quotations must be signed with the firm name and by an authorized officer or employee
- 2. Verify your bid before submission as it cannot be withdrawn or corrected after being opened. In case of error in extension of prices, the unit price will govern
- 3. If you do not bid, return this sheet and state reason. Otherwise, your name may be removed from our mailing list.
- 4. The right is reserved to reject any, or all quotations, or any portions theroof, and to waive technicalities if deemed to be in the interest of the City of Mobile
- 5. This bid shall not be reassignable except by written approval of the Purchasing Agent of the City of Mobile
- 6. State brand and model number of each item. All items bid must be new and latest model unless otherwise specified
- 7 If bid results are desired, enclose a self-addressed and stamped envelope with your bid. (All or None bids only)
- 8. Do not include Federal Excise Tax as exemption certificate will be issued in lieu of same. The City is exempt from the Alabama and City sales taxes
- 9 PRICES ARE TO BE FIRM AND FIG. DESTINATION UNLESS OTHERWISE REQUESTED
- 10. BID WILL BE AWARDED ON ALL OR NONE BASIS UNLESS OTHERWISE STATED.
- 11. Bids received after specified time will be returned un-opened
- 12. Failure to observe stated instructions and conditions will constitute grounds for rejection of your bid.
- 13. Furnish literature, specifications, drawings, photographs, etc., as applicable with the items bid
- 14. Vendor May be required to obtain City of Mobile Business License as applicable to City of Mobile Municipal Code Section 34-50. For Business License inquiry contact the Revenue Department at (251) 208-7461 or cityofmobile.org/taxes.php.
- If a bid bond is required in the published specifications, see below.

  Each Bid Shall be Accompanied By A Cashier's Check, Certified Check, Bank Draft Or Bid Bond For the Sum Of Five (5) Percent Of The Amount Bid, Made Payable To The City Of Mobile And Certified By A Reputable Banking Institution, All Checks Shall Be Returned Promptly Except The Check Of The Successful Bidder, Which Shall Be Returned After Fulfilling The Bid.
- 16. Contracts in excess of \$50,000 require that the successful bidder make every possible effort to have at least fifteen (15) percent of the total value of the contract performed by socially and economically disadvantaged individuals
- 17 All bids/bid envelopes must have the bid number noted on the front. Bids that arrive unmarked and are opened in error shall be returned to vendor as an unacceptable bid
- 18. If successful vendor's principal place of business is out-of-state, vendor may be required to have a Certificate of Authority to do business in the State of Alabama from the Alabama Secretary of State prior to issuance of a Purchase Order. Vendors are solely responsible for consulting with the Secretary of State to determine whether a Certificate is required. See <a href="https://www.sos.alabama.gov/BusinessServices/ForeignCorps.aspx">www.sos.alabama.gov/BusinessServices/ForeignCorps.aspx</a> Please note that the time between application for and issuance of a Certificate of Authority may be several weeks.
- 19. Vendors do not need a City of Mobile Business License or Certificate of Authority from the Alabama Secretary of State to submit a bid, but will need to obtain the Business License and Certificate of Authority, if applicable, prior to issuance of a Purchase Order.

#### **BID CONTINUATION SHEET**

Page\_\_\_\_\_ of \_\_\_\_

QUANTITY	ARTICLES	Bid on this form ONLY. Make no changes on this form. Additional	LINUT	UNIT PR	ICE	EXTENS	SION
-	ATTIOLES	information to be submitted on separate sheet and attached hereto.	UNIT	Dollars	Cents	Dollars	Cents
		Page 2 of 4					
	vendor may be business in the	ful vendor's principal place of business is out-of-state, e required to have a Certificate of Authority to do e State of Alabama from the Secretary of State prior a Purchase Order.					
	State to determ See: <u>www.sos</u> Please note th	olely responsible for consulting with the Secretary of mine whether a Certificate is required.  s.alabama.gov/BusinessServices/ForeignCorps.aspx.  at the time between application for the issuance of a Authority may be several weeks.					
	Certificate of Purchasing Do (Vendors will requirement b	tion, vendor will have 10 business days to provide the Authority and the E-Verify numbers to the epartment before award can be completed.  possibly need to pay the expedite fee to meet this ecause application is not sufficient. We must have a ertificate with your Company ID number).					
	of Authority for certification to and Certificat	ot need a City of Mobile Business License or Certificate from the Alabama Secretary of State, nor the E-Verify for a submit a bid, but will need to obtain the Business License e of Authority verification and/or provide the E-Verify if applicable, prior to issuance of a Purchase Order.					
	State of Alabama and (d) will apply	Local Vendor Preference Law 41-16-50 (a) to this purchase.					
	Questions pertain purchasing@cityo	ing to this bid may be emailed to:  ofmobile.org.					
	Pricing to be firm	for one (1) year period following the award of the bid.					
	ITEM BASIS AV	VARD					
				ТОТ	TAL		

RETURN ONE SIGNED COPY OF THIS QUOTATION IN ENCLOSED ENVELOPE

READ ABOVE INSTRUCTIONS BEFORE QUOTING

Firm Name	
By	

We will allow a discount \_\_\_\_\_\_% 20 days from date of receipt of goods and correct invoice of completed order.

#### **BID CONTINUATION SHEET**

Page\_\_\_\_ of \_\_\_\_

UANTITY	APTICIES Bid on this form ONLY. Make no changes on this form. Additional		UNIT PRIC	E	EXTENS	ION
UANTIT I	ARTICLES  Bid on this form ONLY. Make no changes on this form. Additional information to be submitted on separate sheet and attached hereto.	UNIT		Cents	Dollars	Cents
	Page 3 of 4					
	Delivery and availability for trucks in stock or due shortly.					
	1.) Truck MFR Model					
	EngineTransmission					
	Dump Body MFRSize					
	Single Frame Rail					
	With Vertical Exhaust Stack					
	With underbody Turned Down Exhaust					
	Available after issuance of purchase order					
	2.) Truck MFR Model					
	2.) Truck MFRNodel					
	EngineTransmission					
	Dump Body MFRSize					
	Single Frame Rail					
	With Vertical Exhaust Stack					
	With underbody Turned Down Exhaust					
	Available after issuance of purchase order					
			ТОТА	L		

RETURN ONE SIGNED COPY OF THIS QUOTATION IN ENCLOSED ENVELOPE

READ ABOVE INSTRUCTIONS BEFORE QUOTING

	Firm Name	
D.,	D.,	

We will allow a discount \_\_\_\_\_\_% 20 days from date of receipt of goods and correct invoice of completed order.

#### **BID CONTINUATION SHEET**

Page \_\_\_\_\_ of \_\_\_\_\_

LIANITITY	APTICIES Bid on this form ONLY. Make no changes on this form. Additional	1	UNIT PR	ICE T	EXTENS	NON
UANTITY	ARTICLES  Bid on this form ONLY. Make no changes on this form. Additional information to be submitted on separate sheet and attached hereto.	UNIT	Dollars	Cents	Dollars	Cent
	Page 4 of 4					
	3.) Truck MFR Model					
	EngineTransmission					
*						
	Dump Body MFR Size					
	Single Frame Rail					
	With Vertical Exhaust Stack					
	With underbody Turned Down Exhaust					
	Available after issuance of purchase order					
	•					
	4.) Truck MFR Model					
	EngineTransmission					
	Dump Body MFR Size					
	Double Frame Rail					
	With Vertical Exhaust Stack					
	With underbody Turned Down Exhaust					
	Single Frame Rail					
	With Vertical Exhaust Stack					
	With underbody Turned Down Exhaust					
	Available after issuance of purchase order					
			TOT	TAL		

RETURN ONE SIGNED COPY OF THIS QUOTATION IN ENCLOSED ENVELOPE

READ ABOVE INSTRUCTIONS BEFORE QUOTING

Firm Name	
By	

We will allow a discount \_\_\_\_\_\_% 20 days from date of receipt of goods and correct invoice of completed order.

# **DUMP BODY SPECIFICATIONS**

## 16 CUBIC YARD FRAME TYPE DUMP BODY

Dump body – frame type – 16'				
Cubic yardage - 16				
Tailgate height 50"		Yes or No		
Tarp tie rail both sides		Yes or No		
Dump body access steps both	Yes or No			
Tailgate	Air operated	Yes or No		
Dump body	Cab Shield: Full Width – ½ (24")	Yes or No		
	Asphalt Apron, 8" push type	Yes or No		
	Bolt On Center Board Pockets	Yes or No		
	Lights: LED Standard	Yes or No		
	Oval S/T/T	Yes or No		
Console:	Clutch Shift Air	Yes or No		
Conspicuity tape:	Side & Tailgate	Yes or No		
Mudflaps and brackets:		Yes or No		
Pto:	for Allison Automatic Transmission	Yes or No		
	PTO Muncie CS Series (Auto)	Yes or No		
Tarp system:	TARP System – Installed	Yes or No		
	Installation: Installed	Yes or No		
	Brand: Donovan	Yes or No		
	Manual/Electric: Electric	Yes or No		
	Type: Arm	Yes or No		
	Aluminum/Steel: Aluminum	Yes or No		
	Tarp Size: 90"x20"	Yes or No		
	Tarp Type: Asphalt	Yes or No		

### **CHASSIS SPECIFICATIONS**

**AXLE CONFIG:** 6X4 Yes or No

**MISSION:** GVWR 56000. Calc. GVWR: 56000 Yes or No

**DIMENSION:** 201.00, CA: 133.90, Axle to Frame: 63.00 Yes or No

**ENGINE, DIESEL:** {Cummins L9 350} EPA 2017, 350 HP @ 2000 RPM, 1150 lb.-ft

Torque @ 1400 RPM, 2200 RPM Governed speed, 350 Peak HP (Max)

Yes or No

There shall be an engine exhaust brake installed with variable vane turbo charger or equal feature.

Yes or No

Hand throttle shall be installed. Yes or No

FRAME RAILS Chassis shall have single frame rails. Yes or No

FRAME RAILS 120,000 PSI FRAME RAILS Yes or No

TRANSMISSION/AUTOMATIC:

{Allision 3000 RDS} 5<sup>th</sup> Generation with 80,000-lb GVW and Yes or No

GCW Max On/Off Highway

**AXLE, FRONT NON-DRIVING:** 

16,000-lb Capacity Yes or No

AXLE, REAR TANDEM: {Meritor MT-40-14X-4DCR} 40,000-lb Capacity Yes or No

Truck shall have driver controlled locking differential for both rear axles.

Control(s) shall be dash mounted. Yes or No

Rear wheel ratio of 4.88 or appropriate for rear end Yes or No

CAB: Conventional, Day Cab Yes or No

TIRE, FRONT: (2) 385/65R22.5 Load Range L, 68 MPH, All-Position Yes or No

TIRE, REAR: (8) 11R22.5 Load Range G, 75 MPH, Drive Yes or No

SUSPENSION, REAR, TANDEM:

{Hendrickson HMX-400-54} Walking Beam, 40,000-lb Capacity,

Rubber Springs Yes or No

**TOW, HOOK FRONT:** Yes or No

**BUMPER, FRONT:** Swept Back, Steel, Heavy Duty Yes or No

**BRAKE SYSTEM, AIR:** Dual System for Straight Truck Applications Yes or No

TRAILER CONNECTIONS: Four-Wheel, with Hand Control Valve and Tractor Protection

Valve, for Straight Truck Yes or No

**DRAIN VALVE:** {Bendix DV-2} Automatic Yes or No AIR BRAKE ABS Yes or No AIR COMPRESSOR Minimum CFM of 18.0 CFM. Yes or No **AIR SYSTEM** shall have air dryer. Yes or No AIR DRYER {Bendix AD-9} with Heater Yes or No **EXHAUST HEIGHT** 10' if Vertical Yes or No **MUFFLER/TAIL PIPE GUARD** (1) Aluminum Yes or No **ELECTRICAL SYSTEM** 12 Volt Yes or No **BACK-UP ALARM** Electric, 102 dBA Yes or No **RUNNING LIGHT** (2) Daytime Yes or No TRANSMISSION, AUTOMATIC {Allison 3000 RDS} Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway Yes or No TRANSMISSION SHIFT CONTROL for Column Mounted Stalk Shifter Yes or No TRANSMISSION OIL Synthetic Yes or No PTO LOCATION Dual, Customer intends to Install PTO at Left and/or Right Side of Transmission Yes or No **CAB** Conventional, Day Cab Yes or No AIR CONDITIONER with Integral Heater and Defroster Yes or No SEAT, DRIVER: {National 2000} Air Suspension, High Back with Integral Headrest, Cloth, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, -3 to +14 Degree Back Angle Adjust Yes or No MIRROR, CONVEX, HOOD MOUNTED Yes or No. **GRAB HANDLE** Chrome Yes or No **SEAT, PASSENGER** {National} Non-Suspension, High Back, Fixed Back, Integral Headrest, Cloth Yes or No CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger Yes or No **SUN VISOR** (2) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Toll Ticket Strap Yes or No

ARM REST, RIGHT, DRIVER SEAT

CAB SOUND INSULATION

WINDOW, POWER

(2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature

Yes or No

STEERING COLUMN

Shall have tilt feature

Yes or No

HAND THROTTLE

shall be installed

Yes or No

FUEL TANK

No less than 65 Gallons

Yes or No

**DEF TANK** No less than 6.7 gallons Yes or No

# **CHASSIS SERVICE PLAN**

Chassis Service Plan 4 Times per year for 5 years. 20 total PM Service.

Quarterly Services: Oil

Oil change

Oil filter

Fuel filters

Check all fluid levels

Grease chassis

10,000 miles or 3 months, whichever is first.

Annual Services:

crankcase service

Crankcase filter

Valve adjustment

Air filter

DPF remove and reinstall

**DPF** cleaning

DPF gasket replacement

Update/reset ECM

Transmission to be serviced as per manufacturer's recommendations for service.



## PROCUREMENT DEPARTMENT

Potential bidders are responsible to check this site for any ADDENDUMS that are issued. It is the responsibility of the BIDDER to check for, download, and include with their BID RESPONSE any and all ADDENDUMS that are issued for a specific BID published by the City of Mobile. Failure to download and include ADDENDUMS in your BID RESPONSE may cause your bid to be rejected.

This is a sealed bid. Any responses faxed or e-mailed will be rejected.

This is a sealed bid. Any response must be submitted in a sealed envelope with the bid number and bid opening date on the outside of the envelope.

Any response that arrives improperly marked or with no bid number and opening date on the outside of the delivery or express package and opened in error will be rejected and not considered.

It is the responsibility of the bidder to insure that their bid response is delivered to and received in the Purchasing Department <u>before</u> the date and time of the bid opening.

Be sure to read the Terms and Conditions. All bids are F.O.B. Destination unless otherwise stated.

Be sure to sign your bid!

Package/Bid Delivery Address: Purchasing Department 205 Government St. Room S408 Mobile, AL 36644

(Request First Delivery)