

Do Not Return Via Email or Fax

This is Not an Order

Mailing Address:
 P. O. Box 1948
 Mobile, Alabama 36633
 (251) 208-7434

**Purchasing Department
 and Package Delivery:**
 Government Plaza
 4th Floor, Room S-408
 205 Government St
 Mobile, Alabama 36644

**READ TERMS AND CONDITIONS
 ON REVERSE SIDE OF THIS PAGE
 BEFORE BIDDING**

Typed by: sd Buyer: 002

Please quote the lowest price at which you will furnish the articles listed below

DATE 3/28/2022	BID NO. 5666	DEPARTMENT To Be Announced	Commodities to be delivered F.O.B. Mobile to: To Be Specified
-------------------	-----------------	-------------------------------	--

This bid must be received and stamped by the Purchasing office not later than: 11:00 am, Friday, April 15, 2022

QUANTITY	ARTICLES	UNIT	UNIT PRICE		EXTENSION	
			Dollars	Cents	Dollars	Cents
<p>TURF EQUIPMENT</p> <p>TO INCLUDE SAND BUNKER RAKE, UTILITY CARTS, CART MOUNTED TURF SPRAYER, DEBRIS BLOWERS, TURF AERATOR.</p>						
Appx 1-2	<p>Sand Bunker Rake. Toro Sand Pro 5040 or equal.</p> <p>Make _____ Model _____</p>					
Appx 3-5	<p>Utility Cart, Gasoline Powered, Club Car Model 502 or equal.</p> <p>Make _____ Model _____</p>					
Appx 1-2	<p>Heavy Duty Utility Vehicle with 200 gallon frame mounted turf sprayer. 200 gallon spray shall be mounted directly on utility vehicle frame. (Skid unit in bed of utility vehicle will not be acceptable) Utility vehicle must be a John Deere Pro Gator or a Toro Workman model Multi Pro WM or equal.</p> <p>Utility Vehicle: Make _____ Model _____</p> <p>Sprayer: Make _____ Model _____</p>					
			TOTAL			

**RETURN ONE SIGNED COPY OF THIS BID
 IN ENCLOSED ENVELOPE**

State delivery time within _____ days of receipt of P.O.

Firm Name _____

Typed Signature _____

By _____

We will allow a discount _____% 20 days from date of receipt of goods and correct invoice of completed order.

1. All quotations must be signed with the firm name and by an authorized officer or employee.
2. Verify your bid before submission as it cannot be withdrawn or corrected after being opened. In case of error in extension of prices, the unit price will govern.
3. If you do not bid, return this sheet and state reason. Otherwise, your name may be removed from our mailing list.
4. The right is reserved to reject any, or all quotations, or any portions thereof, and to waive technicalities if deemed to be in the interest of the City of Mobile.
5. This bid shall not be reassignable except by written approval of the Purchasing Agent of the City of Mobile.
6. State brand and model number of each item. All items bid must be new and latest model unless otherwise specified.
7. If bid results are desired, enclose a self-addressed and stamped envelope with your bid. (All or None bids only)
8. Do not include Federal Excise Tax as exemption certificate will be issued in lieu of same. The City is exempt from the Alabama and City sales taxes.
9. PRICES ARE TO BE FIRM AND F.O.B. DESTINATION UNLESS OTHERWISE REQUESTED.
10. BID WILL BE AWARDED ON ALL OR NONE BASIS UNLESS OTHERWISE STATED.
11. Bids received after specified time will be returned un-opened.
12. Failure to observe stated instructions and conditions will constitute grounds for rejection of your bid.
13. Furnish literature, specifications, drawings, photographs, etc., as applicable with the items bid.
14. Vendor May be required to obtain City of Mobile Business License as applicable to City of Mobile Municipal Code Section 34-50. For Business License inquiry contact the Revenue Department at (251) 208-7461 or cityofmobile.org/taxes.php.
15. If a bid bond is required in the published specifications, see below:
Each Bid Shall be Accompanied By A **Cashier's Check, Certified Check, Bank Draft Or Bid Bond** For the Sum Of Five (5) Percent Of The Amount Bid, Made Payable To The City Of Mobile And Certified By A Reputable Banking Institution. All Checks Shall Be Returned Promptly, Except The Check Of The Successful Bidder, Which Shall Be Returned After Fulfilling The Bid.
16. Contracts in excess of \$50,000 require that the successful bidder make every possible effort to have at least fifteen (15) percent of the total value of the contract performed by socially and economically disadvantaged individuals.
17. All bids/bid envelopes must have the bid number noted on the front. Bids that arrive unmarked and are opened in error shall be returned to vendor as an unacceptable bid.
18. If successful vendor's principal place of business is out-of-state, vendor may be required to have a Certificate of Authority to do business in the State of Alabama from the Alabama Secretary of State prior to issuance of a Purchase Order. Vendors are solely responsible for consulting with the Secretary of State to determine whether a Certificate is required. See www.sos.alabama.gov/BusinessServices/ForeignCorps.aspx . Please note that the time between application for and issuance of a Certificate of Authority may be several weeks.
19. Vendors do not need a City of Mobile Business License or Certificate of Authority from the Alabama Secretary of State to submit a bid, but will need to obtain the Business License and Certificate of Authority, if applicable, prior to issuance of a Purchase Order.

BID CONTINUATION SHEET

QUANTITY	ARTICLES	UNIT	UNIT PRICE		EXTENSION	
			Dollars	Cents	Dollars	Cents
Page 2 of 3						
Appx 1-3	Blower, Tow Type Turbine Debris Blower. Turfco Torrent 2 or equal. Make _____ Model _____					
Appx 1-3	Blower 3 Point Hitch Mount Debris Blower, Tractor PTO Driven Agrimetal B35 or equal. Make _____ Model _____					
Appx 1-3	Greens Aerator 3 Point Hitch Mount, Tractor PTO Driven Wiedenmann Terra Spike SL6 or equal. Make _____ Model _____					
<p>Must provide literature and specification on product bid.</p> <p>Upon award, the City will purchase one of each of the above products.</p> <p>If necessary, a demonstration may be required before award of the bid. If a demo is requested by the Purchasing Department of the City of Mobile, vendor shall provide within five (5) business days of the request of the Purchasing Department.</p> <p>All items must be new and unused with '0' hours.</p>						
			TOTAL			

**RETURN ONE SIGNED COPY OF THIS QUOTATION
IN ENCLOSED ENVELOPE**

READ ABOVE INSTRUCTIONS BEFORE QUOTING

Firm Name _____

By _____

We will allow a discount _____ % 20 days from date of receipt of goods
and correct invoice of completed order.

BID CONTINUATION SHEET

QUANTITY	ARTICLES	UNIT	UNIT PRICE		EXTENSION	
			Dollars	Cents	Dollars	Cents
	<p align="center">Page 3 of 3</p> <p>All vendors will be required to provide verification of enrollment in the E-Verify program. Additional information may be found at http://immigration.alabama.gov/</p> <p>If the successful vendor's principal place of business is out-of-state, vendor may be required to have a Certificate of Authority to do business in the State of Alabama from the Secretary of State prior to issuance of a Purchase Order.</p> <p>Vendors are solely responsible for consulting with the Secretary of State to determine whether a Certificate is required. See: www.sos.alabama.gov/BusinessServices/ForeignCorps.aspx. Please note that the time between application for the issuance of a Certificate of Authority may be several weeks.</p> <p>Upon notification, vendor will have 10 business days to provide the Certificate of Authority and the E-Verify numbers to the Purchasing Department before award can be completed. (Vendors will possibly need to pay the expedite fee to meet this requirement because application is not sufficient. We must have a copy of the certificate with your Company ID number).</p> <p>Vendors do not need a City of Mobile Business License or Certificate of Authority from the Alabama Secretary of State, nor the E-Verify for certification to submit a bid, but will need to obtain the Business License and Certificate of Authority verification and/or provide the E-Verify Certification, if applicable, prior to issuance of a Purchase Order.</p> <p>State of Alabama Local Vendor Preference Law 41-16-50 (a) and (d) will apply to this purchase.</p> <p>See reverse side of page 1 of Bid for instructions and conditions.</p> <p>If you have any questions, please feel free to contact the Purchasing Department at 251-208-7434 or purchasing@cityofmobile.org.</p> <p>TO BE AWARDED ON AN ITEM BASIS</p>					
			TOTAL			

RETURN ONE SIGNED COPY OF THIS QUOTATION IN ENCLOSED ENVELOPE

READ ABOVE INSTRUCTIONS BEFORE QUOTING

Firm Name _____
By _____

We will allow a discount _____ % 20 days from date of receipt of goods and correct invoice of completed order.

MINIMUM SPECIFICATIONS FOR SAND BUNKER RAKE - Toro Sand Pro 5040 or equal

- Model: unit must be current year model with 0 hours
- Engine: V-twin cylinder, air cooled, OHV, gasoline engine, 18-horsepower.
- Fuel capacity: 5 gallons
- Controls: Hand operated choke & throttle, foot operated forward/reverse traction pedal, hand operated lever to raise/lower rear implement
- Electrical: 12-volt automotive type electrical system. 300 cold cranking amp battery. dash mounted ignition switch
- Transaxle: Direct driven hydrostatic variable speed displacement piston pump to 3 hydraulic motors for 3-wheel drive, parallel hydraulic system
- Ground speed: 0 – 10 mph in forward and 0 – 4 mph in reverse.
- Steering: Hydraulic power front wheel steering with zero turning radius.
- Brakes: Parking brake by hand lever, dynamic braking through traction drive.
- Seat: Deluxe adjustable seat.
- Main Frame: Tricycle vehicle with welded tubular steel frame
- Warranty: Two-year limited warranty.
- Accessories: Rear mount tooth rake with cultivators/teeth to break up sand.
Front mount dozer blade, lifted/lowered by manual hand lever.
Mid mount toolbar with weeder tine attachment and leveling blade
Front and rear light kit.

Vendor shall provide parts, service, and owner's manuals in both paper form and electronic form. Vendor shall also include set-up, delivery, and up to one hour of operator training.

Manufacturer must have a full-service dealer location within 75 miles of the City of Mobile that (1) is capable of making any and all repairs to this unit and (2) has an ample supply of commonly used parts in stock (filters, tires, tines, etc.).

MINIMUM SPECIFICATIONS FOR UTILITY VEHICLE

Club Car 502 or equal

Current year model

- Engine = gasoline, four cycle, 14.0 horsepower, 429 cc, single cylinder, pedal start, electronic fuel injection
- Fuel capacity = 5.5 gallons
- Transmission = continuously variable transmission
- Ground speed = minimum top speed of 15mph
- Frame chassis = aluminum I-beam
- Rear body = all aluminum
- Towing capacity = 1500 pounds
- Bed load capacity = 800 pounds
- Cargo box capacity = 12 cubic feet
- Cargo box = all aluminum with rubber liner in floor of bed; single handed latch & release tailgate; configurable and removable track-based bed attachment system for carrying various tools
- Brakes = foot operated with parking lock, 4-wheel mechanical drum
- Tires = 18 x 8.5 x 8, turf tread
- Ground clearance = minimum 5 inches
- Suspension = leaf springs with dual hydraulic shocks on front & rear
- Warranty = 3-year/3000-hour powertrain and frame; 2-year on remainder of vehicle
- Accessories = manual bed dump, LED headlights, electronic fuel gauge & hour meter, low oil warning light, 2 cup holders, heavy duty trailer hitch, heavy duty front brush guard, differential guard, clip-on/fold down windshield, canopy top, tailgate tether, front cowl & trim to be green in color

OPTIONAL ACCESSORY:

- Driving range enclosure kit and push bar for use with Easy Picker ball picker currently in use by Azalea City Golf Course

Vendor shall provide a parts, service and owner's manual in both printed/paper form and electronic/digital form.

Manufacturer must have a full-service dealer location within 75 miles of the City of Mobile, AL that is (1) capable of making any & all repairs to this unit and (2) has an ample supply of commonly used parts in stock (belts, fluids, filters, etc.).

MINIMUM SPECIFICATIONS FOR HEAVY DUTY UTILITY VEHICLE AND TURF SPRAYER

John Deere Pro Gator 2020A or
Toro Workman Model Multi Pro WM or equal
With 200-gal turf sprayer directly mounted on truckster
(not simply a skid unit in the truckster bed)

Model = Unit must be current year model with 0 hours.

Vehicle specifications:

Engine = 4-cylinder, liquid-cooled, gasoline engine, 34-horsepower

Drive System = 2-wheel drive, manual shift transmission, rear differential lock

Controls = dual mode throttle (foot control and hand control with throttle lock), hand operated lift and lower lever, hand operated remote hydraulic controls for implements such as sprayer pump

Gauges = fuel gauge, hour meter, temperature gauge, tachometer, speedometer

Steering = power steering

Tires = ultra-trac or turf tread, rear tires to be widest tire available for this vehicle

Accessories = head light kit, adjustable seat, 2-post roll over protection system, mirror kit, hard canopy top with Cool Top fan mounted in canopy

Sprayer specifications:

Pump = high capacity, chemical resistant, stainless steel centrifugal pump or 6-way diaphragm pump, driven by remote hydraulics on utility vehicle

Tank = high density polyethylene, 200 gallon capacity, low center of gravity

Boom = break away, level float boom, made of 3 sections that fold up for transport, total width of 18-feet with a minimum of 11 nozzle assemblies on 20 inch spacing

Boom Control System = liquid-filled pressure gauge, individual on/off switches for each boom and a master on/off switch for all three booms, an open/close switch on the

controller which operates an electronic pressure regulating ball valve, each boom shall have its own Teejet AA144 (or equal) electric throttling valve to allow precise calibration

Nozzles = nozzle body assembly to include a diaphragm and a set of triple nozzles, each nozzle group to include one Teejet AI11004-VS, one Teejet AI11008-VS, and one Teejet AI11015VS nozzle in addition to all hardware necessary to apply pesticides (tip, gasket, color-coded cap, etc.)

Foam Marker = adjustable to control frequency of drops, independent control for each boom at the operator seat

Electric Boom Lift = electro-hydraulic operated lift cylinders for each boom with a switch on the operator panel to allow the operator to lift and lower each boom independently

Agitation = internal agitation system to keep pesticides in suspension

Warranty = two-year limited warranty.

Vendor shall provide parts, service, and owner's manuals in both paper form and electronic form. Vendor shall also include set-up, delivery, and up to one hour of operator training.

Manufacturer must have a full-service dealer location within 75 miles of the City of Mobile that (1) is capable of making any and all repairs to this unit and (2) has an ample supply of commonly used parts in stock (pumps, nozzles, filters, etc.).

**MINIMUM SPECIFICATIONS FOR
TOW-TYPE, TURBINE, DEBRIS BLOWER**
Turfco Torrent 2 or equal

- Model:** unit must be current year model with 0 hours
- Engine:** 27-horsepower, electric start, gasoline engine
- Controls:** wireless hand-held remote control for nozzle direction, engine speed & engine stop
- Blower Type:** 14-inch turbine fan
- Nozzle:** impact resistant, single piece plastic nozzle, rotation of nozzle shall be 360 degrees with adjustable stops in both left and right direction (Magna Point system or equivalent)
- Hitch:** pin type, adjustable hitch, to be towed by Club Car Carryall currently in use by this department
- Warranty:** One-year limited warranty

Vendor shall provide parts, service, and owner's manuals in both paper form and electronic form. Vendor shall also include set-up, delivery, and up to one hour of operator training.

**MIMIMUM SPECIFICATIONS FOR
BLOWER IMPLEMENT
Agrimetall B35 or equal**

Model: unit must be current year with 0 hours

Mount: to be mounted on the rear (3-point hitch) of a compact tractor.

Tractor power requirement: 35-HP at PTO

Drive: driven by a rear mounted PTO shaft at 540 rpm supplied by tractor, impeller pulleys connected to PTO shaft pulleys via a bended v-belt (not chain driven)

Rollers: 5-inch front mounted roller (no caster wheels), 4-inch anti-scalp rear mounted roller

Deflector: manual, adjustable air deflector shield

Warranty: one-year limited warranty

Vendor shall provide parts, service, and owner's manuals in both paper form and electronic form. Vendor shall also include set-up, delivery, and up to one hour of operator training.

MIMIMUM SPECIFICATIONS FOR GREENS AERATOR

Wiedenmann Terra Spike SL6 or equal

Mount: to be mounted on the rear (3-point hitch) of a compact tractor, top link mounted with a spring absorption stop system

Drive: driven by a rear mounted PTO shaft at 540 rpm supplied by tractor, belt driven coring heads

Coring width: minimum of 55 inches

Coring depth: adjustable 1 - 8 inches

Hole pattern: lateral spacing 2 inches minimum

Weight: maximum of 1200 pounds

Warranty: one-year warranty

Accessories included: (a) mini tine holder for 3/16-inch inch solid tines with turf guards/retainers and (b) tine holder for ½-inch coring tines with turf guards/retainers and (c) rear roller which can be lifted and locked in place when not in use.

Vendor shall provide parts, service, and owner's manuals in both printed/paper form and electronic/digital form.

Manufacturer must have a full-service dealer location within 75 miles of the City of Mobile, AL that is (1) capable of making all repairs to this unit and (2) has an ample supply of commonly used parts in stock (belts, bearings, tines, etc.)



PROCUREMENT DEPARTMENT

Potential bidders are responsible to check this site for any ADDENDUMS that are issued. It is the responsibility of the BIDDER to check for, download, and include with their BID RESPONSE any and all ADDENDUMS that are issued for a specific BID published by the City of Mobile. Failure to download and include ADDENDUMS in your BID RESPONSE may cause your bid to be rejected.

This is a sealed bid. Any responses faxed or e-mailed will be rejected.

This is a sealed bid. Any response must be submitted in a sealed envelope With the bid number and bid opening date on the outside of the envelope.

Any response that arrives improperly marked or with no bid number and Opening date on the outside of the delivery or express package and opened in error will be rejected and not considered.

It is the responsibility of the bidder to ensure that their bid response is delivered to and received in the Purchasing Department before the date and time of the bid opening.

Be sure to read the Terms and Conditions. All bids are F.O.B. Destination unless otherwise stated.

Be sure to sign your bid!

**Package/Bid Delivery Address:
Purchasing Department
205 Government St. Room S408
Mobile, AL 36644**

(Request First Delivery)