SEALED BID

CITY OF MOBILE

BID SHEET

This is Not an Order

Do Not Return Via Email or Fax

Mailing Address: P. O. Box 1948 Mobile, Alabama 36633 (251) 208-7434

en

Typed by:

Purchasing Department and Package Delivery: Government Plaza 4th Floor, Room S-408 205 Government St Mobile, Alabama 36644

Please quote the lowest price at which you will furnish the articles listed below

002

Buyer:

READ TERMS AND CONDITIONS ON REVERSE SIDE OF THIS PAGE

BEFORE BIDDING

DATE	0/4=/4044	1 1		mmoditie	nmodities to be delivered F.O.B. Mobile to:					
08/17/2022		5721	Motor Pool			То В	e Specifie	d		
This bid	d must be rece	ived and stamped	d by the Purchasing o	ffice not later th	an: 12	2:01 PM,	Friday, Se	ptember	9, 2022	
			orm ONLY. Make no change		h		UNIT PF	RICE	EXTENS	ION
QUANTITY	ARTICLE	S any additiona	al information required to thi	s form.		UNIT	Dollars	Cents	Dollars	Cents
	43 FOOT		ED ARTICULAT OUNTED ON 4 X 2		COPIC	*				
Appx 2-4	43' foot Un-insulated Articulated Telescopic Device Mounted on 2022 or Newer Ford F550, 4 x 2 or Equal Chassis as per the following and attached specifications.									
	Aerial Mak	e	Model							
	Chassis Ma	nke	Model							
	Year		GVW							
	Provide Lit	erature and Speci	fication on product bio	d.						
	_		rchase a minimum of (escopic Device on a 4	\ <i>\</i>						
	Business L	icense Required –	See Instructions #14.							
	hours) in th	e operation of aer	rice a minimum training rial device and a mining and maintenance of aer	num training of 1	1					
	Include cer your bid pr		or certificate of title as	appropriate in						
	45.211.211111111111111111111111111111111	Pa	age 1 of 2				TOTA	L		
	NE SIGNED CO SED ENVELOPE	OPY OF THIS BID	Sta	te delivery time	e within	1	_ days c	of rece	ipt of P.	Ο.
				Firm Name						
M=	- di	0, 00 1		Typed Signature						
We will allow a discount% 20 days from date of receipt of goods and correct invoice of completed order.			Ву							
	•			,						

- 1. All quotations must be signed with the firm name and by an authorized officer or employee.
- 2. Verify your bid before submission as it cannot be withdrawn or corrected after being opened. In case of error in extension of prices, the unit price will govern.
- 3. If you do not bid, return this sheet and state reason. Otherwise, your name may be removed from our mailing list.
- 4. The right is reserved to reject any, or all quotations, or any portions thereof, and to waive technicalities if deemed to be in the interest of the City of Mobile.
- 5. This bid shall not be reassignable except by written approval of the Purchasing Agent of the City of Mobile.
- 6. State brand and model number of each item. All items bid must be new and latest model unless otherwise specified.
- 7. If bid results are desired, enclose a self-addressed and stamped envelope with your bid. (All or None bids only)
- 8. Do not include Federal Excise Tax as exemption certificate will be issued in lieu of same. The City is exempt from the Alabama and City sales taxes.
- 9. PRICES ARE TO BE FIRM AND F.O.B. DESTINATION UNLESS OTHERWISE REQUESTED.
- 10. BID WILL BE AWARDED ON ALL OR NONE BASIS UNLESS OTHERWISE STATED.
- 11. Bids received after specified time will be returned un-opened.
- 12. Failure to observe stated instructions and conditions will constitute grounds for rejection of your bid.
- 13. Furnish literature, specifications, drawings, photographs, etc., as applicable with the items bid.
- 14. Vendor May be required to obtain City of Mobile Business License as applicable to City of Mobile Municipal Code Section 34-50. For Business License inquiry contact the Revenue Department at (251) 208-7461 or cityofmobile.org/taxes.php.
- 15. If a bid bond is required in the published specifications, see below: Each Bid Shall be Accompanied By A Cashler's Check, Certified Check, Bank Draft Or Bid Bond For the Sum Of Five (5) Percent Of The Amount Bid, Made Payable To The City Of Mobile And Certified By A Reputable Banking Institution. All Checks Shall Be Returned Promptly, Except The Check Of The Successful Bidder, Which Shall Be Returned After Fulfilling The Bid.
- 16. Contracts in excess of \$50,000 require that the successful bidder make every possible effort to have at least fifteen (15) percent of the total value of the contract performed by socially and economically disadvantaged individuals.
- 17. All bids/bid envelopes must have the bid number noted on the front. Bids that arrive unmarked and are opened in error shall be returned to vendor as an unacceptable bid.
- 18. If successful vendor's principal place of business is out-of-state, vendor may be required to have a Certificate of Authority to do business in the State of Alabama from the Alabama Secretary of State prior to issuance of a Purchase Order. Vendors are solely responsible for consulting with the Secretary of State to determine whether a Certificate is required. See www.sos.alabama.gov/BusinessServices/ForeignCorps.aspx. Please note that the time between application for and issuance of a Certificate of Authority may be several weeks.
- 19. Vendors do not need a City of Mobile Business License or Certificate of Authority from the Alabama Secretary of State to submit a bid, but will need to obtain the Business License and Certificate of Authority, if applicable, prior to issuance of a Purchase Order.

BID CONTINUATION SHEET

Page____ of___

UANTITY	ARTICLES Bid on this form ONLY. Make no changes on this form. Additional information to be submitted on separate sheet and attached hereto.	UNIT	UNIT PR		EXTENS	
	information to be submitted on separate sheet and attached hereto.		Dollars	Cents	Dollars	Cents
	Daga 2 of 2					
	Page 2 of 2					
	All vendors will be required to provide verification of					
1	enrollment in the E-Verify program. Additional information					
	may be found at http://immigration.alabama.gov/					
	If the successful vendor's principal place of business is out-of-state,					
	vendor may be required to have a Certificate of Authority to do					
	business in the State of Alabama from the Secretary of State prior to issuance of a Purchase Order.					
	Vendors are solely responsible for consulting with the Secretary of State to determine whether a Certificate is required.					
	See: www.sos.alabama.gov/BusinessServices/ForeignCorps.aspx.					
	Please note that the time between application for the issuance of a					
	Certificate of Authority may be several weeks.					
	Upon notification, vendor will have 10 business days to provide the					
	Certificate of Authority and the E-Verify numbers to the					
	Purchasing Department before award can be completed.					
	(Vendors will possibly need to pay the expedite fee to meet this					
	requirement because application is not sufficient. We must have a copy of the certificate with your Company ID number).					
	Vendors do not need a City of Mobile Business License or Certificate					
	of Authority from the Alabama Secretary of State, nor the E-Verify for certification to submit a bid, but will need to obtain the Business Licens	se				
	and Certificate of Authority verification and/or provide the E-Verify					
	Certification, if applicable, prior to issuance of a Purchase Order.					
	Chata of Alabama Local Vandan Duafananca Lovy 41 16 50 (a)					
	State of Alabama Local Vendor Preference Law 41-16-50 (a) and (d) will apply to this purchase.					
	If you have any questions, please feel free to contact the Purchasing Departm at 251-208-7434 or purchasing@cityofmobile.org.	ieni				
	at 231-208-7434 of purchasing activormodule.org.					
	Pricing shall be good for a (3) three-month period from date of award.					
	TO BE AWARDED ALL OR NONE					
	x	1.0	TOT	AL		

RETURN ONE SIGNED COPY OF THIS QUOTATION IN ENCLOSED ENVELOPE

READ ABOVE INSTRUCTIONS BEFORE QUOTING

Firm Name	
Bv	

We will allow a discount ______ % 20 days from date of receipt of goods and correct invoice of competed order.

1.	One (1) 40ft Un-Insulated Articulated Telescopic Aerial Device on the following MINIMUM specifications:	a Supe	r Duty	DRW Chassis with
2.	Vehicle Specifications	<u>YES</u>	<u>NO</u>	Comments
3.	Chassis Cab – Regular 2.5 Ton	-		
4.	Drive Type – Dual Rear Wheel	-		
5.	Engine – Cummins 6.7			
6. 7. 8.	Battery – 12 volts; 750 – cca/78-amp-hr Alternator – 350-amp Transmission – Allison automatic		-	
9.	Wheelbase – 169.3 in			
10.	Height – 82.4 in.			
11.	19.5" Grey Painted Steel Rims w/ tires suited for type duty.			
12.	Cab-to Rear Axle Dimension – 84 in. (2.14 m).			
13.	Frame Resisting Bending Moment – 530,000 in-lbs.	-		
14.	GVWR – 17,500 lbs.		· ·	
15.	GAWR (Front) – 7,000 lbs		.>	-
16.	GAWR (Rear) – 13,500 lbs.			-
17.	Approximate Curb Weight for Stability – 13,500 lbs		<u> </u>	
18.	Warranty Includes:			
20. 21. 22.	Bumper to Bumper – 3 years/36,000 miles Powertrain – 5 years/100,000 miles Safety Restraint System – 5 years/60,000 miles Corrosion – 5 years/Unlimited miles Roadside Assistance – 5 years/60,000 miles		-	
24.	Keys – 4 sets fully functional	-		 -
25.	Operating Manuals – Print and Digital	** <u>*</u>		
27. 28.	AERIAL Dimensional Specifications Height to Bottom of Platform 43ft. 5in. (12.3 m) Working Height 48 ft 5 in (13.8 m). Stowed Travel Height 10ft 6 in (3.2 m).			

30. The standard aluminum platform is 36 ln.x 60 ln. x 43 ln.

deep (.9 m x 1.5 m x 1.1 m) with a gate opening for easy access.

	32.	The anchor for the lanyard is attached to the platform support. Separate anchor points are to be located on both sides of basket. Individual full-pressure controls at the turret actuate all boom functions. The lower control station is equipped with a selector valve to override the upper controls.	
	34.	The full pressure single-stick upper control includes a safety trigger to prevent inadvertent operation.	
	35.	The lift movements correspond with control handle movements. An emergency stop and a tool selector control are located at the upper controls.	
	36.	A master and slave cylinder controls platform leveling. The leveling system can be operated from the upper or lower controls to adjust platform leveling, tilt the platform for clean out, or to ease the removal of an injured operator.	
		Weight of Lift 3,360 lbs. (1525 kg). Rotation (360° Continuous).	
	39.	Hydraulic system 3000 psi.	
	40.	One set of outriggers behind cab with hydraulic controls at rear of truck.	
		Manlift Manlift shall have a maximum height of not less that 40'.	
	43.	Manlift basket shall be un-insulated	
	44.	Manlift basket shall pivot 90 degrees to one side of the centerline of boom and 80 degrees to the opposite of the centerline of the boom.	
	46.	Utility Body There shall be a solid frame mounted work area or tail piece to the rear of the utility body. The area will be tread plated and coated with spray in/spray on body liner. Size of tail piece is such that it will project	
,	47.	24" rearward past the utility body and be the width of the utility body.	

48.	The tailpiece shall also allow for the employer to step up to the tailpiece to access the man lift and the open area of the utility body	to
49.	There shall be a horizontal compartment over the rear wheels of the truck	
	There shall be 2 vertical compartments on the utility body, either side of the horizontal compartments. These shall be full height of the utility body. First Bin:32", Second Bin 18", Middle Bin 54", Last Bin 23". a. Inside front passenger bin a minimum 2000-watt power inverter appropriately b. wired to truck battery system with remote switch located inside cab.	
53.	All compartments shall be watertight and provided with full height tracks for shelving from bottom to top. Forward vertical compartments shall be no less than 18" wide and the rearward vertical compartment no less than 23" wide	
56. 57.	Utility body shall have spray in liner shall coat the following areas: tops of the utility body compartments, inside the center of the utility body, sides up to the top, floor and the inside of the tailgate (if so exists on the body).	
	There shall be inside of the utility body in all four (4) corners of the body floor, drain holes no less than one (1) inch in diameter.	
62.	Compartment Locking There shall be a single point to lock and secure the compartment on each side. This locking point can be on the rear of the utility body.	
64.	The locking point will have a place for a padlock and a handle large enough for use by a gloved hand. Compartment door latches shall be slam latch type with paddle handles.	
	Trailer Hitch There shall be a Class 5 Commercial Duty 2 ½" receiver type trailer hitch mounted to the frame of the truck as well as 4 and 7 pin trailer electrical connector.	
67. 68.	Emergency Warning Lights There shall be a full LED light bar on the cab roof, with hook on mounting, permanent mount will not be acceptable. Light bar will flash yellow/amber to the front, sides and rear. There shall be alley lights to the sides and work/takedowns to the front.	
69.	On the rear upper corners of the utility body, there shall be 360 degree amber beacons	
70.	There shall be LED four (4) corner lights mounted in the corners of the vehicle, two (2) in the front and two (2) mounted into the rear body. The rear corner LEDs shall be recessed into the vehicle body. The forward facing corner LEDs will not be placed in the headlight or parking light fixtures or enclosures, they shall be separate standalone light fixtures.	
71.	There shall be a LED amber traffic directing light bar mounted on the rear of the utility body. The traffic directing light bar shall go across the entire width of the rear of the vehicle body.	

72.	Vehicle headlights shall flash/alternate as a warning device
73.	Each of the emergency warning light functions is to be individually switched. There shall be a lighting control box, Example Whalen SW10 that allows for individual switching as well as a master control to control all lights at the same time on/off.
74.	There shall be a 4" x 6" amber LED flashing light at the rear axle area mounted into the utility body. Flash perpendicular to the body.
75.	There shall be amber LED 360-degree light mounted either side of the man lift that rotates with the aerial boom. The lights shall be mounted to the boom mechanism and move with the boom.
76.	Rear Vehicle Lighting
77.	Mounted into the tail piece shall be the required ICC/DOT required
	lights stop, turn, backup, marker light, as well as, the Amber Traffic
	Director Lightbar.



PROCUREMENT DEPARTMENT

Potential bidders are responsible to check this site for any ADDENDUMS that are issued. It is the responsibility of the BIDDER to check for, download, and include with their BID RESPONSE <u>any and all ADDENDUMS</u> that are issued for a specific BID published by the City of Mobile. Failure to download and include ADDENDUMS in your BID RESPONSE may cause your bid to be rejected.

This is a sealed bid. Any responses faxed or e-mailed will be rejected.

This is a sealed bid. Any response must be submitted in a sealed envelope with the bid number and bid opening date on the outside of the envelope.

Any response that arrives improperly marked or with no bid number and opening date on the outside of the delivery or express package and opened in error will be rejected and not considered.

It is the responsibility of the bidder to ensure that their bid response is delivered to and received in the Purchasing Department <u>before</u> the date and time of the bid opening.

Be sure to read the Terms and Conditions. All bids are F.O.B. destination unless otherwise stated.

Be sure to sign your bid!

Package/Bid Delivery Address: Purchasing Department 205 Government St. Room S408 Mobile, AL 36644

(Request First Delivery)