SEALED BID

CITY OF MOBILE

BID SHEET

This is Not an Order

Do Not Return Via Email or Fax

Mailing Address: P. O. Box 1948 Mobile, Alabama 36633 (251) 208-7434 Purchasing Department and Package Delivery: Government Plaza 4th Floor, Room S-408 205 Government St Mobile, Alabama 36644

READ TERMS AND CONDITIONS ON REVERSE SIDE OF THIS PAGE BEFORE BIDDING

Typed by:	en		Buyer: 002						
	Ple	ease quote the l	owest price at which yo	u will furnish the arti	cles listec	below			
DATE 08	3/18/2022	BID NO. DEPARTMENT Commodities to be delivered F.O.B. Mobile to: To Be Specified							
This bid	d must be recei	ved and stamp	ed by the Purchasing o	office not later than:	12:01 PM,	Thursday, S	eptem b	er 8, 2022	
	Bid on this form ONLY. Make ARTICLES any additional information rec					UNIT PRICE		EXTENSION	
QUANTITY	ARTICLES	any addition	onal information required to th	is form.	UNIT	Dollars	Cents	Dollars	Cents
	40 FOOT		O ARTICULATED OUNTED ON 4 X		LA.				
Appx 2-4	or Newer Fo		ed Telescopic Device N or Equal Chassis as per						
	Aerial Mak	e	Model						
	Chassis Ma	ke	Model						
	Year	·	GVW __						
	Provide Lite	erature and Spec	cification on product bi	d.					
			urchase a minimum of elescopic Device on a 4						
	Business Li	cense Required	– See Instructions #14.						
	hours) in th	e operation of a	price a minimum traini erial device and a minimum and maintenance of ae	num training of 1					
	Include cert your bid pri	_	or certificate of title as	appropriate in					
			Page 1 of 2			TOTA	L		
	ONE SIGNED CO SED ENVELOPE		D Sta	ate delivery time wit	hin	_ days o	f rece	ipt of P.	Ο.
				Firm Name					
المالة الأسام	a discount	0/ 00 days fo	com data of receipt of annual	Typed Signature					
and correct in	nvoice of completed	order.	om date of receipt of goods	Ву					

- 1. All quotations must be signed with the firm name and by an authorized officer or employee.
- 2. Verify your bid before submission as it cannot be withdrawn or corrected after being opened. In case of error in extension of prices, the unit price will govern.
- 3. If you do not bid, return this sheet and state reason. Otherwise, your name may be removed from our mailing list.
- 4. The right is reserved to reject any, or all quotations, or any portions thereof, and to waive technicalities if deemed to be in the interest of the City of Mobile.
- 5. This bid shall not be reassignable except by written approval of the Purchasing Agent of the City of Mobile.
- 6. State brand and model number of each item. All items bid must be new and latest model unless otherwise specified.
- 7. If bid results are desired, enclose a self-addressed and stamped envelope with your bid. (All or None bids only)
- 8. Do not include Federal Excise Tax as exemption certificate will be issued in lieu of same. The City is exempt from the Alabama and City sales taxes.
- 9. PRICES ARE TO BE FIRM AND F.O.B. DESTINATION UNLESS OTHERWISE REQUESTED.
- 10. BID WILL BE AWARDED ON ALL OR NONE BASIS UNLESS OTHERWISE STATED.
- 11. Bids received after specified time will be returned un-opened.
- 12. Failure to observe stated instructions and conditions will constitute grounds for rejection of your bid.
- 13. Furnish literature, specifications, drawings, photographs, etc., as applicable with the items bid.
- 14. Vendor May be required to obtain City of Mobile Business License as applicable to City of Mobile Municipal Code Section 34-50. For Business License inquiry contact the Revenue Department at (251) 208-7461 or cityofmobile.org/taxes.php.
- 15. If a bid bond is required in the published specifications, see below: Each Bid Shall be Accompanied By A Cashier's Check, Certified Check, Bank Draft Or Bid Bond For the Sum Of Five (5) Percent Of The Amount Bid, Made Payable To The City Of Mobile And Certified By A Reputable Banking Institution. All Checks Shall Be Returned Promptly. Except The Check Of The Successful Bidder, Which Shall Be Returned After Fulfilling The Bid.
- 16. Contracts in excess of \$50,000 require that the successful bidder make every possible effort to have at least fifteen (15) percent of the total value of the contract performed by socially and economically disadvantaged individuals.
- 17. All bids/bid envelopes must have the bid number noted on the front. Bids that arrive unmarked and are opened in error shall be returned to vendor as an unacceptable bid.
- 18. If successful vendor's principal place of business is out-of-state, vendor may be required to have a Certificate of Authority to do business in the State of Alabama from the Alabama Secretary of State prior to issuance of a Purchase Order. Vendors are solely responsible for consulting with the Secretary of State to determine whether a Certificate is required. See www.sos.alabama.gov/BusinessServices/ForeignCorps.aspx. Please note that the time between application for and issuance of a Certificate of Authority may be several weeks.
- Vendors do not need a City of Mobile Business License or Certificate of Authority from the Alabama Secretary of State to submit a bid, but will need to obtain the Business License and Certificate of Authority, if applicable, prior to issuance of a Purchase Order.

BID CONTINUATION SHEET

Page____ of ____

QUANTITY		d on this form ONLY. Make no changes on this form. Additional	UNIT	UNIT PR	ICE	EXTENSION	
QOARTITI	inf	ormation to be submitted on separate sheet and attached hereto.	OINI	Dollars	Cents	Dollars	Cents
		Page 2 of 2					
	enrollment in	vill be required to provide verification of the E-Verify program. Additional information at http://immigration.alabama.gov/					
	vendor may b business in th	ful vendor's principal place of business is out-of-state, e required to have a Certificate of Authority to do e State of Alabama from the Secretary of State prior a Purchase Order.					
	State to determ See: <u>www.sor</u> Please note the	olely responsible for consulting with the Secretary of mine whether a Certificate is required. s.alabama.gov/BusinessServices/ForeignCorps.aspx. at the time between application for the issuance of a Authority may be several weeks.					
	Certificate of Purchasing D (Vendors wil requirement b	Authority and the E-Verify numbers to the epartment before award can be completed. I possibly need to pay the expedite fee to meet this because application is not sufficient. We must have a certificate with your Company ID number).					
	of Authority certification t and Certificat	ot need a City of Mobile Business License or Certificate from the Alabama Secretary of State, nor the E-Verify for o submit a bid, but will need to obtain the Business License to of Authority verification and/or provide the E-Verify if applicable, prior to issuance of a Purchase Order.					
	State of Alabama l and (d) will apply	Local Vendor Preference Law 41-16-50 (a) to this purchase.					
		estions, please feel free to contact the Purchasing Department r purchasing@cityofmobile.org.					
	Pricing shall be go	od for a (3) three-month period from date of award.					
	TO BE AWARI	DED ALL OR NONE					
		l l		TO	ΓAL		

RETURN ONE SIGNED COPY OF THIS QUOTATION IN ENCLOSED ENVELOPE

READ ABOVE INSTRUCTIONS BEFORE QUOTING

Firm Name		
P _V		

We will allow a discount ______ % 20 days from date of receipt of goods and correct invoice of competed order.

SPECIFICATIONS

One (1) 40ft Insulated Articulated Telescopic Aerial Device on a Medium Duty 4x2 Chassis with the following MINIMUM specifications:

Vehicle Specifications	YES	<u>NO</u>	Comments
1. Chassis Cab – Regular			
2. Drive Type - 4x2			
3. Engine – Cummins 6.7	8		<u></u>
4. Battery – 12 volts; 750 – cca/78-amp-hr			
5. Alternator – 350-amp			
6. Transmission – Allison automatic			
7. Wheelbase – 169.3 in.		·	
8. Height – 82.4 in.		//	-
9. Cab-to Rear Axle Dimension – 84 in. (2.14 m).	% <u></u>	: /	
10. Frame Resisting Bending Moment – 530,000 in-lbs.			-
11. GVWR – 17,500 lbs.			
12. GAWR (Front) – 7,000 lbs.	-	· ·	
13. GAWR (Rear) – 13,500 lbs.			
14. Approximate Curb Weight for Stability – 13,500 lbs.			-
15. Warranty Includes:			
 Bumper to Bumper – 3 years/36,000 miles Powertrain – 5 years/100,000 miles Safety Restraint System – 5 years/60,000 miles Corrosion – 5 years/Unlimited miles Roadside Assistance – 5 years/60,000 miles 	es		
16. Keys – 4 sets fully functional			

17. Operating Manuals – Print and Digital.	
VST-40-I Dimensional Specifications	
1. Height to Bottom of Platform 40ft. 4in. (12.3 m).	
2. Working Height 45 ft 4 in (13.8 m).	
3. Stowed Travel Height 10ft 6 in (3.2 m).	·
4. Height to Bottom of Platform 40 ft 10in (12.4 m).	·
5. Working Height 45 ft 10 in (14.0 m).	·
6. Working Height 46 ft 10 in (14.3 m).	
7. Weight of Lift 3,360 lbs. (1525 kg).	
8. Rotation (360° Continuous).	
9. Power inverter with switch in the cab.	
10. Light bar with Alley light.	
11. Strobe lights front/back.	
12. L.E.D. Directional light bar in back.	
13. 600 lb rated bucket.	
14. 40ft. Platform height.	
15. Tale shelf 23 ¾".	
16. Total length of bins 13ft. 1 ½".	
17. Last bin 23".	
18. Middle bin 54".	
19. Second bin 18".	
20. First bin 32".	
21. Hydraulic system 3000 psi.	

22. NO Jib Boom on bucket

Utility Body

1.	There shall be a solid frame mounted work area or tail piece to the rear of the utility body. The area will be tread plated and coated with spray in/spray on body liner. Size of tail piece is such that it will project 24" rearward past the utility body and be the width of the utility body.	
2.	The tailpiece shall also allow for the employer to step up to the tailpiece to access the man lift and the open area of the utility body.	
3.	There shall be a horizontal compartment over the rear wheels of the truck.	
4.	There shall be 2 vertical compartments on the utility body, either side of the horizontal compartments. These shall be full height of the utility body.	
5.	All compartments shall be provided with full height tracks for shelving from bottom to top. Forward vertical compartments shall be no less than 18" wide and the rearward vertical compartment no less than 23" wide.	
6.	Utility body shall have spray in liner shall coat the following areas: tops of the utility body compartments, inside the center of the utility body, sides up to the top, floor and the inside of the tailgate (if so exists on the body).	
7.	There shall be inside of the utility body in all four (4) corners of the body floor, drain holes no less than one (1) inch in diameter.	
Comp	artment Locking	
1.	There shall be a single point to lock and secure the compartment on each side. This locking point can be on the rear of the utility body.	
2.	The locking point will have a place for a padlock and a handle large enough for use by a gloved hand. Compartment door latches shall be slam latch type with paddle handles.	
Manli	<u>ft</u>	
1.	Manlift shall have a maximum height of not less that 40'.	

2.	Manlift bucket shall be insulated and provided with a cover to keep out rain. Etc.	· <u>-</u>	
3.	Manlift bucket shall pivot 90 degrees to one side of the centerline of boom and 80 degrees to the opposite of the centerline of the boom.		
Traile	r Hitch		
1.	There shall be a 2" receiver type trailer hitch mounted to the frame of the truck.	2	
Emerg	gency Warning Lights		
1.	There shall be a full LED light bar on the cab roof, with hook on mounting, permanent mount will not be acceptable. Light bar will flash yellow/amber to the front, sides and rear. There shall be alley lights to the sides and work/takedowns to the front.		
2.	On the rear upper corners of the utility body, there shall be 360 degree amber beacons.		
3.	There shall be LED four (4) corner lights mounted in the corners of the vehicle, two (2) in the front and two (2) mounted into the rear body. The rear corner LEDs shall be recessed into the vehicle body. The forward facing corner LEDs will not be placed in the headlight or parking light fixtures or enclosures, they shall be separate standalone light fixtures.		
4.	There shall be a LED amber traffic directing light bar mounted on the rear of the utility body. The traffic directing light bar shall go across the entire width of the rear of the vehicle body.		
5.	Vehicle headlights shall flash/alternate as a warning device.		
6.	Each of the emergency warning light functions is to be individually		
	switched. There shall be a lighting control box, Example Whelen SW10 that allows for individual switching as well as a master control to control all lights at the same time on/off.		
	There shall be a 4" x 6" amber LED flashing light at the rear axle area mounted into the utility body. Flash perpendicular to the body.		

8. There shall be amber LED 360 degree light mounted either side of the man lift that rotates with the aerial boom. The lights shall be mounted to the boom mechanism and move with the boom.	
Rear Vehicle Lighting	
1. Mounted into the tail piece shall be the required ICC/DOT required lights stop, turn, backup, marker light, as well as, the Amber Traffic Director Lightbar.	



PROCUREMENT DEPARTMENT

Potential bidders are responsible to check this site for any ADDENDUMS that are issued. It is the responsibility of the BIDDER to check for, download, and include with their BID RESPONSE any and all ADDENDUMS that are issued for a specific BID published by the City of Mobile. Failure to download and include ADDENDUMS in your BID RESPONSE may cause your bid to be rejected.

This is a sealed bid. Any responses faxed or e-mailed will be rejected.

This is a sealed bid. Any response must be submitted in a sealed envelope with the bid number and bid opening date on the outside of the envelope.

Any response that arrives improperly marked or with no bid number and opening date on the outside of the delivery or express package and opened in error will be rejected and not considered.

It is the responsibility of the bidder to ensure that their bid response is delivered to and received in the Purchasing Department <u>before</u> the date and time of the bid opening.

Be sure to read the Terms and Conditions.

All bids are F.O.B. destination unless otherwise stated.

Be sure to sign your bid!

Package/Bid Delivery Address: Purchasing Department 205 Government St. Room S408 Mobile, AL 36644

(Request First Delivery)