

SEALED BID

CITY OF MOBILE

BID SHEET

Do Not Return Via Email or Fax

**Purchasing Department
and Package Delivery:**

This is Not an Order
.....

Mailing Address:
P. O. Box 1948
Mobile, Alabama 36633
(251) 208-7434

**Government Plaza
4th Floor, Room S-408
205 Government St.
Mobile, Alabama 36644**

**READ TERMS AND CONDITIONS
ON REVERSE SIDE OF THIS PAGE
BEFORE BIDDING**

Postal Service Does Not Deliver to This Street Address

Typed by: _____ en Buyer: 002

Please quote the lowest price at which you will furnish the articles listed below

DATE	BID NO.	DEPARTMENT	Commodities to be delivered F.O.B. Mobile to:
11/17/2023	5852	FIRE	To Be Specified

This bid must be received and stamped by the Purchasing office not later than: 12:01 PM, Tuesday, December 5, 2023

QUANTITY	ARTICLES	UNIT	UNIT PRICE		EXTENSION	
			Dollars	Cents	Dollars	Cents
APPX 1-5	<p>REMOUNT AND REFURBISHMENT OF AMBULANCE BODY</p> <p>Vendor to remove Braun Liberty body from existing Ford F450 Chassis, refurbish and repair body. Repaint and remount to vendor-provided <u>NEW</u> Ford F450 chassis with gasoline engine. Diesel engine will not be acceptable, NOR will a chassis other than Ford F450.</p> <p>Vendor must be qualified/certified to extend the Braun lifetime ambulance warranty.</p> <p>Vendor will be responsible to pick up the ambulance from the City of Mobile and transport unit to where the body will be remounted. Assume that both units will not run.</p> <p>Vendor should use self-loading transport. The City will not assist in loading except to make units accessible.</p> <p>Vendor to return units to the City of Mobile.</p> <p>Attached is the Braun work up sheet for remount of bodies.</p> <p>A sample unit may be viewed in Mobile. To view, contact the Purchasing Department at purchasing@cityofmobile.org to arrange viewing.</p> <p>The City desires to have units done as soon as possible. Pricing shall be good for 9 months from date of award of the bid.</p> <p>City of Mobile will be willing to purchase 5 chassis, from successful vendor, for the remounts, so that they will be on-hand for remounts. This is so chassis will be on hand to speed-up remounting process. Vendor should have units on hand or readily available.</p>					
			TOTAL			

**RETURN ONE SIGNED COPY OF THIS BID
IN ENCLOSED ENVELOPE**

State delivery time within _____ days of receipt of P.O.

Phone Number _____

Firm Name _____

Email Address _____

Signature _____

We will allow a discount _____ % 20 days from date of receipt of goods and correct invoice of completed order

Type or Print Name _____

1. All quotations must be signed with the firm name and by an authorized officer or employee.
2. Verify your bid before submission as it cannot be changed or corrected after being opened. In case of error in extension of prices, the unit price will govern.
3. If you do not bid, return this sheet and state reason. Otherwise, your name may be removed from our mailing list.
4. The right is reserved to reject any, or all quotations, or any portions thereof, and to waive technicalities if deemed to be in the interest of the City of Mobile.
5. This bid shall not be reassignable except by written approval of the Purchasing Agent of the City of Mobile.
6. State brand and model number of each item. All items bid must be new and latest model unless otherwise specified.
7. If bid results are desired, enclose a self-addressed and stamped envelope with your bid. (All or None bids only)
8. Do not include Federal Excise Tax as an exemption certificate will be issued in lieu of same. The City is exempt from the State of Alabama and City sales taxes.
9. PRICES ARE TO BE FIRM AND F.O.B. DESTINATION UNLESS OTHERWISE REQUESTED.
10. BID WILL BE AWARDED ON ALL OR NONE BASIS UNLESS OTHERWISE STATED.
11. Bids received after specified time will be returned un-opened.
12. Failure to observe stated instructions and conditions will constitute grounds for rejection of your bid.
13. Furnish literature, specifications, drawings, photographs, etc., as applicable with the items bid.
14. Vendor may be required to obtain City of Mobile Business License as applicable to City of Mobile Municipal Code Section 34-50. For Business License inquiry, contact the Revenue Department at (251) 208-7462 or cityofmobile.org/business-license-overview/
15. IF a bid bond is required in the published specifications, see below:
Each bid shall be accompanied by a **Cashier's Check, Certified Check, Bank Draft or Bid Bond** for the sum of five (5) Percent of the amount bid, made payable to the City of Mobile and certified by a reputable banking institution. All checks shall be returned promptly, except the check of the successful bidder, which shall be returned after fulfilling the bid.
16. Contracts in excess of \$50,000 require that the successful bidder make every possible effort to have at least fifteen (15) percent of the total value of the contract performed by socially and economically disadvantaged individuals.
17. All bids/bid envelopes must have the bid number noted on the front. Bids that arrive unmarked and are opened in error shall be returned to vendor as an unacceptable bid.
18. If successful vendor's principal place of business is out-of-state, vendor may be required to have a Certificate of Authority to do business in the State of Alabama from the Alabama Secretary of State prior to issuance of a Purchase Order. Vendors are **solely responsible for consulting with the Secretary of State** to determine whether a Certificate is required. See www.sos.alabama.gov/BusinessServices/ForeignCorps.aspx. Please note that the time between application for and issuance of a Certificate of Authority may be several weeks.
19. Vendors do not need a City of Mobile Business License or Certificate of Authority from the Alabama Secretary of State to submit a bid, but may need to obtain the Business License and Certificate of Authority if applicable, prior to issuance of a Purchase Order.
20. Bids and addendums are posted at www.cityofmobile.org/services/business/bids/. It is the responsibility of the vendor to check the City's bid page for updates and addendums.
21. Vendors must be able to provide the following upon request. Federal W-9 form, proof of registration in the E-Verify program, and Certificate of Authority to do business in Alabama/Registration with the Alabama Secretary of State within 24 hours of request.
22. City of Mobile applies local vendor preference to all purchases: Code of Alabama, 1975, Sections 41-16-50(a) and 41-16-50(d), **except** federally funded grants.
23. Equal Employment Opportunity. Except as otherwise provided under 41 CFR part 60, all contracts that meet the definition of "federally assisted construction contract" in 41 CFR Part 60-1.3 must include the equal opportunity clause provided under 41 CFR 60-1.4(b), in accordance with Executive Order 11246, "Equal Employment Opportunity" (30 FR 12319, 12935, 3 CFR Part, 1964-1965 Comp., p. 339), as amended by Executive Order 11375, "Amending Executive Order 11246 Relating to Equal Employment Opportunity," and implementing regulations at 41 CFR part 60, "Office of Federal Contract Compliance Programs. Equal Employment Opportunity, Department of Labor."
24. Davis-Bacon Act, as amended (40 U.S.C. 3141-3148) will apply when required by Federal program regulations.

BID CONTINUATION SHEET

QUANTITY	ARTICLES	UNIT	UNIT PRICE		EXTENSION	
			Dollars	Cents	Dollars	Cents
	<p>Page 2 of 2</p> <p>City currently has 2 units ready for remount upon award of this bid, neither will run.</p> <p>The City reserves the right to inspect work on short notice as often as City wishes.</p> <p>All vendors will be required to provide verification of enrollment in the E-Verify program. Additional information may be found at http://immigration.alabama.gov/</p> <p>If the successful vendor's principal place of business is out-of-state, vendor may be required to have a Certificate of Authority to do business in the State of Alabama from the Secretary of State prior to issuance of a Purchase Order.</p> <p>Vendors are solely responsible for consulting with the Secretary of State to determine whether a Certificate is required. See: www.sos.alabama.gov/BusinessServices/ForeignCorps.aspx. Please note that the time between application for the issuance of a Certificate of Authority may be several weeks.</p> <p>Upon notification, vendor will have 10 business days to provide the Certificate of Authority and the E-Verify numbers to the Purchasing Department before award can be completed. (Vendors will possibly need to pay the expedite fee to meet this requirement because application is not sufficient. We must have a copy of the certificate with your Company ID number).</p> <p>Vendors do not need a City of Mobile Business License or Certificate of Authority from the Alabama Secretary of State, nor the E-Verify for certification to submit a bid, but will need to obtain the Business License and Certificate of Authority verification and/or provide the E-Verify Certification, if applicable, prior to issuance of a Purchase Order.</p> <p>Pricing shall be held firm for a period of six (6) months. At the option of the successful bidder and the City of Mobile, the awarded bid may be extended for up to five (5) additional six (6) month periods.</p> <p>TO BE AWARDED ALL OR NONE</p>					
			TOTAL			

RETURN ONE SIGNED COPY OF THIS QUOTATION IN ENCLOSED ENVELOPE

READ ABOVE INSTRUCTIONS BEFORE QUOTING

Firm Name _____

By _____

We will allow a discount _____ % 20 days from date of receipt of goods and correct invoice of completed order.

1. Price to remove old unit, refurbish body, provide new chassis for mounting, remounting and return completed unit and old chassis to the City of Mobile.

\$ _____/unit

2. Chassis price if City can/allowed to have chassis reserved for its remounts. Vendor will hold and have possession of chassis until remounted.

\$ _____/each

Location - Where is unit being refurbished and remounted?

Address: _____

Is this your location or a subcontractor?

Subcontractor's name: _____

Certified by Braun for warranty extension? Yes ___ No ___

Expected turn around from pickup to return delivery _____ days

TO BE AWARDED ALL OR NONE

OPTION

- A) Price to remove old unit, refurbish body, provide new chassis for mounting, remounting and return completed unit and vendor keeps old chassis

Braun Industries, Inc.
On-Demand Remount Order Form

Module Information

	Liberty I	No	2016 F450 4x2
<i>Module Model Year</i>	<i>Module Model</i>	<i>Remounted Previously</i>	<i>Original Chassis</i>

Chassis Information

2023	Ford F450 169"wb Gas	2016 / 2017 Module Model Yr	
<i>Chassis Year</i>	<i>Chassis Model</i>		

CUSTOMER NAME: Mobile Fire Rescue (AL)

BASE PACKAGE / CHASSIS TYPE (ENTER LINE # FROM OPTION CATALOG)

LINE#	Code #	Description	
6	01-LIB I	Liberty Type I (Manufactured in Van Wert, OH, USA)	

		CHASSIS: FORD F450 4X2 169"wb	
--	--	-------------------------------	--

CHASSIS CONVERSION

#	Code #	Description	
		ALUMINUM WHEELS, AFTERMARKET Install Alcoa Aluminum Wheels on chassis with valve stem extensions	

223	07-R1-0100	PREP CHASSIS TO RETURN TO CUSTOMER: Add mudflaps and taillights to chassis to meet DOT Regulations	
-----	------------	--	--

24	06-R1-0115	FLOOR CONSOLE, ALUMINUM ANGLED FRONT W/ REMOVABLE PLATES, NEW A center floor console manufactured out of aluminum and covered in a black onyx scratch resistant, multi-use polychromatic coating with a clear epoxy finish shall be installed in the cab, with arm rests	
----	------------	--	--

25	06-R2-1001	TRANSFER COMPUTER MOUNT ONTO FRONT CONSOLE Transfer the existing computer mount onto the new front console (includes tapping plates as needed). Confirm mount is compliant with "No Fly Zones"	
----	------------	--	--

30	20-R8-0105	SUSPENSION - LIQUID SPRING, NEW Install Liquid Spring Suspension System on chassis	
----	------------	--	--

Braun Industries, Inc.
On-Demand Remount Order Form

		GRILL GUARD, SETINA Install a new Setina Grille Guard on chassis, PB400 SERIES BODYGUARD GRILL GUARD	
--	--	--	--

		SECURITY SYSTEM - ANTI THEFT- IGNITION OVER RIDE Install Sound Off Ignition security system. (ignition over ride)	
--	--	---	--

		LIGHTS, TWO DOME WELDON 8080 RED-CLEAR Install: Two (2) Weldon #8080 dome lights with red/clear push on/off lenses in the cab headliner, (1) located over the drive side, (1) located over the passenger side.	
--	--	--	--

		OUTLET 12V FRONT CONSOLE Install a 12v outlet on the front console per attached layout - passenger side	
--	--	---	--

		RADIO ANTENNA BASES, CAB ROOF Transfer the existing cab roof antennas onto the new chassis (qty 5), spacing to match existing	
--	--	---	--

MODULE CONVERSION

#	Code #	Description	
		IV HANGERS - CEILING RECESSED - One (1) Cast Products #IV2008-1 recessed, dual, ceiling I.V. hanger shall be provided and installed, centered over cot	

		ADD KKK-A-1822F CERTIFICATION PACKAGE - See attached note	
--	--	---	--

		CAB HEADLINER SPACER Install a spacer between headliner and cab roof to prevent the headliner from moving while operating the dome lights	
--	--	---	--

		CAMERAS, TWO (2) SIDE VIEW, STREETSIDE LEFT & CURBSIDE RIGHT, 120 DEGREES ANGLE Install (2) camera systems on chassis, street side exterior - left side view, and curb side exterior - right side view, Tied to M-Tech display screen.	
--	--	--	--

Braun Industries, Inc.
On-Demand Remount Order Form

		PROGRAMMING FLASH PATTERN Flash pattern: Comet Flash 75, front and rear warning lights alternating phase #1 and phase 32.	
--	--	---	--

		EXTERIOR SHELF AND SHELF TRACK Install an adjustable shelf in OSS#1 over oxgen bottle storage area	
--	--	--	--

		PASS THROUGH - CAB TO MODULE, LOCKABLE SLIDING WINDOW Install: A lockable sliding window in the cab over the pass thru opening to the module.	
--	--	---	--

		AIR PURIFICATION SYSTEM, ULTRAVIOLET Install a Ultraviolet Air Purification System within the heater/AC.	
--	--	--	--

		GERMAWAY 201014 DECONTAMINATION UV SYSTEM Install a Cure Germaway Premier UV unit in rear head pad	
--	--	--	--

		SEAT, OEM FORD F-SEREIS CHASSIS - VINYL SEATS, OEM FORD F-SEREIS CHASSIS - VINYL Cab cloth seats shall be recovered with OEM Gray Vinyl Seat Covers at an after market facility.	
--	--	--	--

ELECTRICAL / LIGHTING

#	Code #	Description	
34	30-R1-0362	RECEPTACLE SHORELINE INLET, KUSSMAUL 20AMP AUTO-EJECT, NEW A Kussmaul super auto eject shoreline inlet receptacle with yellow cover shall be installed on the module exterior. The receptacle shall be equipped with an integral dynamic disconnect. The 125 VAC system shall have GFCI protection and shall be connected to the lighted 125 VAC patient compartment outlet(s). A mating connector shall be shipped loose with the completed ambulance.	

40	30-R1-0706	INTERIOR DOME LIGHTING UPGRADE TO LED - WHELEN (8), NEW New Whelen LED dome lights shall be installed in place of existing. Proper operation of the light functions shall be confirmed.	
----	------------	---	--

Braun Industries, Inc.
On-Demand Remount Order Form

41	30-R1-0755	INVERTER, VANNER - 1100 WATT, LIFESINE LSC 12-1100-DC CHARGER W/PREWIRE, NEW Vanner LifeSine LSC 12-1100-DC watt inverter with battery conditioner / charger (non-hardwired), shall be installed in OSS#2	
44	30-R1-0801	CAMERA REAR VIEW - SINGLE SYSTEM - MIRROR MONITOR NEW Install: camera system rear view, Camera System RVS-770, visible on the mirror monitor.	
60	30-R3-6500	SIREN, CARSON SA441 MAGFORCE MECHANICAL WITH DUAL AMP IPOS, NEW A Carson SA441M dual siren amplifier shall be flush-mounted in the front console IPOS.	
67	30-R4-3201	LIGHTS, REAR TAIL - WHELEN 600 LED STOP, TURN, LED BK-UP, NEW One (1) pair each of Whelen 600 series led stop/tail lights, turn lights, and LED maximum intensity back-up lights with chrome bezels shall be installed on the rear of the module.	
71	30-R6-0100	LIGHTS, OSS COMPARTMENTS - RIDGEBACK LED STRIP LIGHTING, NEW Install: Ridgeback brand LED strip lighting, one each side of the door opening, activated by magnetic switch, all standard exterior compartments in place of existing	
		LIGHTS GRILLE - 4 WHELEN ION SUPER LED Four (4) red with clear lens and chrome flanges Whelen ION series super LED warning lights, with waterproof connectors shall be installed, two (2) in the grille area of the chassis, two (2) on the side of the grille guard. The lights shall operate from a switch on the master control console labeled "Flashers".	
		LIGHTS FRONT INTERSECTION - 2 WHELEN 700 LED Two (2) Whelen 700 series RED super LED warning lights, with water-proof connectors, clear lens, shall be mounted in 15 degree tilt housings on the front chassis fenders, one (1) on each side. The lights shall operate from a switch on the master control console labeled "Flashers". NOTE: When vehicle is placed in park, the override switch must be on for intersection light(s) to remain on.	

Braun Industries, Inc.
On-Demand Remount Order Form

MODULE EXTERIOR

#	Code #	Description	
98	40-R1-0020	MUD FLAPS, REAR - BLACK RUBBER, NEW New black rubber mud flaps with a minimum 1/4" thickness shall be bolted to the underside of the module behind the rear wheels. The width and length of the flaps shall provide adequate coverage of the rear dual wheels of the chassis.	
113	40-R6-9001	E-Z O2 LIFT UPGRADE , OUTSIDE STORAGE COMPARTMENT Inspect lift system for proper operation.	
81	30-R7-1009	TRANSFER POWER DOOR LOCKS - INSTALL NEW GRILLE SWITCH Transfer the existing Power Door Lock System, install a new grille switch in the standard location. Install a new door lock module(s) in the PDQ	
		KEY SECURE, KNOX - INSTALL IN OSS#2 Remove the existing Knox Key Secure from front console, install in OSS#2, left side.	
130	40-R9-9004	COMPARTMENT COATINGS, LIGHT GRAY (WITH MODULE PAINT), NEW A sound absorbing slip resistant polyurethane material shall be sprayed on the inside of all compartments and compartment shelving, slide out trays, oxygen lift and closeouts, color: light gray. (Does not include the battery compartment)	
183	50-R7-1042	FERNO UNIVERSAL PLATE INSTALL - ROUTE FLOOR Install a center mount universal Ferno Floor Plate and modify the module floor recess for dealer install of hardware system. Install/reinforce areas of the sub floor with .125" thick aluminum placed on the subfloor and install cot runner plates on the new flooring.	

Braun Industries, Inc.
On-Demand Remount Order Form

MODULE INTERIOR / PATIENT COMPARTMENT

#	Code #	Description	
217	60-R7-1007	ZOLATONE INTERIOR, REMOVING ALL CABINET DOORS, SHELVES, ITEMS ON WALLS, CUSHIONS All exposed side walls, the partition wall, the headliner, along with the cabinet and drawer fronts, aluminum doors, cabinet and drawer interiors shall be covered with a washable sprayed-on multi-use polychromatic coating. Specify color. Marble Stone	
		CURBSIDE SEATING AREA, UPDATE Remove existing seating, cabinet at both ends and install a squad bench for two seated positions with Valor A-VAL seating with second patient transport. Install sharps/trash storage at the forward end. Reference 8790 for layout	
		SEATING - ATTENDANT - EVS HiBAC, INTEGRAL CHILD, SWIVEL BASE with PRO4 belting A rear facing EVS HiBAC attendant seat shall be installed at the head of the patient cot. The seat shall be equipped with a sliding swivel base and incorporate an integral child safety restraint system and PRO4 belting. The seat shall be padded and covered with color coordinated, cushioned vinyl.	
		TRANSFER THE FOLLOWING COMPONENTS: Weldon Link System, FRC Intercom, Shoreline indicator light, Dominator light bar, Running board lights, Lights above rubrails	
143	50-R7-0151	UPHOLSTERY, NEW All upholstery (including all cushions, head pads, door panels and squad bench) and module seating shall be replaced with new coverings. (does not include the Attendant Seat) UPHOLSTERY - PATRIOT PLUS CHARCOAL #8605	
186	50-R9-6004	FLOORING LONPLATE II, NON-SLIP EMBOSSED SM. GRID - GUNMETAL #424, NEW The floor in the patient compartment shall be covered with Lonseal brand "Lonplate II" non-slip; small grid (embossed) Gunmetal #424, and shall be installed similar to the existing flooring. The flooring material shall be stripped and waxed before delivery.	

Braun Industries, Inc.
On-Demand Remount Order Form

COATINGS / GRAPHICS

#	Code #	Description	
218	60-R8-0101	CHEVRON STRIPING - FULL COVERAGE, NEW Red/Yellow Reflexite chevron striping 6" wide inverted "V" shall be installed on the complete rear of the module.	
228	60-R9-0017	BUFF PAINT - STANDARD CAB TYPE I, The paint on the cab shall be buffed to a high shine using a recommended paint buff system.	
191	60-R2-0110	PAINT MODULE ALL ONE SOLID COLOR, PLUS CLEAR COAT, NEW The entire module shall be sprayed one-color and then clear coated. The paint code and color will be provided . (includes new door seal, magnetic door switches, drip rail, rotary latches)	
PIERCE 90 RED AX-97902CT - Reference last three Mobile units - 8790, 91, 92			
193	60-R4-0109	PAINT CAB ALL ONE SOLID COLOR, PLUS CLEAR COAT The entire cab shall be sprayed one-color and then clear coated. The paint code and color will be provided. (note clear coat included as standard) Type I Chassis)	
PIERCE 90 RED AX-97902CT - Reference last three Mobile units - 8790, 91, 92			
		GRAPHICS PACKAGE, CUSTOMER SUPPLIED Install a customer supplied graphics package per the attached layout / Unit #'s supplied by dealer	

Braun Industries, Inc.
On-Demand Remount Order Form

ADDITIONAL OPTIONS

#	Code #	Description	
230	40-R4-0200	ROLLER ASSEMBLY UPGRADE - EZ GLIDE DOOR, Install new door roller system and misc components	
		HEAT/AIR CONDITIONING, HOSELINE FT424 BRUSHLESS BLOWER MOTOR NEW Install a Hoseline FT424 heater/air conditioner system utilizing a with a 10-speed brushless blower motor in the upper front wall.	
231	50-R7-1003	CONDENSOR TRANSFER, TOP MOUNT, The existing condenser shall be transfered onto the front of the module. The condenser shall be top center mounted with aluminum mounting brackets. Condenser and brackets are to be painted to match the module.	
188	50-R9-9105	NET, SQUAD BENCH - CURBSIDE INTERIOR (RED), NEW Net, Squad Bench shall be installed at the head of the squad bench. Install tapping plates as needed in ceiling and bench area. Install tapping plates for net securing into the ceiling and door post as needed.	
		MEDVAULT - LARGE CAPACITY - RECESSED MOUNT Install a large capacity Medvault, recess mounted, in place of streetside cabinet #4. Remove inner cabinet panels, add false wall for mounting, update opening and add power source.	
		COMPRESSOR - SECONDARY ENGINE DRIVEN Install an engine driven secondary compressor.	

Braun Industries, Inc.
On-Demand Remount Order Form

TERMS AND CONDITIONS **See Purchase Agreement for complete Terms & Conditions

#	Code #	Description	
		<p>Payment Terms: FORCE MAJEURE "Company shall not be liable or responsible to Purchaser, or be deemed to have defaulted or breached these Standard Terms and Conditions, for any failure or delay in fulfilling or performing any of these Standard Terms and Conditions when and to the extent such failure or delay is caused by or results from acts or circumstances beyond the reasonable control of Company including, without limitation, acts of God, flood, fire, earthquake, explosion, governmental actions, war, invasion or hostilities, terrorist threats or acts, riot or other civil unrest, national emergency, revolution, insurrection, epidemic/pandemic, telecommunication breakdown, power outage, lockouts, strikes or other labor disputes (whether or not relating to either party's workforce), restraints or delays affecting carriers, inability or delay in obtaining chassis from an original equipment manufacturer or other supplies of adequate or suitable components or materials at reasonable prices."</p>	
		Chassis prices are subject to change (higher or lower)	
		OEM CHASSIS INCENTIVE Chassis incentives are not currently available	
		Product quotes are valid for 30 calendar days. After 30 calendar days quotes are subject to change. Any applicable discounts will be added and validated at time of invoice. Discounts subject to change	
		SHARPS REMOVAL FEE	
		ADMIN FEE	
		STRUCTURAL WARRANTY; Warranty transfer to be determined once unit arrives at the factory	
Preliminary, Sub-Total Pricing			

INTERIOR COLORS

**Complete this section if changing interior flooring, wall color, cabinet doors or upholstery

Walls & Cabinet Face

		Wood Cabinets
	G111	Greystone Gloss (Obsolete - choose another selection)
	G383	Parchment Suede
	G241	Folkstone Gray Suede
	G208	Limestone Suede
	G655	Almond Suede
		Other - specified on order form

		Aluminum Cabinets - Multispec
	7371	Marble Stone
	7372	Camille White
	7373	Apollo Gray
	7375	Silver Gray
	7380	Desert Camo
		Other - specified on order form

Polycarbonate Color - Cabinet Doors

	Clear
	Bronze

Meganite Countertop

	24016	Raven Boulder
	24635	Flink Rock
	23902	Blanca
	23906	Lava Granite
	23908	Silver Mist
	24408	Indigo Melange
	24629	Rain Cloud
	24628	Platinum Granite
	24630	Starry Night
	23915	White Mosaic Granite
		Other - specified on order form

Vinyl Upholstery

	9206	Carbon - Dark Gray
	9214	Steel Blue
	9216	Cinnabar
	8615	Berry - Maroon
	8582	Imperial Blue
	8567	Dove - Light Gray
	8605	Charcoal - Dark Gray
	8571	Forest Green

Flooring Material

LonCoin II Flecks

	157	Moonstone
	151	Carnelian
	154	Sandstone
	150	Onyx
	152	Sapphire

LonFleck TopSeal

	SX112	Magnetic Gray
	SX117	Hale Navy
	SX115	Sandstone
	SX111	Twilight Zone

Lonplate I

	172	Imperial Red
	161	Metallic Gray
	170	Pumice
	165	Sapphire

Lonplate II

	419TX	Brick
	421	Mica
	411	Putty
	424	Gunmetal

BRAUN PERFORMANCE EXCELLENCE SYSTEM

Statement of Limited Warranty Remounted / Refurbished Ambulances

Document No. and Level: BPES-P-085-100 / Level II
Effective Date: July 11, 2023
Revision No. E
Prepared By: Kim Braun
Owner: Kim Braun
Page: 1 of 2

REMOUNT AMBULANCE WARRANTY

Subject to the provisions, limitations, and conditions set forth in this Statement of Limited Warranty, Braun Industries, Inc. (the "**Company**") warrants to the current owner (the "**Purchaser**") that its remounted ambulances (the "**Product**") are free of defects in material and workmanship and shall maintain such integrity under normal use and service. This Limited Warranty (as defined below) is valid only in the United States and all warranty periods start upon completion of production and quality inspection by Company and the Product is declared ready for delivery (the "**Delivery**") and expires per the disclosures listed below. The Company warrants to repair or replace with new or refurbished materials at its sole discretion; components, installation, or workmanship deemed to be defective under the terms and conditions set forth in this Statement of Limited Warranty. Warranty repairs must be performed by the Company or by Company's Authorized Dealer / Service Center.

EXCLUSIONS AND LIMITATIONS

NOTWITHSTANDING ANY OTHER PROVISION HEREOF TO THE CONTRARY, OTHER THAN THE EXPRESS WARRANTIES SET FORTH HEREIN, THE COMPANY MAKES NO OTHER WARRANTY, WHETHER EXPRESS OR IMPLIED BY LAW, COURSE OF DEALING, COURSE OF PERFORMANCE, USAGE OF TRADE, OR OTHERWISE, REGARDING THE PRODUCT, RELATED EQUIPMENT AND MATERIALS, AND/OR SERVICES PROVIDED BY COMPANY. COMPANY EXPRESSLY DISCLAIMS ANY AND ALL OTHER WARRANTIES, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR THE WARRANTY IN SECTION 2-312 OF THE UCC THAT SUCH PRODUCT AND/OR PRODUCTS DO NOT INFRINGE ON THE RIGHTS OF ANY OTHER PERSON. You may have other rights which vary from state to state. The Purchaser's right to repair or replacement of defective parts or workmanship is the exclusive remedy, and neither the Company nor the Company's Authorized Dealer / Service Center shall be liable for damages, whether ordinary, incidental, or consequential under this warranty. Any remedy of consequential damages; including but not limited to economic loss, transportation, mileage, trip charges, wages, etc., and any remedy of incidental damages or loss are hereby excluded. Damages caused by normal use, improper maintenance, and loss resulting from any acts of God or natural disasters including but not limited to storm, flood, fire, lightning, freezing are excluded. Purchaser's noncompliance with any part of this specific Limited Warranty shall immediately render the total warranty null, void and non-enforceable.

The Purchaser shall use, service and maintain the Product according to the written instructions furnished by the Company and failure of Purchaser to properly use, service and maintain the product in accordance with such instructions shall void the warranty, including, without limitation, (i) use of the modular body for any purpose other than what it was originally designed to perform, (ii) overloading the Product beyond its applicable weight rating, (iii) overloading the Product beyond its electrical load rating, (iv) defects or damage as a result of misuse, abuse, negligence, theft, tampering, vandalism, or riot, (v) failure to provide normal routine maintenance, (vi) resale of Product by original registered/licensed U.S. end-user, and (vii) remounting of Product by anyone other than the Company

This Statement of Limited Warranty does not apply to: (i) any product or component that is consumable from normal wear and

tear, (ii) any product or component that is added, repaired, modified, altered, or replaced by anyone other than Company, and (iii) any product or component supplied by the Purchaser. Purchaser shall be responsible and liable for such modifications, alterations, integrations and installations performed by Purchaser and Purchaser hereby agrees to indemnify and hold harmless Company and its successors and assigns from all liabilities, obligations, cost, losses, demands, actions, proceedings, claims, damages, and penalties (including, without limitation, all attorney fees) incurred or suffered by Company and arising or relating to such modifications, alterations, integrations and installations performed by Purchaser.

The Company reserves the right to make changes to the design and features of its Products without any obligation to make corresponding changes to Products previously manufactured. No other person is authorized to make any representation or warranty on behalf of the Company or of Company's Authorized Dealer / Service Center, other than as stated in the Company's warranty.

STRUCTURAL WARRANTY

The refurbished portion of modular body, including seams, joints, door frames, roof, floor, wall construction and exterior doors, as well as all aluminum cabinetry may be warranted to be structurally sound and free of defects in both materials and workmanship for the life of the Product, without mileage limitation, in accordance with the provisions hereof (the "**Limited Structural Warranty**"), IF, the Purchaser has maintained the Product in accordance with the original Statement of Limited Warranty for New Ambulances, specifically (a) resale of Product and Transfer of Ownership requirements by registered/licenses U.S. end-user and (b) the Product has been remounted only by Company; otherwise,

The refurbished portion of modular body, including seams, joints, door frames, roof, floor, wall construction and exterior doors, as well as all aluminum cabinetry, are warranted to be structurally sound and free of defects in both materials and workmanship for a period of one (1) year or 12,000 miles, whichever occurs first, in accordance with the provisions herein (the "**Limited Structural Warranty**").

Excluded from the Limited Structural Warranty are (i) any product or component that is consumable from normal wear and tear, (ii) any product or component that is added, repaired, modified, altered, or replaced by anyone other than Company, (iii) specific workmanship and materials covered by other warranties including paint finishes, sealant deterioration, filler shrinkage, hardware, moldings, windows, non-aluminum cabinets and other components and accessories that are not structural components of the modular body, (iv) any part or component becoming defective as a result of accident damage or other casualty.

ELECTRICAL WARRANTY

The refurbished portion of the electrical system, including standard installations of harness, terminals, connectors, nodes, touchpads, and electrical display screens, programming, system functions and specified optional components is warranted to be free from defects of both material and workmanship for a pro-rated period of three (3) years or 36,000 miles, whichever occurs first. The limited warranties described herein and in accordance with the provisions herein, collectively (the "**Limited Electrical Warranty**").

BRAUN PERFORMANCE EXCELLENCE SYSTEM

Statement of Limited Warranty Remounted / Refurbished Ambulances

Document No. and Level: BPES-P-085-100 / Level II
Effective Date: July 11, 2023
Revision No. E
Prepared By: Kim Braun
Owner: Kim Braun
Page: 2 of 2

Excluded from the Limited Electrical Warranty are (i) any product or component that is consumable from normal wear and tear, (ii) any product or component that is added, repaired, modified, altered, or replaced by anyone other than Company, (iii) chassis and all related chassis electrical systems, components and accessories covered by the Chassis Warranty and (iv) any components and equipment not manufactured by the Company covered the Supplier Warranty.

PAINT WARRANTY

The refurbished portion of the paint finish, including surface preparation, paint application, curing, topcoat and/or other layers of paint applied to the Product by Company is warranted to be free from defects of both material and workmanship for a period of three (3) years or 36,000 miles, whichever occurs first. The limited warranties described herein and in accordance with the provisions herein, collectively (the "*Limited Paint Warranty*").

Excluded from the Limited Paint Warranty are (i) paint deterioration caused by road salt, magnesium, calcium chloride, or other substances which are used to free roads from ice/snow, (ii) paint deterioration caused by accidents, acid rain, chemical fallout, acts of nature, or the lack of routine maintenance such as regular washing and waxing or the failure to touch-up stone chips, (iii) damage caused by chemicals including but not limited to: DEF (diesel exhaust fluid), gasoline, diesel fuel, anti-freeze, power steering fluid, brake fluid, fuel additives, abrasive cleaners, etc., (iv) failures resulting from product misuse or abuse including but not limited to stone chips, scratches, gouges, other impact damage, etc., (v) hazing, chalking or loss of gloss caused by improper care, abrasive polishes, cleaning agents, pressure washing, or aggressive mechanical wash systems, (vii) repairs not pre-authorized by the Company, (vi) failure of finishes applied by anyone other than Company or Company's authorized Dealer / Service Center.

CONVERSION WARRANTY

The refurbished portion of the non-structural construction, assembly and installation of heating/cooling systems, interior doors, windows, hardware, latches, locks, trim, wall coverings, flooring, kick plates, cot mount hardware, grab handles, IV hangers, graphics and Company manufactured seating, head pads, and other cushion/upholstery items is warranted to be free of defects in materials and workmanship for a period of one (1) year or 12,000 miles, whichever occurs first, in accordance with the provisions herein (the "*Limited Non-Structural Warranty*").

Excluded from the Non-Structural Limited Warranty are (i) any product or component that is consumable from normal wear and tear, (ii) any product or component that is added, repaired, modified, altered, or replaced by anyone other than Company, (iii) chassis and all related chassis electrical systems, components and accessories covered by the Chassis Warranty and (iv) any components and equipment not manufactured by the Company covered the Supplier Warranty, (v) damage to graphics caused by chemicals including but not limited to: DEF (diesel exhaust fluid), gasoline, diesel fuel, anti-freeze, power steering fluid, brake fluid, fuel additives, magnesium, calcium chloride, road salt, or other substances which are used to free roads from ice/snow and (iv) damage caused by power washers, or other aggressive forms of washing.

SUPPLIER WARRANTY

OEM materials and workmanship, including but not limited to battery, battery charger, siren, inverter, light bar, radio, laptop, docking stations, mounts, actuators, and similar supplier equipment installed by Company but not originally manufactured by Company are warranted by separate warranties offered by the OEM that manufactured the component (the "*Limited Supplier Warranty*"). When necessary, Company will provide Purchaser with warranty assistance with the OEM.

Excluded from the Limited Supplier Warranty are (i) any product or component that is consumable from normal wear and tear, (ii) any product or component that is added, repaired, modified, altered, or replaced by anyone other than Company, (iii) chassis and all related chassis electrical systems, components and accessories covered by the Chassis Warranty.

CHASSIS WARRANTY

All refurbished Products that are mounted on a new chassis will carry the full Chassis Warranties as well as the Federal and California Emission Defect Warranties and Emission Performance Warranties, as issued by the specific chassis OEM (collectively the "*Chassis Warranty*"). This Chassis Warranty is administered by the chassis OEM's representing dealer and is subject to the guidelines, restrictions, and limitations that they set forth.

The Chassis Warranty does not apply to any portion of the truck or chassis directly included in the alteration process, including materials added to and work accomplished on the original chassis by a qualified modifier. Should any chassis service/repairs be required due to Company alterations, such repairs/service are covered under the Limited Structural Warranty, the Limited Non-Structural Warranty, the Limited Electrical Warranty, the Limited Paint Warranty or the Limited Supplier Warranty (collectively the "*Limited Warranty*") for a term equal in duration, and in every other aspect, to the Chassis Warranty for the applicable chassis model year.

Purchaser must complete an alignment after the unit is loaded and readied for use, as added weight and weight distribution will affect Product alignment. Alignments are a function of normal Product maintenance and are not covered by the Chassis Warranty or the Limited Warranty.

OBTAINING WARRANTY SERVICE

To obtain warranty service contact the Company's Authorized Dealer / Service Center from whom you purchased the Product. You may also contact the Company at 1-800-22-BRAUN or ServiceTeam@BraunAmbulances.com. Claims for warranty service must be submitted to Company within thirty (30) days from date of service to Product. To expedite warranty support please have the following information ready (i) chassis make and model, (ii) chassis vin, (iii) Company model, (iv) Company's identification number, (v) date of Delivery, and (vi) current mileage.

BRAUN PERFORMANCE EXCELLENCE SYSTEM

Statement of Limited Warranty Remounted / Refurbished Ambulances

Document No. and Level: BPES-P-085-100 / Level II
Effective Date: July 11, 2023
Revision No. E
Prepared By: Kim Braun
Owner: Kim Braun
Page: 3 of 2

1. APPROVALS AND REVISION HISTORY:

Date	Revision	Description of Change	Approval (s):
12/16/15	Release	New Document	Kim Braun
8/19/16	A	Clarified OEM versus Braun responsibility in Chassis Warranty Section	Kim Braun/Dennis Gallo
7/28/17	B	Yearly Review-Content Updated	Kim Braun
12/22/17	C	Document Content Updated	Kim Braun
12/22/18	Rev C Release	Document Review- December 2018	Kim Braun
12/22/19	C	Yearly Document Review- December 2019	Kim Braun
12/16/20	D	Yearly Document Review- Minor Updates	Kim Braun
12/22/21	E	Yearly Document Review- Change per Kim Braun	Kim Braun
12/22/23	E	Yearly Document Review- No Changes	Kim Braun



PROCUREMENT DEPARTMENT

Potential bidders are responsible to check this site for any **ADDENDUMS** that are issued. It is the responsibility of the **BIDDER** to check for, download, and include with their **BID RESPONSE** any and all **ADDENDUMS** that are issued for a specific **BID** published by the City of Mobile. Failure to download and include **ADDENDUMS** in your **BID RESPONSE** may cause your bid to be rejected.

This is a sealed bid. Any responses faxed or e-mailed will be rejected.

This is a sealed bid. Any response must be submitted in a sealed envelope with the bid number and bid opening date on the outside of the envelope.

Any response that arrives improperly marked or with no bid number and opening date on the outside of the delivery or express package and opened in error will be rejected and not considered.

It is the responsibility of the bidder to ensure that their bid response is delivered to and received in the Purchasing Department before the date and time of the bid opening.

Be sure to read the Terms and Conditions.
All bids are F.O.B. destination unless otherwise stated.

Be sure to sign your bid!

Package/Bid Delivery Address:
Purchasing Department
205 Government St. Room S408
Mobile, AL 36644

(Request First Delivery)