

SEALED BID

CITY OF MOBILE

BID SHEET

Do Not Return Via Email or Fax

Mailing Address:
P. O. Box 1948
Mobile, Alabama 36633
(251) 208-7434

**Purchasing Department
and Package Delivery:**

**Government Plaza
4th Floor, Room S-408
205 Government St.
Mobile, Alabama 36644**

Postal Service Does Not Deliver to This Street Address

This is Not an Order

**READ TERMS AND CONDITIONS
ON REVERSE SIDE OF THIS PAGE
BEFORE BIDDING**

Typed by: lw Buyer: 002

Please quote the lowest price at which you will furnish the articles listed below

DATE 09/15/2025	BID NO. 6002	DEPARTMENT Motor Pool	Commodities to be delivered F.O.B. Mobile to: To Be Specified
---------------------------	------------------------	---------------------------------	---

This bid must be received and stamped by the Purchasing office not later than:

12:01 PM, Friday, September 26, 2025

QUANTITY	ARTICLES	UNIT	UNIT PRICE		EXTENSION	
			Dollars	Cents	Dollars	Cents
	VARIOUS TRAILERS LIGHT AND HEAVY DUTY					
Appx 1-2	Trailer #1 15-FT, 6000LB GVW Single Axle Trailer with Electric Brakes as per the following and attached specifications. Make _____ Model _____					
Appx 1-2	Trailer #2 15-FT, 12,000LB GVW Dual Axle, Tilting Deck Trailer with Loading Ramp as per the following and attached specifications. Make _____ Model _____					
Appx 1-2	Trailer #3 22-FT, 14,000LB GVW Dual Axle, Tilting Deck Trailer with as per the following and attached specifications. Make _____ Model _____					
Page 1 of 4						
			TOTAL			

**RETURN ONE SIGNED COPY OF THIS BID
IN ENCLOSED ENVELOPE**

State delivery time within _____ days of receipt of P.O.

Phone Number _____

Firm Name _____

Email Address _____

Signature _____

We will allow a discount _____ % 20 days from date of receipt of goods and correct invoice of completed order

Type or Print Name _____

1. All quotations must be signed with the firm name and by an authorized officer or employee.
2. Verify your bid before submission as it cannot be changed or corrected after being opened. In case of error in extension of prices, the unit price will govern.
3. If you do not bid, return this sheet and state reason. Otherwise, your name may be removed from our mailing list.
4. The right is reserved to reject any, or all quotations, or any portions thereof, and to waive technicalities if deemed to be in the interest of the City of Mobile.
5. This bid shall not be reassignable except by written approval of the Purchasing Agent of the City of Mobile.
6. State brand and model number of each item. All items bid must be new and latest model unless otherwise specified.
7. If bid results are desired, enclose a self-addressed and stamped envelope with your bid. (All or None bids only)
8. Do not include Federal Excise Tax as an exemption certificate will be issued in lieu of same. The City is exempt from the State of Alabama and City sales taxes.
9. PRICES ARE TO BE FIRM AND F.O.B. DESTINATION UNLESS OTHERWISE REQUESTED.
10. BID WILL BE AWARDED ON ALL OR NONE BASIS UNLESS OTHERWISE STATED.
11. Bids received after specified time will be returned un-opened.
12. Failure to observe stated instructions and conditions will constitute grounds for rejection of your bid.
13. Furnish literature, specifications, drawings, photographs, etc., as applicable with the items bid.
14. Vendor may be required to obtain City of Mobile Business License as applicable to City of Mobile Municipal Code Section 34-50. For Business License inquiry, contact the Revenue Department at (251) 208-7462 or cityofmobile.org/business-license-overview/
15. IF a bid bond is required in the published specifications, see below:
Each bid shall be accompanied by a Cashier's Check, Certified Check, Bank Draft or Bid Bond for the sum of five (5) Percent of the amount bid, made payable to the City of Mobile and certified by a reputable banking institution. All checks shall be returned promptly, except the check of the successful bidder, which shall be returned after fulfilling the bid.
16. Contracts in excess of \$50,000 require that the successful bidder make every possible effort to have at least fifteen (15) percent of the total value of the contract performed by socially and economically disadvantaged individuals.
17. All bids/bid envelopes must have the bid number noted on the front. Bids that arrive unmarked and are opened in error shall be returned to vendor as an unacceptable bid.
18. If successful vendor's principal place of business is out-of-state, vendor may be required to have a Certificate of Authority to do business in the State of Alabama from the Alabama Secretary of State prior to issuance of a Purchase Order. Vendors are solely responsible for consulting with the Secretary of State to determine whether a Certificate is required. See www.sos.alabama.gov/BusinessServices/ForeignCorps.aspx. Please note that the time between application for and issuance of a Certificate of Authority may be several weeks.
19. Vendors do not need a City of Mobile Business License or Certificate of Authority from the Alabama Secretary of State to submit a bid, but may need to obtain the Business License and Certificate of Authority if applicable, prior to issuance of a Purchase Order.
20. Bids and addendums are posted at www.cityofmobile.org/services/business/bids/. It is the responsibility of the vendor to check the City's bid page for updates and addendums.
21. Vendors must be able to provide the following upon request. Federal W-9 form, proof of registration in the E-Verify program, and Certificate of Authority to do business in Alabama/Registration with the Alabama Secretary of State within 24 hours of request.
22. City of Mobile applies local vendor preference to all purchases: Code of Alabama, 1975, Sections 41-16-50(a) and 41-16-50(d), except federally funded grants.
23. Equal Employment Opportunity. Except as otherwise provided under 41 CFR part 60, all contracts that meet the definition of "federally assisted construction contract" in 41 CFR Part 60-1.3 must include the equal opportunity clause provided under 41 CFR 60-1.4(b), in accordance with Executive Order 11246, "Equal Employment Opportunity" (30 FR 12319, 12935, 3 CFR Part, 1964-1965 Comp., p. 339), as amended by Executive Order 11375, "Amending Executive Order 11246 Relating to Equal Employment Opportunity," and implementing regulations at 41 CFR part 60, "Office of Federal Contract Compliance Programs, Equal Employment Opportunity, Department of Labor."
24. Davis-Bacon Act, as amended (40 U.S.C. 3141-3148) will apply when required by Federal program regulations.

BID CONTINUATION SHEET

Page _____ of _____

QUANTITY	ARTICLES	UNIT	UNIT PRICE		EXTENSION	
			Dollars	Cents	Dollars	Cents
	Page 2 of 4					
Appx 1-2	Trailer #4 24-FT, 12,000LB GVW Dual Axle, Loading Ramp/Gate as per the following and attached specifications. Make _____ Model _____					
Appx 1-2	Trailer #5 7'x 20', 9,990LB GVW Dual Axle, with solid metal bottom (deck) and sides, with ramp as per the following and attached specifications. Make _____ Model _____					
Appx 1-2	Trailer #6 22' Bed, 14,000LB GVW Dual Axle, Tilt Deck Trailer with fixed Platform, as per the following and attached specifications. Make _____ Model _____					
Appx 1-2	Trailer #7 7'x 20' Tandem Axle, 7,000LB GVW, Trailer with Dovetail, as per the following and attached specifications. Make _____ Model _____					
	Vendor to provide literature and specifications on trailer (s) quoted. Upon award, the City will purchase one (1) each of the above trailers as budget allows. You may bid using cooperative pricing, but price must be firm. City will not change or adjust pricing upon delivery Price must include delivery FOB Mobile. Price must include a minimum of eight (8) hours training for maintenance of machine and for operation training.					
			TOTAL			

**RETURN ONE SIGNED COPY OF THIS QUOTATION
IN ENCLOSED ENVELOPE**

READ ABOVE INSTRUCTIONS BEFORE QUOTING

Firm Name _____

By _____

We will allow a discount _____ % 20 days from date of receipt of goods and correct invoice of competed order.

BID CONTINUATION SHEET

Page _____ of _____

QUANTITY	ARTICLES	UNIT	UNIT PRICE		EXTENSION	
			Dollars	Cents	Dollars	Cents
	Page 3 of 4 Include cost of the title application in your price. A cone of silence is in effect on this bid. DO NOT contact City employees with questions. All questions must be emailed to purchasing@cityofmobile.org. All vendors will be required to provide verification of enrollment in the E-Verify program. Additional information may be found at http://immigration.alabama.gov/ If the successful vendor’s principal place of business is out-of-state, vendor may be required to have a Certificate of Authority to do business in the State of Alabama from the Secretary of State prior to issuance of a Purchase Order. Vendors are solely responsible for consulting with the Secretary of State to determine whether a Certificate is required. See: www.sos.alabama.gov/BusinessServices/ForeignCorps.aspx. Please note that the time between application for the issuance of a Certificate of Authority may be several weeks. Upon notification, vendor will have 10 business days to provide the Certificate of Authority and the E-Verify numbers to the Purchasing Department before award can be completed. (Vendors will possibly need to pay the expedite fee to meet this requirement because application is not sufficient. We must have a copy of the certificate with your Company ID number). Vendors do not need a City of Mobile Business License or Certificate of Authority from the Alabama Secretary of State, nor the E-Verify for certification to submit a bid, but will need to obtain the Business License and Certificate of Authority verification and/or provide the E-Verify Certification, if applicable, prior to issuance of a Purchase Order. State of Alabama Local Vendor Preference Law 41-16-50 (a) and (d) will apply to this purchase.					
			TOTAL			

**RETURN ONE SIGNED COPY OF THIS QUOTATION
IN ENCLOSED ENVELOPE**

READ ABOVE INSTRUCTIONS BEFORE QUOTING

Firm Name _____

By _____

We will allow a discount _____ % 20 days from date of receipt of goods
and correct invoice of completed order.

Page_____ of _____

We will allow a discount _____% 20 days from date of receipt of goods and correct invoice of competed order.

Trailer #1

15. Foot Trailer Minimum Specifications

- 15 ft. length
- 83" width
- 4" x 8" x 1/2" angled mainframe
- 3" c-channel cross members, 24" on center
- front stop rail/bumper (headache rack)
- 2" x 2" square tubing top rail on sides
- 2" x 8" #2 treated pine floor
- 4 D-rings spaced on sides for securing loads
- ramp: frame 1 1/2" x 1 1/2", 11 gauge square tubing; 48" tall; with cross bracing; 9" x 3/4" expanded metal; first 12" from hinges end to be solid 11 gauge diamond checkerplate; spring loaded
- diamond checkerplate fenders
- 12" x 2" electric brakes
- single 5200 lb. wt. rated axle
- two (2) 6-lug hubs
- two (2) 225 x 15, 8-ply tires
- 2" adjustable (raise/lower) ball coupler
- swing type jack
- D.O.T. approved lighting
- acrylic enamel black paint with hardener
- undercoated frame
- reflector tape on sides and rear
- City truck to be wired for lights and electric brakes

Trailer #2

16' Trailer Specifications

- 16' total bed length
- 2" x 8" treated lumber floor
- 21' maximum total length
- 83" width (inside wheels)
- 3"x4"x1/4" angle main frame
- 3" C-Channel cross members, 24" on center
- Front & Side Rails 2"x3"
- Side rails 12" height with sheet metal sides
- Removable 48" section of side rail, on side at front corner, secured with pins
- D-rings on three sides, 24" on center
- Ramp: Frame 1 1/2" x 1 1/2", 11-gauge square tubing, 60" tall; with cross bracing; to allow zero turn mowers to be loaded
- 9"x 3/4" expanded metal; first 12" from hinges end to be solid 11-gauge diamond plate, gorilla lift.
- Diamond plate fenders
- 12"x2" electric brakes
- 2-5200lb rated axles
- F4- 225x15, 8-ply tires with spare tire mounted on side
- 2" ball hitch bulldog style
- 7,000 lb weight rated trailer tongue, jack stand
- D.O.T approved led lighting & reflective tape on sides and rear
- Lighting wire to be enclosed in frame or conduit
- Acrylic enamel black paint with hardener
- Undercoat frame
- Trailer wiring to match truck wiring
- Safety chains, minimum 34"
- 7,000 lb. drop leg jack

Trailer #3

Dimensions & Capacity

Trailer width: 83" (between fenders)

Deck length: 22 ft (approx. 16 ft tilt + 6 ft stationary front deck)

GVWR: 14,000 lb

Trailer empty weight: ~3,660 lb

Payload capacity: ~10,340 lb

Construction & Features

Frame: 6" channel frame

Deck: stationary front portion + rear tilt platform with hydraulic dampening and control valve

Tilt angle: approx. 12°

Fenders: removable diamond-plate steel

Coupling & Tongue

Adjustable 14K cast 2-5/16" ball coupler

Fold-back or wrap-around tongue with raised coupler option

Axles, Suspension & Brakes

Two 7,000 lb drop (cambered) Dexter/Lippert axles

Electric brakes on both axles

Suspension: multi-leaf slipper springs with equalizer

Jack: 12,000 lb drop-leg, side-wind

Standard Equipment & Safety

Hydraulic dampening system with EZ-pedal latch

Rub-rail and tie-down pockets along the sides

LED lighting with sealed wiring harness

Break-away system with charger

Spare tire mount included

Trailer #4

24FT TRAILER

24' TOTAL BED LENGTH

83" WIDTH (INSIDE WHEELS)

3"x 4" x 1/4" ANGLE

3" C-CHANNEL CROSS MEMBERS, 24" ON CENTER

FRONT & SIDE TOP RAILS SHALL CONSIST OF 3"x 2" TUBING, THE UPRIGHT FOR THE TOP RAIL SHALL BE 3"x 2" ANGLE

THE SIDE TOP RAILS SHALL RUN ACROSS THE TOP OF THE FENDERS, BUT NOT TOUCH THE FENDERS

D-RINGS ON BOTH SIDES, 48" ON CENTER

TRAILER DECK SHALL CONSIST OF 2" THICK TREATED LUMDER-GROUND CONTACT

RAMP: FRAME 1 1/2" X 1 1/2, 11-GAUGE SQUARE TUBING, 48" TALL;WITH CROSS BRACING; 9" x 3/4" EXPANDED METAL; FIRST 12" FROM HINGES END TO BE SOLID 11-GAUGE DIAMOND ,PLATE

RAMP TO HAVE A GORILLA LIFT TO ASSIST IN RAISING THE LOADING RAMP

DIAMOND PLATE FENDERS

12" x 2" ELECTRIC BRAKES ON BOTH AXLES

2-5200LB RATED AXLES

F4-225 x 15, 8-PLY TIRES

2" BALL HITCH BULLDOG STYLE

7000LB. WEIGHT RATED TRAILER TONGUE, JACK STAND

LED D.O.T APPROVED LIGHTING

REFLECTIVE TAPE ON SIDES AND REAR

ACRYLIC BLACK COATING

UNDERCOAT FRAME

TRAILER WIRING TO MATCH TRUCK WIRING

7K DROP LEG JACK

SAFETY CHAINS

SPARE TIRE WITH MOUNT

Trailer #5

MINIMUM SPECS FOR UTILITY TRAILER

- 7'x20' **SOLID STEEL BOTTOM AND SIDES**
- GVWR – 9990 lbs.
- GAWR (EA. AXLE) – 5200 lbs.
- CARGO CAPACITY 7610 lbs.
- DECK – 1/8" STEEL
- DECK HEIGHT – 20"
- TONGUE LENGTH – 45 1/2"
- CARGO BED - 240" REAR TO FRONT
- SIDES ARE 15" MINIMUM
- AXLES - 2 - 5200# CAMBERED AXLES w/ LUBRICATING HUBS
- SUSPENSION – MULTI-LEAF SPRING w/ EQUALIZER
- COUPLER – ADJUSTABLE MILITARY STYLE PINTLE RING IN CHANNEL
- SAFETY CHAINS – 1/4" GRADE 70 w/ SAFETY LATCH HOOK (2ea.)
- JACK – 8000# SET-BACK, DROP LEG JACK
- FRAME - 5"x3"x1/4" ANGLE
- CROSS MEMBERS – 3"x2"x3/16" ANGLE
- FLOOR – SOLID STEEL
- SIDES – SOLID STEEL
- FENDERS – 9" x 72" TEAR DROP, SMOOTH WITH BACK
- RAMP – 4' EXPANDED METAL DROP DOWN GATE
- TRAILER PLUG – 7 WAY
- LIGHTS – LED D.O.T STOP, TAIL. TURN AND CLEARANCE
- WIRING – GROMMET MOUNTED LIFETIME LED LIGHTING
- TIRES – ST225/75R-15 LOAD RANGE D
- BOLT PATTERN – 6 BOLT
- SPARE MOUNT- SIDE SPARE TIRE MOUNT w/ TIRE
- PAINT TYPE – PROFESSIONAL FINISH w/ PRIMER STANDARD
- PAINT COLOR – BLACK
- TIE-DOWNS – 5/8" D-RING, 5 ALONG EACH SIDE STARTING AT CORNERS SPACED EVERY 48"

Trailer #6

Trailer For Small Sweeper

22 ft. total bed length, 17 ft. gravity tilt/5 ft. stationary deck
82 in. between fenders
102 in. outside of fender to outside of fender
Flat deck with no rails
Tie downs: stake pockets with rub rail
Coupler: 4 hole adjustable height 2 5/16 in. ball
Jack: single 12,000 lb. drop leg (spring loaded)
Two heavy duty safety chains
Deck height 27-33 in.
14,000 lb. GVWR
3,660 lb. empty wt.
10,340 lb. capacity
2 - 7,000 lb. rated axles
Electric brakes on both axles, 12" x 2" brake shoes
Heavy duty slipper spring suspension
Direct lube axles
16" 10 ply tires
6 in. channel main frame
Cross members 3 in. channel on 16 in. centers
6 in. channel tongue
3 in. x 12 in. gravity operated cylinder
Hydraulic lock valve
14 gauge diamond plate fenders
2 in. treated pine decking, screwed down
Lighting: flush mount or recessed lifetime LED stop/turn/clearance
Dovetail: 2 ft. heavy duty tread plate

Trailer #7

Standard Features:

- GVWR – 7,000#
- Coupler – 7k coupler
- Safety Chain – ¼”
- Jack – 2k top wind
- Tongue – 5” Channel wrap tongue
- Frame – 5” Channel
- Crossmembers – 3x2 angle
- 4’ Slide in ramps
- 4 Stake pockets
- 2” Pipe front stop bar
- Axle – 3,500# idler & 3,500# brake
- Suspension – Multi leaf
- Tire/Wheel – 15” 205/75/R15
- 2’ Dovetail
- Paint – 2-Stage Urethane
- 7 way round electrical hookup
- 4 – 5/8” D-rings
- Break away kit



PROCUREMENT DEPARTMENT

Potential bidders are responsible to check this site for any ADDENDUMS that are issued. It is the responsibility of the BIDDER to check for, download, and include with their BID RESPONSE any and all ADDENDUMS that are issued for a specific BID published by the City of Mobile. Failure to download and include ADDENDUMS in your BID RESPONSE may cause your bid to be rejected.

This is a sealed bid. Any responses faxed or e-mailed will be rejected.

This is a sealed bid. Any response must be submitted in a sealed envelope with the bid number and bid opening date on the outside of the envelope.

Any response that arrives improperly marked or with no bid number and opening date on the outside of the delivery or express package and opened in error will be rejected and not considered.

It is the responsibility of the bidder to ensure that their bid response is delivered to and received in the Purchasing Department before the date and time of the bid opening.

**Be sure to read the Terms and Conditions.
All bids are F.O.B. destination unless otherwise stated.**

Be sure to sign your bid!

**Package/Bid Delivery Address:
Purchasing Department
205 Government St. Room S408
Mobile, AL 36644**

(Request First Delivery)