

CITY OF MOBILE

BID SHEET

This is Not an Order

Mailing Address:
 P. O. Box 1948
 Mobile, Alabama 36633
 (251) 208-7434

**Purchasing Department
 and Package Delivery:**
 Government Plaza
 4th Floor, Room S-408
 205 Government St
 Mobile, Alabama 36644

**READ TERMS AND CONDITIONS
 ON REVERSE SIDE OF THIS PAGE
 BEFORE BIDDING**

Typed by: mns Buyer: 006

Please quote the lowest price at which you will furnish the articles listed below

DATE 08/06/2019	BID NO. 5330	DEPARTMENT Fire Department	Commodities to be delivered F.O.B. Mobile to: TO BE SPECIFIED
---------------------------	------------------------	--------------------------------------	---

This bid must be received and stamped by the Purchasing office not later than: 10:30 AM, Thursday, August 29, 2019

QUANTITY	ARTICLES	UNIT	UNIT PRICE		EXTENSION	
			Dollars	Cents	Dollars	Cents
Bid on this form ONLY. Make no changes on this form. Attach any additional information required to this form.						
	FIRE HOSE					
	Part I					
Appx. 0-200	Fire Hose, 1.5" x 50', DJ, Hose with 1.5" NST Couplings, Key Fire Hose Model DP15-800-50', or Equal. Item 4166 Make: _____ Model: _____					
Appx. 0-200	Fire Hose, 1.75" x 50', Red, DJ, FDNY Hose with 1.5" NST Couplings, Key Fire Hose Model DP-18-800-FDNY-R-50', or Equal. Item 17291 Make: _____ Model: _____					
Appx. 0-200	Fire Hose, 2.5" x 50', DJ, Hose with 2.5" NST Couplings, Key Fire Hose Model DP-25-800-50', or Equal. Item 17290 Make: _____ Model: _____					
Appx. 0-200	Fire Hose, 3" x 50', DJ, Hose with 2.5" NST Couplings, Key Fire Hose Model DP-30-800-50', or Equal. Item 17289 Make: _____ Model: _____					
			TOTAL			

**RETURN ONE SIGNED COPY OF THIS BID
 IN ENCLOSED ENVELOPE**

State delivery time within _____ days of receipt of P.O.

Firm Name _____

Typed Signature _____

By _____

We will allow a discount _____ % 20 days from date of receipt of goods and correct invoice of completed order.

1. All quotations must be signed with the firm name and by an authorized officer or employee.
2. Verify your bid before submission as it cannot be withdrawn or corrected after being opened. In case of error in extension of prices, the unit price will govern.
3. If you do not bid, return this sheet and state reason. Otherwise, your name may be removed from our mailing list.
4. The right is reserved to reject any, or all quotations, or any portions thereof, and to waive technicalities if deemed to be in the interest of the City of Mobile.
5. This bid shall not be reassigned except by written approval of the Purchasing Agent of the City of Mobile.
6. State brand and model number of each item. All items bid must be new and latest model unless otherwise specified.
7. If bid results are desired, enclose a self-addressed and stamped envelope with your bid. (All or None bids only)
8. Do not include Federal Excise Tax as exemption certificate will be issued in lieu of same. The City is exempt from the Alabama and City sales taxes.
9. PRICES ARE TO BE FIRM AND F.O.B. DESTINATION UNLESS OTHERWISE REQUESTED.
10. BID WILL BE AWARDED ON ALL OR NONE BASIS UNLESS OTHERWISE STATED.
11. Bids received after specified time will be returned un-opened.
12. Failure to observe stated instructions and conditions will constitute grounds for rejection of your bid.
13. Furnish literature, specifications, drawings, photographs, etc., as applicable with the items bid.
14. Vendor May be required to obtain City of Mobile Business License as applicable to City of Mobile Municipal Code Section 34-50. For Business License inquiry contact the Revenue Department at (251) 208-7461 or cityofmobile.org/taxes.php.
15. If a bid bond is required in the published specifications, see below:
Each Bid Shall be Accompanied By A **Cashier's Check, Certified Check, Bank Draft Or Bid Bond** For the Sum Of Five (5) Percent Of The Amount Bid, Made Payable To The City Of Mobile And Certified By A Reputable Banking Institution. All Checks Shall Be Returned Promptly, Except The Check Of The Successful Bidder, Which Shall Be Returned After Fulfilling The Bid.
16. Contracts in excess of \$50,000 require that the successful bidder make every possible effort to have at least fifteen (15) percent of the total value of the contract performed by socially and economically disadvantaged individuals.
17. All bids/bid envelopes must have the bid number noted on the front. Bids that arrive unmarked and are opened in error shall be returned to vendor as an unacceptable bid.
18. If successful vendor's principal place of business is out-of-state, vendor may be required to have a Certificate of Authority to do business in the State of Alabama from the Alabama Secretary of State prior to issuance of a Purchase Order. Vendors are solely responsible for consulting with the Secretary of State to determine whether a Certificate is required. See www.sos.alabama.gov/BusinessServices/ForeignCorps.aspx. Please note that the time between application for and issuance of a Certificate of Authority may be several weeks.
19. Vendors do not need a City of Mobile Business License or Certificate of Authority from the Alabama Secretary of State to submit a bid, but will need to obtain the Business License and Certificate of Authority, if applicable, prior to issuance of a Purchase Order.

BID CONTINUATION SHEET

QUANTITY	ARTICLES	UNIT	UNIT PRICE		EXTENSION	
			Dollars	Cents	Dollars	Cents
	<p align="center">Page 2 of 14</p> <p>Samples: If requested, a Vendor shall provide two (2) lengths of hose 1-1/2", 1-3/4", 2-1/2", or 3" Hose within five (5) business days at the request of the City of Mobile. If so, requested by the City for evaluation purposes, the sample hose, if accepted, will be part of initial order placed by the City of Mobile.</p> <p>Provide Literature and Specifications on products bid.</p> <p>Pricing shall be delivered pricing FOB Mobile.</p> <p>Delivery of Hose should be no more than ten (10) business days after receipt of Purchase Order.</p> <p>City of Mobile will remove delivery from rear of truck by forklift. Vendor/Shipper/Truck Lines shall place delivery at rear of truck for removal by City of Mobile forklift.</p> <p>All vendors will be required to provide verification of enrollment in the E-Verify program. Additional information may be found at http://immigration.alabama.gov/</p> <p>If the successful vendor's principal place of business is out-of-state, vendor may be required to have a Certificate of Authority to do business in the State of Alabama from the Secretary of State prior to issuance of a Purchase Order.</p> <p>Vendors are solely responsible for consulting with the Secretary of State to determine whether a Certificate is required. See: www.sos.alabama.gov/BusinessServices/ForeignCorps.aspx. Please note that the time between application for the issuance of a Certificate of Authority may be several weeks.</p> <p>Upon notification, vendor will have 10 business days to provide the Certificate of Authority and the E-Verify numbers to the Purchasing Department before award can be completed. (Vendors will possibly need to pay the expedite fee to meet this requirement because application is not sufficient. We must have a copy of the certificate with your Company ID number).</p>					
			TOTAL			

RETURN ONE SIGNED COPY OF THIS QUOTATION IN ENCLOSED ENVELOPE

READ ABOVE INSTRUCTIONS BEFORE QUOTING

Firm Name _____

By _____

We will allow a discount _____ % 20 days from date of receipt of goods and correct invoice of completed order.

BID CONTINUATION SHEET

QUANTITY	ARTICLES	UNIT	UNIT PRICE		EXTENSION	
			Dollars	Cents	Dollars	Cents
	<p>Page 3 of 14</p> <p>Vendors do not need a City of Mobile Business License or Certificate of Authority from the Alabama Secretary of State, nor the E-Verify for certification to submit a bid, but will need to obtain the Business License and Certificate of Authority verification and/or provide the E-Verify Certification, if applicable, prior to issuance of a Purchase Order.</p> <p>State of Alabama Local Vendor Preference Law 41-16-50 (a) and (d) will apply to this purchase.</p> <p>Pricing to be firm for a one (1) year period following the award of this Bid. At the option of the City of Mobile and the successful Vendor, the Award of this bid may be extended for two (2) additional one (1) year periods.</p> <p>Be sure to sign and return this page including the terms and conditions on the reverse of Page 1.</p> <p>Any questions or problems contact the City of Mobile Purchasing Department at 251-208-7434 or purchasing@cityofmobile.org .</p> <p>THE CITY OF MOBILE DOES NOT ACCEPT VENDOR'S TERMS AND CONDITIONS.</p> <p>TO BE AWARDED ON AN ITEM BASIS.</p>					
			TOTAL			

Bid on this form ONLY. Make no changes on this form. Additional information to be submitted on separate sheet and attached hereto.

RETURN ONE SIGNED COPY OF THIS QUOTATION IN ENCLOSED ENVELOPE

READ ABOVE INSTRUCTIONS BEFORE QUOTING

Firm Name _____

By _____

We will allow a discount _____ % 20 days from date of receipt of goods and correct invoice of completed order.

Fire Hose Specifications for 1-3/4 inch x 50 ft Double Jacket Attack Hose:

Fire hose must meet current NFPA 1961 STANDARDS

The color for the 1-3/4 inch hose shall be offered in BLUE, RED, GREEN, YELLOW, WHITE, TAN and ORANGE with color impregnated stripes. The City shall state which color they desire upon ordering.

Double jacket hose shall be tightly woven from ring spun polyester yarn in the inner and outer jackets.

The weft shall be constructed of virgin filament polyester.

The outer jacket must be coated with a polyurethane base impregnation and be highly abrasion resistant. Impregnated hose shall meet the current requirements of MIL-H-24606B for abrasion resistance.

The hose shall be resistant to most chemical and petroleum products, and resist deterioration due to exposure to UV-rays and ozone.

The hose shall not be affected by rot or mildew. The hose must be of sufficient body and weight to meet the demands of heavy-duty fire fighting usage.

The rubber lining shall be 0.040" minimum wall thickness extruded tube of synthetic EPDM compounded to resist ozone. The finished form shall be free of pits or other imperfections and have a smooth finish for better flow characteristics. No reclaimed rubber shall be used. Plastic tubes that sacrifice durability of the hose life for the sake of weight are not acceptable. The adhesion between the tube and the jacket shall be a permanent bond and shall meet all UL-19 specifications.

The service test pressure of hose made to this specification shall be 400 PSI. The proof test pressure shall be 800 PSI, and the burst test pressure of a 3 ft sample shall be at least 1200 PSI. At 600 PSI pressure, a 50 ft hose shall not elongate more than 30 inches. The twist of the hose shall not exceed 2 right hand turns per 50 ft nor shall it rise up from the test surface. The hose must resist kinking and be flexible at temperatures as low as minus 65 degrees Fahrenheit.

Tensile strength and Ultimate elongation shall meet the standards of Underwriters Laboratories, Inc. as well as all other properties of UL-19 for rubber lined hoses. A valid U.S. Underwriters inspection procedure shall be in force. The hose shall be listed with Underwriters Laboratories and be rated to 800 PSI.

The fire hose shall meet and exceed all performance requirements of NFPA 1961, Underwriters Laboratories and MIL-H-24606B.

Couplings shall be lightweight aluminum threaded with 1-1/2" NST threads. All couplings shall be made in the U.S.A. Imported couplings will not be accepted.

A letter from the hose manufacturer stating the current co-efficient for their 1-3/4" hose that they are bidding must be submitted on company letterhead with each vendor's bid. The testing procedure that

was used to determine the co-efficient and all relevant documentation must also be submitted by the manufacturer of the hose. The following friction loss guidelines will be strictly adhered to in this specification.

For 1-3/4 inch hose,

150 G.P.M. NO MORE THAN 22 LBS. PER 100 FT COUPLED

185 G.P.M. NO MORE THAN 28 LBS. PER 100 FT COUPLED

210 G.P.M. NO MORE THAN 35 LBS. PER 100 FT COUPLED

The hose must be manufactured, tested and coupled in the U.S.A. and in the same facility, with a 10-Year warranty.

Fire Department will not accept hose that is purchased from one manufacturer and coupled by a second party.

Each vendor must submit the Manufacturer, Model and Inside Diameter of the hose they are bidding.

BID CONTINUATION SHEET

QUANTITY	ARTICLES	UNIT	UNIT PRICE		EXTENSION	
			Dollars	Cents	Dollars	Cents
	<p>Page 6 of 14</p> <p>FIRE HOSE</p> <p>Part II</p>					
Appx. 0-100	<p>Fire Hose, 5" Large Diameter with Field Replaceable Locking Storz Couplings, 100' Length Nitrile Rubber, Service Pressure 200 psi Acceptance Pressure 400 psi as per the attached. Item 4249</p> <p>Make: _____ Model: _____</p>					
Appx. 0-200	<p>Fire House Double Jacket Dacron, 3" Diameter, 50' Length with 2 1/2" NST Threaded Couplings, Rubber Lined, Proof Test Pressure 800 psi as per the attached specifications. Item 4184</p> <p>Make: _____ Model: _____</p>					
Appx. 0-200	<p>Fire House Double Jacket Dacron, 2 1/2" Diameter, 50' Length with 2 1/2" NST Couplings, Rubber Lined, Proof Test Pressure 800 psi, as per the attached specifications. Item 4143</p> <p>Make: _____ Model: _____</p>					
Appx. 0-200	<p>Fire Hose, Double Jacket Dacron, 1 3/4", 50' Length with 1 1/2" NST Couplings, Rubber Lined, Proof Test Pressure 800 psi as per the attached Specifications. Item 4144</p> <p>Make: _____ Model: _____</p> <p>Proof Test Pressure _____</p> <p>Provide Literature and Specifications on products bid.</p> <p>Samples: If requested, a vendor shall provide two (2) lengths of hose, 1 3/4", 2 1/2", or 3"; one (1) 100' length of 5" supply hose within five (5) business days at the request of the City of Mobile. If so, requested by the City for evaluation purposes, the sample hose, if accepted, will be part of initial order placed by the City of Mobile.</p>					
			TOTAL			

RETURN ONE SIGNED COPY OF THIS QUOTATION IN ENCLOSED ENVELOPE

READ ABOVE INSTRUCTIONS BEFORE QUOTING

Firm Name _____
By _____

We will allow a discount _____ % 20 days from date of receipt of goods and correct invoice of completed order.

BID CONTINUATION SHEET

QUANTITY	ARTICLES	UNIT	UNIT PRICE		EXTENSION	
			Dollars	Cents	Dollars	Cents
	<p align="center">Page 7 of 14</p> <p>Pricing shall be delivered pricing FOB Mobile.</p> <p>Delivery of hose should be no more than ten (10) business days after receipt of Purchase Order.</p> <p>City of Mobile will remove delivery from rear of truck by forklift. Vendor/shipper/truck lines shall place delivery at rear of truck for removal by City of Mobile forklift.</p> <p>All vendors will be required to provide verification of enrollment in the E-Verify program. Additional information may be found at http://immigration.alabama.gov/</p> <p>If the successful vendor's principal place of business is out-of-state, vendor may be required to have a Certificate of Authority to do business in the State of Alabama from the Secretary of State prior to issuance of a Purchase Order.</p> <p>Vendors are solely responsible for consulting with the Secretary of State to determine whether a Certificate is required. See: www.sos.alabama.gov/BusinessServices/ForeignCorps.aspx. Please note that the time between application for the issuance of a Certificate of Authority may be several weeks.</p> <p>Upon notification, vendor will have 10 business days to provide the Certificate of Authority and the E-Verify numbers to the Purchasing Department before award can be completed. (Vendors will possibly need to pay the expedite fee to meet this requirement because application is not sufficient. We must have a copy of the certificate with your Company ID number).</p> <p>Vendors do not need a City of Mobile Business License or Certificate of Authority from the Alabama Secretary of State, nor the E-Verify for certification to submit a bid, but will need to obtain the Business License and Certificate of Authority verification and/or provide the E-Verify Certification, if applicable, prior to issuance of a Purchase Order.</p> <p>Pricing to be firm for a one (1) year period following the award of this bid. At the option of the City of Mobile and the successful vendor, the award of this bid may be extended for two (2) additional one (1) year periods.</p>					
			TOTAL			

RETURN ONE SIGNED COPY OF THIS QUOTATION IN ENCLOSED ENVELOPE.

READ ABOVE INSTRUCTIONS BEFORE QUOTING

Firm Name _____

By _____

We will allow a discount _____ % 20 days from date of receipt of goods and correct invoice of completed order.

BID CONTINUATION SHEET

QUANTITY	ARTICLES	Bid on this form ONLY. Make no changes on this form. Additional information to be submitted on separate sheet and attached hereto.	UNIT	UNIT PRICE		EXTENSION	
				Dollars	Cents	Dollars	Cents
	<p>Page 8 of 14</p> <p>State of Alabama Local Vendor Preference Law 41-16-50 (a) and (d) will apply to this purchase.</p> <p>Any questions or problems contact the City of Mobile Purchasing Department at 251-208-7434 or purchasing@cityofmobile.org.</p> <p>TO BE AWARDED ON AN ITEM BASIS</p>						
				TOTAL			

RETURN ONE SIGNED COPY OF THIS QUOTATION IN ENCLOSED ENVELOPE

READ ABOVE INSTRUCTIONS BEFORE QUOTING

Firm Name _____

By _____

We will allow a discount _____ % 20 days from date of receipt of goods and correct invoice of completed order.

SPECIFICATIONS
1-3/4", 2.5", 3", Double Jacket Fire Hose

Scope

Hose manufactured to this specification shall be of superior quality and workmanship. The hose shall withstand the rough usage of front line firefighting. Hose specified shall meet NFPA 1961 standards. Due to issues of verification of adherence to NFPA 1961 standards or Fire hose produced outside of the United States, import hose shall not be accepted.

Hose furnished under these specifications will have a potential service life and warranty of 10 years, barring mistreatment that would render it unfit for service. Upon delivery the hose shall be free from defects in workmanship and materials.

Compliance

Exception

Jacket Construction

Double jacket hose manufactured to this specification shall be tightly woven with filament polyester yarn in the filler, and ring spun polyester yarn in the warp of both the inside and outside jackets. Inside jackets manufactured from 100% filament polyester would not meet these minimum standards.

The hose shall be resistant to most chemicals and petrol products, and resist deterioration due to exposure to UV-rays and ozone. It shall not be affected by rot or mildew.

Double jacket hose shall be woven with a double tracer stripe for ease in identification and twist. The inside and outside jackets shall be manufactured with a minimum pick count of 11 picks per inch for increased strength and abrasion resistance. The inside jacket shall be manufactured using a reverse twill process to reduce friction loss. The inside jacket shall be manufactured on a circular loom in a clockwise direction and the outside jacket in a counter-clockwise direction.

The hose must be of sufficient body and weight to meet the demands of heavy-duty firefighting usage.

Compliance

Exception

Abrasion Impregnation

Hose assemblies shall be available with the special "Key-Lok" polyurethane based Polymer or equal impregnation for added abrasion resistance and ease in identification. Impregnated hose shall meet the requirements of MIL-H-24606B for abrasion resistance. Hose shall be available in colors that may be specified by the City. A double dip process for twice the abrasion resistance should be available if requested by the City.

Compliance

Exception

Lining

The rubber lining shall be a single-ply extruded tube of synthetic high tensile EPDM compounded to resist ozone. The finished form shall be free of pits or other imperfections and have a smooth finish for better flow characteristics. Polyurethane tubes, SBR and/or PVC tubes that sacrifice durability of the hose life for the sake of weight are not acceptable.

The tube thickness shall be a minimum of .020". The adhesion between the tube and jacket shall meet a minimum requirement of 12 pounds on a 1 1/2" strip when tested in accordance to UL-19 standards. Minimum tensile strength requirements for the finished tube requirement shall be 1800 PSI.

A valid USA/ULC Underwriters inspection procedure shall be in force.

Compliance Exception

Performance

The minimum burst test pressure, when tested in accordance to NFPA 1961, on all diameters up to 3" shall be 1200 PSI/82 Bar.

Service test pressures stenciled on the hose shall be in accordance with current minimum requirements of NFPA 1962 in effect at date of manufacture.

A valid USA/ULC Underwriters 800 PSI/55 Bar listing shall be in force.

Compliance Exception

Standards

Fire hose manufactured to this specification shall meet and exceed all performance requirements of NFPA 1961 and Underwriter's Laboratories standards.

Hose shall be manufactured in the USA.

Compliance Exception

Couplings

Hose shall have 6061-T6 extruded aluminum NST threaded couplings.

Compliance Exception

SIZE	SERVICE TEST	PROOF TEST	BURST TEST	BOWL SIZE	WEIGHT/FT UNCOUPLED
1-3/4" *	400 PSI	800 PSI	1200 PSI	2-1/16"	.28 LB
2-1/2" *	400 PSI	800 PSI	1200 PSI	3"	.42 LB
3" *	400 PSI	800 PSI	1200 PSI	3-3/8"	.56 LB

* UL Listed

5" RUBBER COVERED FIRE HOSE

Hose Construction

Hose shall be made from 100 percent high tenacity synthetic polyester yarn, circularly woven and completely protected by a through-the-weave extruded PVC/Nitrile rubber, forming a single homogeneous construction without the use of glues or adhesives of any type. Hose features a thin rib construction to aid abrasion resistance. Hose exceeds all requirements of NFPA 1961 for supply hose, and shall carry a 10 year written warranty against defects in materials and workmanship.

COMPLIANCE EXCEPTION

Lining Properties

Ultimate Tensile Strength – Tensile strength of the lining and cover shall not be less than 1200 PSI.

Ultimate Elongation – 400% minimum.

Accelerated Aging Test – The tensile strength and ultimate elongation of the vulcanized rubber compound which has been subjected to the action of oxygen at a pressure of 300 PSI (± 10 PSI) and a temperature of 158°($\pm 18^\circ$ F) for a period of 96 hours shall retain 60 percent of its originally stated properties.

COMPLIANCE EXCEPTION

Abrasion Resistance

Hose shall withstand 10,000 cycles on the Taber Abrasion Machine (H-22 Wheel: 1/2 kg). Upon request, manufacturer will supply written warranties that hose meets a minimum 10,000 cycles. Other abrasion test results (UL, DIN, etc.) can be supplied on request of purchaser.

COMPLIANCE EXCEPTION

Cold Resistance

Hose shall have a capability of use down to -35°F. Hose shall have no apparent damage to cover, reinforcement or lining when subjected to the following cold bending test: a 50 ft. length of dry hose is to be firmly coiled and placed in a cold box at -35°F for duration of 24 hours. Immediately after removal of the hose from the box, hose should be uncoiled and laid out by one operator. Following this procedure, the hose shall not leak nor show any damage to the reinforcement when subjected to the hydrostatic acceptance test stated above.

COMPLIANCE EXCEPTION

Ozone Resistance

Hose shall show no visible signs of cracking to the lining or cover when tested in accordance to ASTM D518 Procedure B (100pphm/118°F/70 hours).

COMPLIANCE EXCEPTION

Chemical Resistance

Exposure to sea water and contamination by most chemical substances, hydrocarbons, oils, alkalis, acids and greases must have no effect on the short or long term performance of the hose. Manufacturer must supply specific chemical resistance data on request of purchaser for unique applications.

COMPLIANCE EXCEPTION

Heat Resistance

The hose, when subjected to a static pressure of 100 PSI, shall be capable of withstanding a surface temperature of 1200°F for a minimum of one minute without rupture or damage to the synthetic reinforcement.

COMPLIANCE EXCEPTION

Color

The color shall be of HI-VISIBILITY yellow. Other colors should be available if requested by the City of Mobile.

COMPLIANCE EXCEPTION

Couplings

The couplings shall be STORZ clamp ring. Plastic components within the storz assembly shall not be accepted.

COMPLIANCE EXCEPTION

Hydrostatic Pressure Tests

Diameter:	5"
Acceptance Test Pressure:	450psi
Burst Pressure:	675psi
Kink Pressure:	300psi

Hose Weight and Coil Diameters

The hose shall conform to the following average weights and diameters:

Diameter:	5"
Bowl Size:	5-1/4"
Weight/ft. Uncoupled:	.93 lbs.

COMPLIANCE EXCEPTION

Lengths

Hose to be available in 100' lengths...

COMPLIANCE EXCEPTION

Warranty

Hose shall carry a ten year written warranty.

COMPLIANCE EXCEPTION

FIRE HOSE PARTS AND PRICES

VENDOR SHALL PROVIDE REPLACEMENT PARTS LIST FOR FIRE HOSE COUPLINGS. CITY WILL PURCHASE SOME REPAIR ITEMS FOR STOCK AND WILL PURCHASE MORE DURING THE LIFE OF THE CONTRACT

(1)----5" HOSE

COUPLING COMPLETE----MAKE _____ MODEL _____

CLAMP-----MAKE _____ MODEL _____

(2)----3" HOSE

COUPLING COMPLETE, (COUPLING, EXPANSION RING, TAIL PIECE GASKET)

EXPANSION RING-----MAKE _____ MODEL _____

TAIL PIECE GASKET----MAKE _____ MODEL _____

(3)-----2-1/2" HOSE

COUPLING COMPLETE, (COUPLING, EXPANSION RING, TAIL PIECE GASKET)

EXPANSION RING-----MAKE _____ MODEL _____

TAIL PIECE GASKET-----MAKE _____ MODEL _____

(4)-----1-3/4" HOSE

COUPLING COMPLETE, (COUPLING, EXPANSION RING, TAIL PIECE GASKET)

EXPANSION RING-----MAKE _____ MODEL _____

TAIL PIECE GASKET-----MAKE _____ MODEL _____



PROCUREMENT DEPARTMENT

Potential bidders are responsible to check this site for any **ADDENDUMS** that are issued. It is the responsibility of the **BIDDER** to check for, download, and include with their **BID RESPONSE** any and all **ADDENDUMS** that are issued for a specific **BID** published by the City of Mobile. Failure to download and include **ADDENDUMS** in your **BID RESPONSE** may cause your bid to be rejected.

This is a sealed bid. Any responses faxed or e-mailed will be rejected.

This is a sealed bid. Any response must be submitted in a sealed envelope with the bid number and bid opening date on the outside of the envelope.

Any response that arrives improperly marked or with no bid number and opening date on the outside of the delivery or express package and opened in error will be rejected and not considered.

It is the responsibility of the bidder to insure that their bid response is delivered to and received in the Purchasing Department before the date and time of the bid opening.

Be sure to read the Terms and Conditions. All bids are F.O.B. Destination unless otherwise stated.

Be sure to sign your bid!

Package/Bid Delivery Address:
Purchasing Department
205 Government St. Room S408
Mobile, AL 36644

(Request First Delivery)