SPECIFICATIONS FOR RESIDENTIAL REHABILITATION PROJECT Scope of Work Write-Up

Property Owner: Delera Huff

Address: 2216 Roosevelt Avenue City and State: Mobile, Alabama 36617

Phone: (770) 595-3317

Inspector Terell R.

Roof

All work shall meet or exceed the requirements of the ICC Residential Code and the Standard Building Code © Section 1501 for roof materials, application, installation, etc. and Section 309 for roof and ceiling framing, and all other codes that govern. A building permit is required if there is any wood to be replaced.

- O Areas that are found to be spaced decked shall be covered with ½" exterior grade sheathing material after removing the existing decking. It is the contractors responsibility to ensure the framing and structure will support the additional load.
- o Remove existing roofing materials down to bare decking.
- O Check all roof trusses/rafters and repair/replace as needed to ensure that new roof structure is flat and smooth without rises or depressions in roof system.
- o Replace all rotten, broken, un-even, weak, or deteriorated decking framing, fascia and etc.
- o Any exposed repaired or replace wood should be protected from the elements, painted to match existing color or white.
- o Replaced/repaired decking shall be level and ready to accept felt and shingles.
- Check all roof trusses for strength and stability before re-shingling house.
- o FLAT SECTION OF ROOF SHOULD BE RE-CONSTRUCTED TO HAVE A PITCH
- o Remove all unused elements, vents, etc., that are not operational and close them below roof level.
- o Re-flash all valleys, vents, roof openings, and chimneys.
- o Install new boots around all roof penetrations.
- o Haul away debris immediately.
- o Use a magnetic sweep around the perimeter of house and rake away any other debris.
- Cover entire roof decking with self-adhered roofing underlayment then install 15# asphalt impregnated felt underlayment
- o Prepare roof decking to accept a ridge vent.
- O Re-roof with a 30year dimensional class A fiberglass asphalt shingle. (Owners choice of color) (ANY AREA DEEMED TO NEED ROLL ROOFING MATERIAL WILL BE SELF ADHERING MODIFIED BITUMEN) CAP SHEET AND (BASE SHEET IF NEEDED) INSTALL PROPER METAL DRIP RAIL FOR THIS STYLE ROOFING.
- Shingles must be 1st quality still in the wrapper. Seconds will not be accepted.
- o Install drip rail around perimeter of house. Shingles shall have ½" to 1½" overhang.
- o Install roof over ridge vent with-in 2ft of end of ridge (end to end) or wind turbines, (minimum of two) as appropriate.
- New roof shall be structurally sound and leak free.
- o Contractor shall warrant the roof to be completely leak free for one year.

Page 2 2216 Roosevelt Avenue

Roof Total \$					
All work shall meet or exceed the requirements of the	ICC Residential Code and the Standard				
Building Code © Any and all additions or alterations	to the specifications listed herein will				
REQUIRE a change order and will not be allowed un	less approved by the Community &				
Housing Development Office. If any such work outsid	e these specifications is made without prior				
authorization it could result in a loss of payment for v	vork performed outside the bid				
specifications.					
I, the undersigned Contractor, having inspected the the requirements of the Scope of Work Write-up for the extent, character, and intent of the work, and I material, and equipment necessary to accomplish a stated amount of:	or the listed address, do fully understand ereby propose to furnish all labor,				
GRAND TOTAL for 2216 Roosevelt Avenue: \$					
I will begin the work within calendar days of	receiving a Notice to Proceed and I will				
complete the work within calendar days of b	eginning work. (Initial here)				
Signature of Contractor Representative	Date				
Contractor Representative Name - Printed	_				
Contractor Representative's Title	_				
Contractor Company Name	_				
Contractor Phone Number	_				

Contractor Address - Email

Page 3 2216 Roosevelt Avenue

ontractor Address –	Physical Locati	on		