

PURCHASING DEPARTMENT

ADDENDUM

April 21, 2017

RE: City of Mobile Bid #5030 for 2017 or Newer ³/₄ ton 4 x 2 Crew Cab Trucks Equipped and Upfitted for Law Enforcement.

Gentlemen:

Please consider this to be Addendum to City of Mobile Bid #5030 for 2017 or Newer $\frac{3}{4}$ ton 4 x 2 Crew Cab Trucks Equipped and Upfitted for Law Enforcement.

REMOVE:

Attached Specification sheets from bid for both trucks.

REPLACE:

With the attached Specifications sheets.

Both trucks to have short pick up bed. Tommy lift gate to have 1300 lb. capacity.

Thank you for your consideration in this matter.

Sincerely,

John

Purchasing Agent City of Mobile

JP/nm

2017 FORD F250 CREW CAB 4X4 TRUCK 10,000 lbs. GVMR, WITH SHORT BED. To include the following options : Gas V8 Engine, Air Conditioning, AM/FM, Tow Package w/ 7/4 plug Tow Mirrors w/ Spot Mirrors, Trailer Sway Control, Vinyl Flooring, 4 Wheel Disc Brakes, Tilt Wheel

White in Color

The following products shall be provided and installed on the above vehicles There shall be no substitution of the products listed below.

- 1 Ea. Able2Products Compact Siren Controller Sho-Me P/N 30.2109
- 1 Ea. Whelen 100 watt Siren Speaker with bracket for 2017 Ford F250 P/N SA315P No Substitutions
- 2 Ea. LED Dash Light BLUE SoundOff Signal P/N ENFSWS3B With SoundOff Signal Bracket P/N PNFSLDGSB
- 1 Ea. SoundOff Signal Blue Dual side-by-side Deck mount Light P/N ENFDGSBB (9 LED Solid Color) 12K Warn Winch w/ remote and Brush Guard
- 1 Ea. Hide Away Gooseneck Hitch and Gooseneck Prep
- 1 Ea. Spray-in Liner
- 1 Ea. DrawTite Brake Controller
- 1 Ea. Heavy Duty Suspension
- 1 Ea. Upfitter Switches
- 1 Ea. 200 AMP Alternator
- 1 Ea. Cab Steps
- 1 Ea. 4 Corner Strobes
- 1 Ea. Brass ¾ Hole Permanent Mount, 17ft RG58 MaxRad P/N NM058U-NC or equal
- 1 Ea. Mini UHF RG58 Connector Motorola #2880376E84 No Substitutions
- 1 Ea. ATM Mini Fuse Block Panel 4 or 6 Gang 12 Volt Blade

City shall provide a Harris radio harness kit that bidder shall install prior to delivery.

*All above equipment to be installed prior to delivery

All installations must be professional and neat in appearance and performed by one organization. All manners of installation and wiring must be uniform and appropriate for the equipment being used

Item #1 – Sound Off dash/deck lights – will be installed as per manufacturer's specifications using factory supplied mounting brackets. All cable will be routed behind trim and floor covering and positioned as to not interfere with other components.

Item #2 – Rear LED lights with mounting brackets - will be installed as per manufacturer's specifications using factory supplied mounting brackets. All cable will be routed behind trim and floor covering and positioned as to not interfere with other components.

Item #3 - Lighted rocker switches X2 - Dash mounted loction to be specified.

Switch 1: Controls front LED Light Bar and factory flashers.

Switch 2: Controls Rear LED spoiler lights.

Item #4 – Sho-me 100 Watt Siren control box – Will be installed in dash or console (to be determined based on space requirements). Wiring connections for this item will be connected as follows:

Power: Front Power Distribution Connector.

Ground: attached to vehicles factory supplied ground lug.

Speaker: attached to factory wiring harness that is connected to siren speaker.

Control switches: connected to the siren controller and mounted at location to be specified.

Item #5 – Whelen SA315P, 100 Watt Siren Speaker with Whelen Bracket – will be installed behind the grill utilizing the supplied bracket with manufacturer's factory supplied hardware.

Item #6 – Mobile Radio Wiring – wiring harness for this item will be connected as follows: (to also include Antenna Cable)

Power: connected to Power Distribution Connector.

Ignition: connected to Power Distribution Connector.

Ground: connected to ground lug.

In the Harris radio harness kit there are 2 power wiring harnesses, 1 for the radio head unit and 1 for the MRU trunk unit which will be mounted in the trunk. A 3pin data cable will run between these 2 units. A coaxial antenna cable will be roof mounted and terminated with a TNC connector. A radio speaker will be mounted with the supplied mounting bracket and hardware to a location to be specified.

2017 FORD F250 CREW CAB 4X4 TRUCK 10,000 lbs. GVMR SHORT BED WITH 1300LBS. CAPACITY TOMMY LIFT GATE.

To include the following options : Gas V8 Engine, Air Conditioning, AM/FM, Tow Package w/ 7/4 plug Tow Mirrors w/ Spot Mirrors, Trailer Sway Control, Vinyl Flooring, 4 Wheel Disc Brakes, Tilt Wheel

White in Color

The following products shall be provided and installed on the above vehicles There shall be no substitution of the products listed below.

- 1 Ea. Able2Products Compact Siren Controller Sho-Me P/N 30.2109
- 1 Ea. Whelen 100 watt Siren Speaker with bracket for 2017 Ford F250 P/N SA315P No Substitutions
- 2 Ea. LED Dash Light BLUE SoundOff Signal P/N ENFSWS3B With SoundOff Signal Bracket P/N PNFSLDGSB
- 1 Ea. SoundOff Signal Blue Dual side-by-side Deck mount Light P/N ENFDGSBB (9 LED Solid Color)
- 1 Ea. 12K Warn Winch w/ remote and Brush Guard
- 1 Ea. Hide Away Gooseneck Hitch and Gooseneck Prep
- 1 Ea. Spray-in Liner
- 1 Ea. Tommy Lift G2601342 TP27, 1300 lbs capacity.
- 1 Ea. DrawTite Brake Controller
- 1 Ea. Heavy Duty Suspension
- 1 Ea. Upfitter Switches
- 1 Ea. 200 AMP Alternator
- 1 Ea. Cab Steps
- 1 Ea. 4 Corner Strobes
- 1 Ea. Brass ¾ Hole Permanent Mount, 17ft RG58 MaxRad P/N NM058U-NC or equal
- 1 Ea. Mini UHF RG58 Connector Motorola #2880376E84 No Substitutions
- 1 Ea. ATM Mini Fuse Block Panel 4 or 6 Gang 12 Volt Blade

City shall provide a Harris radio harness to be installed with the above.

*All above equipment to be installed prior to delivery

All installations must be professional and neat in appearance and performed by one organization. All manners of installation and wiring must be uniform and appropriate for the equipment being used

Item #1 – Sound Off dash/deck lights – will be installed as per manufacturer's specifications using factory supplied mounting brackets. All cable will be routed behind trim and floor covering and positioned as to not interfere with other components.

Item #2 – Rear LED lights with mounting brackets - will be installed as per manufacturer's specifications using factory supplied mounting brackets. All cable will be routed behind trim and floor covering and positioned as to not interfere with other components.

Item #3 – Lighted rocker switches X2 – Dash mounted loction to be specified.

- Switch 1: Controls front LED Light Bar and factory flashers.
- Switch 2: Controls Rear LED spoiler lights.

Item #4 – Sho-me 100 Watt Siren control box – Will be installed in dash or console (to be determined based on space requirements). Wiring connections for this item will be connected as follows:

Power: Front Power Distribution Connector.

Ground: attached to vehicles factory supplied ground lug.

Speaker: attached to factory wiring harness that is connected to siren speaker.

Control switches: connected to the siren controller and mounted at location to be specified.

Item #5 – Whelen SA315P, 100 Watt Siren Speaker with Whelen Bracket – will be installed behind the grill utilizing the supplied bracket with manufacturer's factory supplied hardware.

Item #6 – Mobile Radio Wiring – wiring harness for this item will be connected as follows: (to also include Antenna Cable)

Power:connected to Power Distribution Connector.Ignition:connected to Power Distribution Connector.Ground:connected to ground lug.

In the Harris radio harness kit there are 2 power wiring harnesses, 1 for the radio head unit and 1 for the MRU trunk unit which will be mounted in the trunk. A 3pin data cable will run between these 2 units. A coaxial antenna cable will be roof mounted and terminated with a TNC connector. A radio speaker will be mounted with the supplied mounting bracket and hardware to a location to be specified