CITY OF MOBILE

BID SHEET

This is Not an Order

Mailing Address: P.O. Box 1948 Mobile, Alabama 36633 (251) 208-7434

Purchasing Department and Package Delivery: **Government Plaza** 4th Floor, Room S-408 205 Government St Mobile, Alabama 36644

READ TERMS AND CONDITIONS ON REVERSE SIDE OF THIS PAGE **BEFORE BIDDING**

| Typed by: | nm | | Buyer: 002 | ····· | | | | | | | |
|---------------|---|--------------------|---|--------------------------------|--|------------|----------|-----------|-------|--|--|
| | Ple | ase quote the le | owest price at which you | will furnish the articl | es listed | below | | | | | |
| | | | | | ies to be delivered F.O.B. Mobile to: BE SPECIFIED | | | | | | |
| This bid | must be recei | ved and stamp | ed by the Purchasing offi | ce not later than: 1 | 1:15 AM. | Friday. De | cember 1 | 4. 2018 | | | |
| | Bid on this form ONLY. Make no changes on this form. Attach | | | | | UNIT PRICE | | EXTENSION | | | |
| QUANTITY | ARTICLES | | nal information required to this f | | UNIT | Dollars | Cents | Dollars | Cents | | |
| | | | 0 GVW CREW CAB 4 X 2 E CONTRACTOR DUMP | | | | | | | | |
| Appx. 1-10 | Contractor I Specificatio | Dump Body as pens. | Crew Cab 4 x 2 Truck with r the following and <u>ATTAC</u> | | | | | | | | |
| | Chassis | | Model: | | | | | | | | |
| | Body: | | | | | | | | | | |
| | | Make: | Model: | | | | | | | | |
| | Provide Lite | rature and Specif | ications on product bid. | | | | | | | | |
| | | | chase a minimum of one (1) de Contractor Dump Body. | 16,000 GVW Crew | | | | | | | |
| | Floor of the the road sur | | actor Body shall be no MOR | E than 38 inches from | | | | | | | |
| | Furnish Fac | tory Literature an | d Specifications. | | | | | | | | |
| | Colors orde | red may be standa | ard colors. Initial purchase | will be white. | | | | | | | |
| | Different pri | ces for different | colors not acceptable. | | | | | | | | |
| | | J | Page 1 of 4 | | L | тот | AL | | | | |
| | NE SIGNED CO ED ENVELOPE | DPY OF THIS BI | D State | e delivery time with Firm Name | | | | | .0. | | |
| | | | | Typed Signature | | | | | | | |
| | a discount oice of completed | | om date of receipt of goods | By | | | | | | | |

- 1. All quotations must be signed with the firm name and by an authorized officer or employee.
- 2. Verify your bid before submission as it cannot be withdrawn or corrected after being opened. In case of error in extension of prices, the unit price will govern.
- 3. If you do not bid, return this sheet and state reason. Otherwise your name may be removed from our mailing list.
- 4. The right is reserved to reject any, or all quotations, or any portions thereof, and to waive technicalities if deemed to be in the interest of the City of Mobile.
- 5. This bid shall not be reassignable except by written approval of the Purchasing Agent of the City of Mobile.
- 6. State brand and model number of each item. All items bid must be new and latest model unless otherwise specified.
- 7. If bid results are desired, enclose a self-addressed and stamped envelope with your bid. (All or None bids only)
- 8. Do not include Federal Excise Tax as exemption certificate will be issued in lieu of same. The City is exempt from the Alabama and City sales taxes.
- 9. PRICES ARE TO BE FIRM AND F.O.B. DESTINATION UNLESS OTHERWISE REQUESTED.
- 10. BID WILL BE AWARDED ON ALL OR NONE BASIS UNLESS OTHERWISE STATED.
- 11. Bids received after specified time will be returned un-opened.
- 12. Failure to observe stated instructions and conditions will constitute grounds for rejection of your bid.
- 13. Furnish literature, specifications, drawings, photographs, etc., as applicable with the items bid.
- 14. Vendor <u>May</u> be required to obtain City of Mobile Business License as applicable to City of Mobile Municipal Code Section 34-50. For Business License inquiry contact the Revenue Department at (251) 208-7461 or cityofmobile.org/taxes.php.
- 15. If a bid bond is required in the published specifications, see below: Each Bid Shall be Accompanied By A Cashier's Check, Certified Check, Bank Draft Or Bid Bond For the Sum Of Five (5) Percent Of The Amount Bid, Made Payable To The City Of Mobile And Certified By A Reputable Banking Institution. All Checks Shall Be Returned Promptly. Except The Check Of The Successful Bidder, Which Shall Be Returned After Fulfilling The Bid.
- 16. Contracts in excess of \$50,000 require that the successful bidder make every possible effort to have at least fifteen (15) percent of the total value of the contract performed by socially and economically disadvantaged individuals.
- 17. All bids/bid envelopes must have the bid number noted on the front. Bids that arrive unmarked and are opened in error shall be returned to vendor as an unacceptable bid
- 18. If successful vendor's principal place of business is out-of-state, vendor may be required to have a Certificate of Authority to do business in the State of Alabama from the Alabama Secretary of State prior to issuance of a Purchase Order. Vendors are solely responsible for consulting with the Secretary of State to determine whether a Certificate is required. See <u>www.sos.alabama.gov/BusinessServices/ForeignCorps.aspx</u>. Please note that the time between application for and issuance of a Certificate of Authority may be several weeks.
- 19. Vendors do not need a City of Mobile Business License or Certificate of Authority from the Alabama Secretary of State to submit a bid, but will need to obtain the Business License and Certificate of Authority, if applicable, prior to issuance of a Purchase Order.

BID CONTINUATION SHEET

| UANTITY | ARTICLES Bid on this form ONLY. Make no changes on this form. Additional in- | UNIT | UNIT PRICE | | EXTENSION | |
|---------|--|------|------------|-------|-----------|-----|
| | ARTICLES formation to be submitted on separate sheet and attached hereto. | | Dollars | Cents | Dollars | Cer |
| | Page 2 of 4 | | | | | |
| | NOTE: Front four (4) Corner Warning Lights shall NOT be installed in headlight/turn signal/parking light fixtures. Any vehicle delivered with the from four corner warning lights installed in the headlight/turn signal/parking light fixtures will be refused and only accepted once vendor replaces the light fixture with the new ones. Rear corner lights shall be separate mounts from rear lights. | | | | | |
| | Vehicle(s) are to be delivered with four (4) sets of fully functional keys that include the electronics and are coded to start the vehicles. | | | | | |
| | Include the price of Application for Certificate of Title in your bid price. All standard items as stated in your model Literature must remain on vehicle, not removed except as noted. | | | | | |
| | City of Mobile Business License Required – See Item 14 (on reverse side) | | | | | |
| | All vendors will be required to provide verification of enrollment in the E-Verify program. Additional information may be found at <u>http://immigration.alabama.gov/</u> | | | | | |
| | If the successful vendor's principal place of business is out-of-state, vendor may be required to have a Certificate of Authority to do business in the State of Alabama from the Secretary of State prior to issuance of a Purchase Order. | | | | | |
| | Vendors are solely responsible for consulting with the Secretary of State to determine whether a Certificate is required. See: <u>www.sos.alabama.gov/BusinessServices/ForeignCorps.aspx</u> . Please note that the time between application for the issuance of a Certificate of Authority may be several weeks. | | | | | |
| | Upon notification, vendor will have 10 business days to provide the Certificate of Authority and the E-Verify numbers to the Purchasing Department before award can be completed. (Vendors will possibly need to pay the expedite fee to meet this requirement because application is not sufficient. We must have a copy of the certificate with your Company ID number). | | | | | |
| | Vendors do not need a City of Mobile Business License or Certificate of Authority from the Alabama Secretary of State, nor the E-Verify for certification to submit a bid, but will need to obtain the Business License and Certificate of Authority verification and/or provide the E-Verify Certification, if applicable, prior to issuance of a Purchase Order. | | | | | |
|] | | | то | TAL | | T |
| | ONE SIGNED COPY OF THIS QUOTATION READ ABOVE INST DSED ENVELOPE Firm Name | | | | | ± |
| | By | | | | | |

BID CONTINUATION SHEET

| | | Bid on this form ONLY. Make no changes on this form | n. Additional in- | UNIT | UNIT PR | EXTENS | TENSION | |
|---------|---|--|-----------------------|------|---------|--------|---------------------|-------------|
| JANTITY | ARTICLES formation to be submitted on separate sheet and attached hereto. | | | | Dollars | Cents | Dullars Cen | |
| | | | | | | | | |
| | | Page 3 of 4 | | | | | | |
| | | e | | | | | | |
| | Vendor shall p for use by the (| rovide ALL Service and Parts Manuals for the City of Mobile. | ese venicies | | | | | |
| | of Mobile and | e good for the model year bid. At the option of the Successful Vendor, the award of this bid roo (2) additional model years. | of the City may be | | | | | |
| | Be sure to sign the reverse of P | and return this page including the terms and cond age 1. | itions on | | | | | |
| | THE CITY OF AND CONDIT | MOBILE DOES NOT ACCEPT VENDOR'S TE IONS. | RMS | | | | | |
| | State of Alaban and (d) will app | na Local Vendor Preference Law 41-16-50 (a) In to this purchase. | | | | | | |
| | If you have any at 251-208-743 | questions please feel free to contact the Purchasi 4 or <u>purchasing@cityofmobile.org</u> . | ng Department | | | | | |
| | IU BE AWA | RDED ON A PER ITEM BASIS. | | | | | | |
| | | | | | тс | DTAL | | |
| | | | | | 1 | | | |
| | | | D ABOVE INST | | JN2 REF | ORE (| JUOTING | 1 |
| IN ENC | LOSED ENVELO | Firm | Name | | | | | |

Ву ____

BID CONTINUATION SHEET

| UANTITY | ARTICLES | Bid on this form ONLY. Make no changes on this form. Additional in- | UNIT | UNIT PRICE | | EXTENS | ION |
|---------|-------------------------------|---|------|------------|-------|---------|-------|
| | ANTICLES | formation to be submitted on separate sheet and attached hereto. | | Dollars | Cents | Dollars | Cents |
| | OPTION | Page 4 of 4 | | | | | |
| | SERVICI | EPLANS | | | | | |
| | | ive (5) year/75,000 mile Service Plan to cover all urers recommended serviced or scheduled items. | | | | | |
| | and Wind recomme | e, but not limited to Oil and Filter Changes, Coolant shield Washer Fluids and any other Item (s) nded to be changed or serviced during the five (5) year miles after receipt of vehicles by the City of Mobile. | | | | | |
| | plan that not be acc | lan shall be a National or Corporate Plan. A service limits repairs and service to a specific dealership will cepted. City should be able to go to any of the urer's dealerships to have service done. | | | | | |
| | Service a | Il be a Service Center with Drive In and Drive Out rranged by the Vendor to cover these items within (35) miles of the City of Mobile Police Jurisdiction. | | | | | |
| | | lor shall provide copies of all service as it is d to the City of Mobile Municipal Garage. | | | | | |
| | Contract Mobile M | hat are not part of the normal Warranty and Service will not be done without the approval of the City of Iunicipal Garage. The driver of the vehicle cannot epairs that are not part of the Warranty and Service | | | | | |
| | 0 | ption 1 – If purchased when vehicle is ordered. | | | | | |
| | | \$ | | | | | |
| | 0 | ption 2 – If purchased after vehicle has been delivered. | | | | | |
| | | \$ | | | | | |
| | | | L | то | TAL | | + |
| | ONE SIGNED CO OSED ENVELOP | OPY OF THIS QUOTATION READ ABOVE INST E Firm Name | | | | | |

 $1 - 10\ 2019$ or newer Ford F450 or equal 4 door crew cab 16,000 lb GVW chassis dump body truck with drop side contractors dump body with the following minimum specifications

| | YES | NO |
|--|-----|------|
| General | | |
| Contractor dump body for use on single axle 84"CA 16,000 GVW or | | |
| larger truck | | |
| Drop side construction | | |
| Bulkhead 10 ga., tailgate double paneled 10 and 12 gauge, and sides | | |
| double paneled 12 gauge. All steel High Tensile | | |
| Built to accept scissors style hoist | | 1.00 |
| Pockets on top of sides to accept extension (cheater) boards | | |
| Double Acting tailgate with spreader chains and quick release top pins | | |
| Tailgate release must be positive locking with dump handle at left | | |
| front corner of body | | |
| LED clearance, marker, and RID lights to meet FMVSS 108 | | |
| Body to be E-coat primed and fully undercoated | | |
| Headboard | | |
| One piece 10 ga high tensile, 2 bend top rail, 2 ¹ / ₄ " wide with 1 ¹ / ₂ " | | |
| return flange. | | |
| Fully boxed corner post and full width reinforcement rib for added | | |
| rigidity | | |
| Integrated Cab Protector Mounting pockets | | |
| Straight Quarter cab protector installed | | |
| Punched window opening for visibility | | |
| Floor | | |
| Two piece 7ga. high tensile, full seam welded | | |
| Sloped floor to side interface to reduce material adhesion to sides | | |
| Length 11ft x Width 7 ft inside dimensions | | |
| Sides | | - |
| Sides are slam style with center mounted release handle | | |
| Reinforced with a $4-1/2$ " x $9-1/2$ " formed rear corner post from top of | | |
| tailgate to bottom of cross member. | | |
| Pockets provided front and rear for 2X6 | | |
| Drop sides to be removable for easy service and replacement without | | |
| cutting required | | |
| Side height 16" | | |
| Tailgate and Hardware | | |
| Top hinge member to be 1 ¹ / ₄ " diameter quick release mechanism for | | |
| dropping gate from top | | |
| Lower latch hardware is overhead hook type latch with 1 1/8" | | |
| diameter pin, ³ / ₄ " thick latch | | |
| 5/16" spreader chains included with sufficient length to support | | |
| tailgate in horizontal position | | |
| Formed two piece construction seamless outer 12 ga panel and single | | |
| 10ga inner wall. Tailgate height 22" | | |
| - On more destrict and the there are | | |

| Tailanta Dalanaa awatawa | |
|---|--|
| Tailgate Release system | |
| Mechanical positive locking operating handle at left front by driver's door | |
| | |
| ³ / ₄ " diameter cross shafts (front and rear) and ¹ / ₂ " diameter operating | |
| rod running longitudinally down the street side | |
| Safety restraining ring provided at the handle | |
| Multiple grease points throughout the system (grease zerks provided) | |
| Understructure | |
| Western style (cross memberless construction) | |
| Long sills are 7" trapezoidal style, full length of body, with internal | |
| anti –corrosion coating | |
| Hoist | |
| Scissors style hoist of ³ / ₄ " high tensile steel construction | |
| Double acting cylinder with threaded cylinder gland cap to prevent | |
| cylinder damage in "load over center" conditions | |
| Electric/hydraulic pump with in cab pendant controls | |
| 3 year warranty | |
| 8.6 ton capacity | |
| Automatic Body bracing positioning. | |
| Tratomate Doug ordering positioning. | |
| Other | |
| Includes mud flaps | |
| Rear hitch set up for Pintle eye and ball hitch combo with 2" ball | |
| Trailer plug wiring installed | |
| Safety D-rings for trailer | |
| Four Corner strobe System (surface mount) | |
| Local service center for complete unit including hoist | |
| Local service center for complete unit including noist | |
| Truck Chassis | |
| Crew Cab 84" CA- cab chassis | |
| Diesel Engine | |
| External oil and transmission cooler | |
| Front frame mounted tow hooks | |
| 4 wheel disc anti-lock brakes | |
| 6 speed automatic transmission | |
| 40/20/40 Vinyl front split seat | |
| Auto locking rear differential | |
| Extendable outside mirrors | |
| Air and AM/FM Radio | |
| Factory Upfitter switches | |
| Factory Electric Brake Controller | |
| | |
| | |



PURCHASING DEPARTMENT

Potential bidders are responsible to check this site for any ADDENDUMS that are issued. It is the responsibility of the BIDDER to check for, download, and include with their BID RESPONSE <u>any</u> <u>and all</u> ADDENDUMS that are issued for a specific BID published by the City of Mobile. Failure to download and include ADDENDUMS in your BID RESPONSE may cause your bid to be rejected.

This is a sealed bid. Any responses faxed or e-mailed will be rejected.

This is a sealed bid. Any response must be submitted in a sealed envelope with the bid number and bid opening date on the outside of the envelope.

Any response that arrives improperly marked or with no bid number and opening date on the outside of the delivery or express package and opened in error will be rejected and not considered.

It is the responsibility of the bidder to insure that their bid response is delivered to and received in the Purchasing Department <u>before</u> the date and time of the bid opening.

Be sure to read the Terms and Conditions. All bids are F.O.B. Destination unless otherwise stated.

Be sure to sign your bid!

Package/Bid Delivery Address: Purchasing Department 205 Government St. Room S408 Mobile, AL 36644

(Request First Delivery)